# HODI



# PRODUCT CATALOG

### Hodi (HK) Industrial Co., Limited

ADDRESS:UNIT 1406B, 14/F, THE BELGIAN BANK BUILDING,
NOS. 721 - 725 NATHAN ROAD, KOWLOON, HONG KONG
CONTACTER PHONE NO.:+86 139 281 46416
E-MAIL:parkli2008@163.com

# COMPANY PROFILE





Hodi subordinate Zhongshan JW Electric Appliance Co., Ltd. Located in Zhongshan City, GuangDong Province of China. Founded in 2013. Covering and area of 12,000 square meters. The sales depa rtment of Foreign Trade was established in 2020. Is an OEM/ODM ma nufacturer of water kettle, blender, soy milk maker, air fryer, oven and so on. Staffed by 200 employees, equipped with 8 production lines, all the plastic parts and motor made by ourselves, with professional desig ning & development team, professional sales team. We have annual p roduction output for more than 10 million dollars. Our company passed ISO 9001:2015 and BSCI, our products are extensively used in families to Europe, Russia, South America, Middle east, Southeast Asia and etc.

We welcome new and old customers to contact us for future business re lationships and mutual success!

# **OUR VISION**

our customers will exprience Junwei as the first choice. Independent and international home appliance & manufacturing specialist. supplly our cus-tomers worldwide with effective total solutions.









































# **ZG-88**

- \* 220V-240V 50-60HZ
- \* New design with decoration parts
- \* Visualization window
- \* 8 smart menus
- $^{*}\,360^{\circ}\,$  hot air circulation, evenly heating food























Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-88	6L	1300W	355*310*320MM	1544PCS ( 1*40HQ )








**ZG-39-TP** 











\*Power: 1200W

\* Voltage: 220-250V 50Hz \* Working-Time: 60 Mins

\* Temperature Control: 80°C-200°C



Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-39	4L	1200W	297*297*322MM	1712PCS ( 1*40HQ )
ZG-39-TP	4L	1200W	297*297*322MM	1712PCS ( 1*40HQ )



GB-818



GB-818-TP









# Basic Features \* Capacity: 8L

\*Power: 1350W

\* Voltage: 220-250V 50Hz \* Working-Time: 60 Mins

\* Temperature Control: 80°C-200°C



Moder No.	Capacity	Power	Packing Size	Loading Qty
GB-818	8L	1350W	380*330*300MM	1712PCS ( 1*40HQ )
GB-818-TP	8L	1350W	380*330*300MM	1712PCS ( 1*40HQ )

# **ZG-61-TP**

#### **Basic Features**

- \* 220V-240V 50-60HZ
- \* Power: 1500W





### **ZG-61**

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1500W \*Capacity: 6.0L

- \* New design with decoration parts
- \* Double knob operation
- \* Power outage during bucket retrieval

THE ST ST 15

\* Wide areatemperature controlMeeting more needs





# **ZG-65**

#### **Basic Features**

\* 220V-240V 50-60HZ

\* Capacity: 5L

\* Power: 1400W.
\* Working-Time: 60 Mins

\* Temperature Control: 80°C-200°C

\* Heating Tube: 4 circles



### **ZG-65-TP**

#### Basic Features

\* 220V-240V 50-60HZ

\* Capacity: 5L
\* Power: 1400W.

\* Working-Time: 60 Mins

\* Temperature Control: 80℃-200℃

\* Heating Tube: 4 circles



Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-65	5L	1400W	330*252*305MM	1354PCS ( 1*40HQ )
ZG-65-TP	5L	1400W	330*252*305MM	1354PCS ( 1*40HQ )



# **ZG-68**

#### **Basic Features**

- \* 220V-240V 50-60HZ
- \* Easy operation with digital control
- \* Single knob control time
- \* Temperature range from 80 to 200  $^{\circ}\!\text{C}$
- \* 360° hot air circulation, evenly heating food



Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-66	6L	1400W	307*307*342MM	1988PCS ( 1*40HQ )
ZG-68	5.5L	1350W	305*305*338MM	1988PCS ( 1*40HQ )

# **ZG-38**

#### **Basic Features**

- \* 220V-240V 50-60HZ
- \* Visible air flyer 3L capacity
- \* High borosilicate glass
- \* Eight functional menus
- \* Suitable for family
- \* Circulating hot air





# **ZG-35**

- \* 220V-240V 50-60HZ
- \* No oil make healthy food
- \* High borosilicate glass
- \* 5L big capacity
- \* 8 functional menus
- \* 360° Hot air circulation

Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-38	3L	1360W	318*287*332MM	2140PCS ( 1*40HQ )
ZG-35	5L	1360W	230*225*300MM	2140PCS ( 1*40HQ )





# ZG-98-TP

- \* 220V-240V 50-60HZ
- \* Power: 1700W
- \* Capacity: 8.0L
- $^{\star}\,360^{\circ}\,$  hot air circulation, evenly heating food
- \* LED digital large display screen, clear operation
- \* Touch button control, convenient and practical
- \* Computerized intelligent control, easier and more accurate
- \* 8L Supports Customerizable Cooking Air Fryer with Light Indicator Observation Top Window









Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-98-TP	8L	1700W	388*326*375MM	1280PCS ( 1*40HQ )

### **ZG-93**

#### **Basic Features**

\* 220V-240V 50/60HZ

\* Power: 1600W

\* Capacity: 9.0L

\* Double Knob Control, independent time & Temperature Adjustment

\* Large knob-type control mode for easy and practical use



\* Non-slip floor mat at the bottom to ensure smooth positioning

\* Food baskets can be put directly into the dishwasher for cleaning

\* Temperature range from 50 to 200 ℃

\* 360° hot air circulation, evenly heating food

\* Double liner, detachable pot design



#### **Basic Features**

\* 220V-240V 50/60HZ

\* Power: 1600W

\* Capacity: 7.5L

\* Temperature range from 80 to 200 ℃


\* 360° hot air circulation, evenly heating food

\* LED digital large display screen, clear operation

\* Touch button control, convenient and practical


\* Computerized intelligent control, easier and more accurate

\* Double liner, detachable pot design









- \* Double Knob Control, independent time & Temperature Adjustment
- \* Insulated handle design to isolate high temperature transmission
- \* Non-slip floor mat at the bottom to ensure smooth positioning
- \* Food baskets can be put directly into the dishwasher for cleaning
- \* Temperature range from 50 to 200 ℃
- \* 360° hot air circulation, evenly heating food
- \* Visual window design, more convenient for visual cooking

### **ZG-95-TP**

#### **Basic Features**

\* 220V-240V 50/60HZ

\* Power: 1700W \* Capacity: 6.5L

\* 360° hot air circulation, evenly heating food

\* LED digital large display screen, clear operation

\* Touch button control, convenient and practical

\* Computerized intelligent control, easier and more accurate




Moder No.	Capacity	Power	Packing Size	Loading Qty
ZG-95	6.5L	1700W	405*325*378MM	1200PCS ( 1*40HQ )
ZG-95-TP	6.5L	1700W	405*325*378MM	1200PCS ( 1*40HQ )


# Double door air fryer


























### **DZG-938-TP**

#### Basic Features

\* 220V-240V 50/60HZ

\* Frying Pot Capacity: 8L

\* Working timer: 0-60Min

\* Heating indicator: Yes

\* Temperature control: 80-200°C

\* Auto shut-off with ready alert
\* Insulation handle for frying pot

\* With Prevent slip feet

\* Heat resistant material inside enclosure

\* English manual

\* 4.0L+4.0L Dual Zone fryer pot with visiable panel

\* Packing: OPP bag&Colour box & Master carton

\* Material: PP, double Non-stick pot PTFE coating



Moder No.	Capacity	Power	Packing Size	Loading Qty
DZG-938-TP	4.0L+4.0L	1700W	421*411*385MM	1000PCS ( 1*40HQ )



# DZG-919

#### **Basic Features**

\* 220V-240V 50/60HZ

\* Frying Pot Capacity: 9L

\* Working timer: 0-60Min

\* Heating indicator: Yes

\* Temperature control: 0-200°C

\* Auto shut-off with ready alert

\* Insulation handle for frying pot

\* With Prevent slip feet

\* Heat resistant material inside enclosure

\* English manual

\* 4.5L+4.5L Dual Zone fryer pot with visiable panel

\* Packing: OPP bag&Colour box & Master carton

\* Material: PP, double Non-stick pot PTFE coating

Moder No.	Capacity	Power	Packing Size	Loading Qty
DZG-919-TP	4.5L+4.5L	2800W	470*407*355MM	1000PCS ( 1*40HQ )





### **DZG-919-TP**

#### **Basic Features**

\* 220V-240V 50/60HZ

\* Frying Pot Capacity: 9L

\* Working timer: 0-60Min

\* Heating indicator: Yes

\* Temperature control: 80–200℃

\* Auto shut-off with ready alert

\* Insulation handle for frying pot

\* With Prevent slip feet

\* Heat resistant material inside enclosure

\* English manual

\* 4.5L+4.5L Dual Zone fryer pot with visiable panel

\* Packing: OPP bag&Colour box & Master carton

\* Material: PP, double Non-stick pot PTFE coating

\* With Digital color touch display

Moder No.	Capacity	Power	Packing Size	Loading Qty
DZG-919-TP	4.5L+4.5L	2800W	470*407*355MM	1000PCS ( 1*40HQ )





# HK-1010

- \* 10L capacity
- \* Digital mode of control
- \* 110V-240V 50/60HZ
- \* 1350W
- \* 100-250℃ adjustable temperature
- \* Double glass door





Smart touch screen



Anti-scalding handle



Heat dissipation hole



floodlight



Double grilly



Metal liner

Moder No.	Capacity	Power	Packing Size	Loading Qty
HK-1010	10L	1350W	340*320*390MM	1430PCS ( 1*40HQ )





# HK-2025

#### **Basic Features**

- \* 25L capacity
- \* 4 control knobs
- \* 110V-240V 50/60HZ
- \* 100-250°C adjustable temperature
- \* 60 min timer with bell ring
- \* 6 pieces stainless steel heating elements
- \* Single/Double glass door



#### BASIC ACCESSORIES

#### OPTIONAL ACCESSORIES





























# HK-3025

#### **Basic Features**

- \* 25L capacity
- \* 110V-240V 50/60HZ
- \* Digital control
- \* 4pcs upper stainless steel heating element
- \* 2pcs bottom stainless steel heating element
- \* Double layer door glass
- \* Powder coating / S/S housing
- \* 60 minutes timer
- \* 230°C /405F max temperature



#### BASIC ACCESSORIES

#### OPTIONAL ACCESSORIES

#### OPTIONAL FEATURES























U	OOL	Cua	iting fun	CHOIT	

Moder No.	Capacity	Power	Packing Size	Loading Qty
HK-3025	25L	1600W	430*455*485MM	750PCS ( 1*40HQ )





# HK-5025

#### **Basic Features**

- \* 25L capacity
- \* Digital mode of control
- \* 110V-240V 50/60HZ
- \* 60-240°C adjustable temperature
- \* 60 min timer with bell ring
- \* 6 pieces stainlee steel heating elements
- \* Single/Double glass door



#### BASIC ACCESSORIES

#### OPTIONAL ACCESSORIES



























Moder No.	Capacity	Power	Packing Size	Loading Qty
HK-5025	25L	1600W	430*455*485MM	750PCS ( 1*40HQ )

# HK-6025

#### Basic Features

- \* 25L capacity
- \* Digital mode of control
- \* 110V-240V 50/60HZ
- \* 60-240°C adjustable temperature
- \* 60 min timer with bell ring
- \* 6 pieces stainlee steel heating elements
- \* Single/Double glass door



#### BASIC ACCESSORIES

#### OPTIONAL ACCESSORIES

#### **OPTIONAL FEATURES**

























Loading Qty

HK-6025 25L 1600W 430\*455\*485MM 750PCS (1\*40HQ)





# KX-1080

- \* 110-240V~50/60Hz
- \* SS heating elements
- \* 60-120 min timer with bell ring
- \* 70-250°C adjustable temperature
- \* 3-4-5 luxury control knobs
- \* Can be with 6/9/12 slices of bread 10/12 inch pizza















Moder No.		1080				
Capacity	65L	70L	80L	100L	120L	150L
Power	2000W	2400W	2400W	2800W	2800W	2800W
Packing Size	677*470*465MM	677*470*465MM	745*535*481MM	785*575*526MM	785*605*526MM	915*648*530MM
Loading Qty	471PCS/40HQ	425PCS/40HQ	375/315/155PCS	300/268/131PCS	288/258/125PCS	220/195/97PCS

# **Optional Accessories**










Grill rod

Tray handle

Wire rack

Grill basket









Bake tray

Rotisserie set

Pizza pan

Crumb tray



Gloves





Inner oven lamp



#### **Basic Features**

- \* Rotisserie function
- \* Convection function
- \* Inner oven lamp
- \* Stainless steel housing or other paintings
- \* Mirror glass door
- \* Non-stick coating cavity or self-cleaning coating cavity
- \* Crumb tray




























### KX-645

#### **Basic Features**

- \* 220V-240V 50-60HZ
- \* 60 minutes timer with bell ring
- \* 70-250 degree adjustable
- \* Stainless stell heating elements
- \* Off/Upper heating/ Lower heating/Upper&Lower heating
- \* Three control knobs:thermosate for heatings-function-timer
- \* Dispaly for functions



- \* 220V-240V 50-60HZ
- \* 60 minutes timer with bell ring
- \* 70-250 degree adjustable
- \* Stainless stell heating elements
- \* Off/Upper heating/ Lower heating/Upper&Lower heating
- \* Three control knobs:thermosate for heatings-function-timer
- \* Dispaly for functions









# KX-660-ST

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1900W

\* Capacity: 60L

\* 60 minutes timer with bell ring

- \* 70-250 degree adjustable
- \* Stainless stell heating elements
- \* Off/Upper heating/ Lower heating/Upper&Lower heating
- \* Three control knobs:thermosate for heatings-function-timer
- \* Dispaly for functions

Moder No.	KX-660-ST						
Capacity	60L	65L	70L	80L	100L	120L	
Power	1900W	2200W	2400W	2400W	2800W	2800W	
Packing Size	622*470*465MM	677*470*465MM	677*510*4651MM	745*535*481MM	785*575*526MM	785*605*526MM	
Loading Qty	528/478/230PCS	471PCS/HQ	425PCS/HQ	375/315/155PCS	300/268/131PCS	288/258/125PCS	



# KX-750

- \* 50 liters capacity
- \* 110-240V~ 50/60Hz
- \* SS heating elements
- $^{\star}$  60–120 min timer with bell ring
- \* 70-250°C adjustable temperature
- \* 2 luxury control knobs
- \* 4–6 push buttons
- \* Can be with 6/9/12 slices of bread 10/12/13 inch pizza





Moder No.			KX-	KX-750		
Capacity	30L	35L	45L	50L	55L	60L
Power	1500W	1500W	1700W	1700W	1900W	1900W
Packing Size	530*463*360MM	530*493*360MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM
Loading Qty	817/718/353PCS	769/662/323PCS	624/520/255PCS	589/519/255PCS	528/478/230PCS	528/478/230PCS



# KX-138

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1600W \*Capacity: 38L

\* 60-120 min timer with bell ring

\* Stainless steel heating elements

\* 70-250°C adjustable temperature

\* 3 luxury control knobs

\* Basic functions: chicken, cake, pizza, bread, corn, fish, etc.

\* Can be with 6/9/12 slices of bread 10/12/13 inch pizza

\* Basic Accessory: Bake tray+bake rack+tray handle

Moder No.	KX-138					
Capacity	38L	45L	50L	55L	60L	65L
Power	1600W	1700W	1700W	1900W	1900W	2200W
Packing Size	580*415*380MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM	677*470*465MM
Loading Qty	788/700/343PCS	624/520/255PCS	589/519/255PCS	528/478/230PCS	528/478/230PCS	471PCS/40HQ

# KX-530

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1500W

\*Capacity: 30L

\* 60 minutes timer with bell ring

\* 70-230 ℃ degree adjustable

\* Off/Upper heating/ Lower heating/Upper&Lower heating

\* All-black glass mirror design

\* Three control knobs: thermosate for heatings-function-timer

\* 3 luxury control knobs

\* All-black glass mirror design







# KX-828

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1400W \*Capacity: 28L

\* Temperature control up to 230 degree

\* 12 pre-set digital functions & recipes

\* Accessories: bake tray, wire rack, tray handle.

\* 0-120min timer with auto shut-off & ring bell;

\* Inner lamp design





### KX-148

#### Basic Features

\* 220V-240V 50-60HZ

\* Power: 2200W

\* Capacity: 48.0L

\* 100-250°C adjustable

\* 60 minutes time adjustable

\* 2 control knobs



Moder No.	Capacity	Power	Packing Size	Loading Qty
KX-828	28L	1400W	531*370*355MM	998PCS ( 1*40HQ )
KX-148	48L	2200W	578*396*387MM	685PCS ( 1*40HQ )

# KX-238

#### **Basic Features**

\* 220V-240V 50-60HZ

\*Power: 1500W \*Capacity: 38.0L

\* Temperature control up to 250 degree

\* 60 minutes timer with bell ring

\* Off / Upper heating / Lower heating / Upper&Lower heating

\* Inner lamp design





# KX-340

#### Basic Features

\* 220V-240V 50-60HZ

\* Power: 1500W

\* Capacity: 40.0L

\* 4 luxury control knobs

\* Inner lamp design

\* Separate control lights and fan system heating protection Handel



Moder No.	Capacity	Power	Packing Size	Loading Qty
KX-238	38L	1500W	564*424*416MM	764PCS ( 1*40HQ )
KX-340	40L	1500W	555*446*406MM	702PCS ( 1*40HQ )





Basic Features

\* 220V-240V 50-60HZ

\*Power: 1250W \*Capacity: 14L

\* New design with decoration parts

\* Advanced mirror tempered glass

\* Round and smooth apperance design



KX-669

Basic Features

\* 220V-240V 50-60HZ

\*Power: 600W \*Capacity: 12L

\* 0-60 timing

\* 50-230°C temperture choose

\* Human mechanical knob

\* Multidmensional heat sink



Moder No.	Capacity	Power	Packing Size	Loading Qty
KX-668	14L	1250W	380*265*240MM	2092PCS ( 1*40HQ )
KX-669	12L	600W	370*290*280MM	2496PCS ( 1*40HQ )

# KX-999 **Basic Features** \* 220V-240V 50-60HZ \* Power: 1200W \* Capacity: 22L \* High power heating tube \* Stereo balanced heating \* The drill surface reflects the inner cavity \* Vpper and lower tubes to control temperature KX-999 1200W 476\*335\*305MM 1200PCS ( 1\*40HQ )



# **3IN1 BREAKFAST MAKERS**

Fried + bake + cook

**ZCJ-168** 

**Basic Features** 

\* 220V-240V 50-60HZ

\*Power: 1250W \*Capacity: 12L

\* New design with decoration parts

\* 0-60 timing,  $50-230^{\circ}$ C temperture choose

\* Advanced mirror tempered glass



Moder No.	Capacity	Power	Packing Size	Loading Qty
ZCJ-168	12L	1250W	515*255*245MM	1988PCS ( 1*40HQ )



# **OUR MISSION**

We help you develop newproducts. Improve ourproducts to make them available to global users.

# **OUR VALUE**

Customer Focus, Positive Attitude, ResponsibleTeamwork. Reliable, Open sharing

# THANK YOU FOR YOUR SUPPORT

