



CEDRECK FILM

60 kilometers from
Ningbo Seaport, China
and 120 kilometers from
Shanghai seaport, China

BOPP or PET Thermal Lamination Film



SUZHOU CEDRECK FILM CO. , LTD.

Tel: +86-512-5755 8957

Fax: +86-512-5755 8957,

Quality Claim: +86-512-5755 8988

Email: 3230685882@qq.com

Whatsapp: +86-136 1628 7020


ADD: No. 118, Building 1, Xingang Decorative market, Fuliu
Road, Fuqiao Town, Taicang, Jiangsu, China.

Website: <https://www.cedreckfilms.com/>

The catalog surface is covered by soft touch film producing by our own company.

CEDRECK®

Professional Lamination Films Manufacturer



Made in China



SUZHOU CEDRECK FILM CO. , LTD.








We are a professional manufacturer and exporter in China for PET stretch film, bopp film, pet film, BOPP & pet thermal lamination films with 400 tons production capability each month near to Ningbo, China and Shanghai,China for one hour, we devote ourselves to supply the cheaper cost film to our customers.

We have 3 factories and 6 coating lines in China. Our main products are including: bopp & pet thermal lamination films, bopp soft touch \$ anti-scratch thermal lamination films matt, pet thermal metalized film, digital thermal lamination film, holographic/laser thermal lamination films etc.

Our target is to help the customers and importers to save the purchasing cost to get the double win in future.

■ Main Products andservices

- 1. Bopp Thermal Lamination Films Gloss & Matt
- 2. PET Thermal Lamination Films
- 3. Bopp Soft Touch & Anti-scratch Thermal lamination Films Matt
- 4. Digital Printing Thermal Lamination Films
- 5. Laser Thermal Lamination Films
- 6. Metalized Thermal Lamination Films




Our company was certified with ISO 9001: 2008 And passed the tests and authentication of suggest



Bopp Thermal Lamination Films Gloss & Matt

- **Material:** BOPP+EVA
- **Thickness:** 18 micron (BOPP12+EVA06), 20 micron (BOPP12+EVA08)
25 micron (BOPP12+EVA13), 27 micron (BOPP15+EVA12)
- **Length:** 2000~3000m/roll
- **Width:** 200~1820mm
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)
(According to customer requirements)



PET Thermal Lamination Film

- **Material:** PET+EVA
- **Thickness:** 12 micron (PET06+EVA06), 14 micron (PET08+EVA06)
16 micron (PET08+EVA08), 20 micron (PET12+EVA08)
- **Length:** 200~3000m/roll
- **Width:** 200~1820mm
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)
(According to customer requirements)



Bopp Soft Touch & Anti-scratch Thermal lamination Films Matt

- **Material:** BOPP or BOPP + EVA
- **Thickness:** 15micron (without glue), 18micron (without glue)
27micron (BOPP15+EVA12) 32micron (BOPP20+EVA12)
Application: Exceptional velvet feeling, which is widely used for
luxury packaging and high quality graphic media.
- **Length & Width:** According to customer requirements
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)

■ Specification & Parameter

SPECIFICATION		Gloss/Matt	Gloss/Matt	Gloss/Matt	Gloss/Matt	Gloss/Matt	Gloss/Matt	Gloss/Matt	Gloss/Matt
Thickness	BASE	12	12	12	12	12	12	15	18
	EVA	05	06	07	08	10	12	12	12
	TOTAL	17	18	19	20	22	24	27	30
Gloss Weigh	m²/KG	64.5	60.8	57.5	54.6	49.5	45.3	40.3	36.4
Matt Weigh	m²/KG	67.2	63.1	59.6	53.6	51	46.6	41.6	37.6
Width	360 390 440 540 590 780 880 1080 1320 1400 1600 1820 Upon customer' s requirement								
Length	200~6000 more or less 10% allowed								
Corona Treatment Side	A			B			AB(BOTH SIDE)		
Connector	Less than 1								
Tensile Strength	MD: 2.4*106dyne/cm CD: 5.3*106DYNE/cm								
Paper CoreInter Dia	25.4mm(1')/76mm(3')155mm(6') 1 inch, 3 inch								

New



Super Bonding Thermal Lamination Films (For digital printing)

- **Material:** BOPP + EVA
- **Thickness:** 25micron (BOPP15+EVA10), 27micron (BOPP15+EVA12)
30micron (BOPP20+EVA10), 32micron (BOPP20+EVA12)
- **Length & Width:** According to customer requirements
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)



Laser Thermal Lamination Films

- **Material:** BOPP+Laser+EVA
- **Thickness:** 27micron (BOPP15+EVA12), 30micron (BOPP18+EVA12)
- **Width:** 20~1450mm
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)



Metalized Thermal Lamination Films

- **Material:** BOPP or PET + Metalized + EVA
- **Thickness:** 27micron (BOPP15+EVA12), 30micron (BOPP18+EVA12)
- **Width:** According to customer requirements
- **Paper core:** 25mm, 76mm, 153mm (1~3inch)

■ Export Packaging






CEDRECK® Technology Package

■ Product Application

Laminating with printing object including books, magazines, brochures, posters, wine box, moon cake box, shopping bags, medicine package and so on.



Workshop corner

