




Feltro



PRODUCT CATALOG



www.feltrogroup.com



yash@feltrogroup.com



+91 9833500105

About us

Feltro group stands out as a distinctive and renowned Merchant Exporter of a wide range of electrical components & accessories ranging from Electrical Cables & Wires, Cable Connecting Systems & Accessories to Earthing Solutions.


Feltro Group was established in the year 2015 under the leadership of Mr. Aditya Jhaveri whose 20+ years of knowledge and experience in the field has grown the company across 10+ countries. Our mission of never compromising on quality while understanding the value of time has led us to having exclusive tieups with some of the leading manufacturers of India for the export of their products all of who maintain international standards through their world-class manufacturing facilities. Our approach to exports has helped us create long lasting relationships with happy customers across the world.



1. ETP GRADE COPPER EARTHING PLATE AS PER AI13599:2014

	Cat No.	Size	Packing Sub Bndls./Master
1	AI 496	4" X 1.6 MM X 96"	*10/33
2	AI 436	4" X 1.6 MM X 36"	*10/33


*Size can be customised based on requirements



2. UL LISTED COPPER BONDED GROUND RODS- 250 MICRONS

- COPPER BONDED GROUND RODS ARE MORE CORROSION RESISTANT
- STATE-OF-THE-ART MANUFACTURING TECHNIQUES
- MOLECULARLY BONDED UNIFORM PLATING THICKNESS

	Ground Rod	Nominal diameter in inches	Length in feet	Packing Sub Bndls./Master
	Cat.No			
	AI 384	3/8"	4	25/300
	AI 385		5	25/300
	AI 386		6	25/300
	AI 324	1/2"	4	20/200
	AI 325		5	20/200
	AI 326		6	20/200
	AI 328		8	20/200
	AI 1210		10	20/200
	AI 584	5/8"	4	10/100
	AI 585		5	10/100
	AI 586		6	10/100
	AI 588		8	10/100
	AI 5810		10	10/100
	AI 348	3/4"	8	5/50*
	AI 3410		10	5/50*



3. BARE COPPER WIRE

SOFT - ANEALD, UNCOATED COPPER, 18 AWG TO 1/0
AWG SOLID OR STRANDED



4. DRIVING STUDS

- HIGH STRENGTH CARBON STEEL
- DESIGNED FOR DRIVING SECTIONAL RODS.
- HIGH DURABILITY

Cat.No	Trade Size	Std. Pkg
AIS 12	1/2"	25
AIS 58	5/8"	25
AIS 34	3/4"	25



5. BRASS GROUND ROD COUPLINGS

- CORROSION RESISTANCE ALLOY
- HIGH STRENGTH AND TANGIBILITY
- LOW ELECTRICAL RESISTANCE
- LOW IMPEDANCE
- USE OF BRONZE THREADS FOR BETTER CONDUCTIVITY
- SECTIONAL GROUND ROD ENSURES LOWER RESISTANCE COPPER TO COPPER CONNECT

Cat.No	Trade Size	Std. Pkg
AICO 12	1/2"	25
AICO 58	5/8"	25
AICO 34	3/4"	25



6. STANDARD GROUND ROD CLAMPS

- DESIGNED FOR COPPER BONDED GROUND RODS
- SUITABLE FOR DIRECT BURIAL
- HIGH-STRENGTH BRONZE ALLOY
- CORROSION RESISTANT
- PROVIDED LOW RESISTANCE COPPER TO COPPER CONNECTIONS.

Cat.No	Trade Size	Std. Pkg
AICL 38	3/8"	100
AICL 12	1/2"	100
AICL 58	5/8"	50
AICL 34	3/4"	50
HEAVY DUTY BRONZE CLAMPS		
AICL 58H	5/8"	50
AICL 34H	3/4"	50