

GuangZhou Hertay Power tools Catalog



Cordless Drill	HT-1018D
Rated Voltage:	21V
No Load Speed:	0-500r/min;0-1600r/min
Battery Capacity:	1.5Ah
Chuck Capacity:	0.8-10mm
Torque Stage:	21+1
Max. Torque:	38Nm
Packing Size & Pcs:	51.5*29*50cm/12pcs
N.W/G.W:	18KG/19KG



Cordless Drill	HT-1020D
Rated Voltage:	21V
No Load Speed:	0-520r/min;0-1650r/min
Battery Capacity:	1.5Ah
Chuck Capacity:	0.8-10mm
Torque Stage:	21+1
Max. Torque:	40Nm
Packing Size & Pcs:	51.5*29*50cm/12pcs
N.W/G.W:	21KG/23KG



Cordless Drill	HT-1080D
Rated Voltage:	21V
No Load Speed:	0-480r/min;0-1680r/min
Battery Capacity:	1.5Ah
Chuck Capacity:	10mm
Torque Stage:	21+1
Max. Torque:	45Nm
Packing Size & Pcs:	46*34.5*36.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Impact Drill	HT-1283D
Rated Voltage:	21V
No Load Speed:	0-480r/min;0-1680r/min
Battery Capacity:	1.5Ah
Chuck Capacity:	13mm
Torque Stage:	21+1
Max. Torque:	65Nm
Packing Size & Pcs:	46*34.5*36.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Reciprocating Saw	HT-1801D
Rated Voltage:	21V
No Load Speed:	0-3000r/min
Battery Capacity:	1.5Ah
Max. cutting capacity for wood:	180mm
Max. cutting capacity for steel:	15mm
Stroke length:	22mm
Packing Size & Pcs:	46*34.5*36.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Angle Grinder	HT-1800D
Rated Voltage:	21V
No Load Speed:	3500/6000/8000r/min
Battery Capacity:	1.5Ah
Disc Size:	100mm
Packing Size & Pcs:	46*34.5*36.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Circular Saw	HT-1807D
Rated Voltage:	21V
Power Input:	1280W
No Load Speed:	6500r/min
Battery Capacity:	1.5Ah
Saw Blade Size:	140mm
Max. Cutting Depth:	51mm
Packing Size & Pcs:	64*37.5*28.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Circular Saw	HT-1720D
Rated Voltage:	21V
No Load Speed:	0-3500r/min
Battery Capacity:	1.5Ah
Saw Blade Size:	125mm
Max. Cutting Depth:	35mm
Packing Size & Pcs:	84*31.5*49cm/6pcs
N.W/G.W:	22KG/23KG



Impact Wrench	HT-1820D
Rated Voltage:	21V
No Load Speed:	0-3200r/min
Battery Capacity:	1.5Ah
Impact Rate:	2900BPM
Torque Stage:	2
Max. Torque:	320Nm
Packing Size & Pcs:	46*34.5*36.5cm/6pcs
N.W/G.W:	16KG/18KG



Cordless Scissors	HT-1803D
Rated Voltage:	21V
Power Input:	400W
Battery Capacity:	1.5Ah
Max.Cutting Size:	32mm
Packing Size & Pcs:	48*35*52.5cm/10pcs
N.W/G.W:	16KG/18KG



Cordless Chain Saw	HT-1806D
Rated Voltage:	21V
Power Input:	1600W
Saw Chain Speed:	10m/s
Battery Capacity:	1.5Ah
Guide Bar Size:	10inch
Saw Chain Size:	10inch
Packing Size & Pcs:	58*31.5*62cm/5pcs
N.W/G.W:	16KG/18KG



Cordless Rotary Hammer	HT-1822D
Rated Voltage:	21V
No Load Speed:	0-1400r/min
Impact Rate:	0-6200/min
Battery Capacity:	1.5Ah
Chuck Capacity:	26mm
Packing Size & Pcs:	46.5*44*37.5cm/4pcs
N.W/G.W:	18KG/20KG



Rotary Hammer	HT-2005
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	500W
Impact Rate:	0-3900BPM
No Load Speed:	0-850r/min
Impact Energy:	1.7J
Drilling Diameter:	20mm
Packing Size & Pcs:	54*38*30cm/5pcs
N.W/G.W:	16KG/18KG



Rotary Hammer	HT-26A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1300W
Impact Rate:	4500BPM
No Load Speed:	780r/min
Drilling Diameter:	4-25mm
Packing Size & Pcs:	49*41*34cm/4pcs
N.W/G.W:	18KG/20KG



Rotary Hammer	HT-28-2
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	850W
Impact Rate:	4100BPM
No Load Speed:	850r/min
Drilling Diameter:	26mm
Packing Size & Pcs:	44*41.5*33cm/4pcs
N.W/G.W:	18KG/20KG



Cordless Rotary Hammer	HT-1808D
Rated Voltage:	21V
No Load Speed:	0-900r/min
Impact Rate:	0-4800/min
Max. Drilling Diameter:	concrete 22mm/wood 30mm
Impact Energy:	2.8J
Battery Capacity:	1.5Ah
Packing Size & Pcs:	46.5*44*37.5cm/4pcs
N.W/G.W:	18KG/20KG



Demolition Hammer	HT-0825A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1800W
Impact Energy:	6-25J
No Load Speed:	3800r/min
Packing Size & Pcs:	51.5*38*33cm/3pcs
N.W/G.W:	18KG/20KG



Demolition Hammer	HT-0845
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1850W
Impact Energy:	18J
No Load Speed:	3200r/min
Packing Size & Pcs:	51*32*30cm/3pcs
N.W/G.W:	19KG/21KG



Demolition Hammer	HT-8110
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	3000W
Impact Energy:	55J
No Load Speed:	2040r/min
Packing Size & Pcs:	71*17*29cm/1pcs
N.W/G.W:	12KG/13KG



Demolition Hammer	HT-8065
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2200W
Impact Energy:	50J
No Load Speed:	1450r/min
Packing Size & Pcs:	71*17*29cm/1pcs
N.W/G.W:	12KG/13KG



Electric Drill	HT-10A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	600W
No Load Speed:	0-3500r/min
Drilling Diameter:	10mm
Packing Size & Pcs:	48.5*36.5*24.5cm/10pcs
N.W/G.W:	13KG/14KG



Electric Drill	HT-10B
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	600W
No Load Speed:	0-2000r/min
Drilling Diameter:	10mm
Packing Size & Pcs:	48.5*38.5*28.5cm/10pcs
N.W/G.W:	15KG/16KG



Electric Drill	HT-13B
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	800W
No Load Speed:	0-1300r/min
Drilling Diameter:	13mm
Packing Size & Pcs:	48.5*38.5*28cm/10pcs
N.W/G.W:	19KG/20KG



Electric Drill	HT-16-3
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1280W
No Load Speed:	800r/min
Drilling Diameter:	16mm
Packing Size & Pcs:	75*34*35cm/6pcs
N.W/G.W:	21KG/22KG



Electric Drill	HT-16-3J
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1280W
No Load Speed:	800r/min
Drilling Diameter:	16mm
Packing Size & Pcs:	75*34*35cm/6pcs
N.W/G.W:	21KG/22KG



Diamond Drill	HT-6130M
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1800W
No Load Speed:	0-2000r/min
Drilling Diameter:	120mm
Packing Size & Pcs:	62*34*30cm/5pcs
N.W/G.W:	19KG/20KG



Diamond Drill	HT-6180
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2000W
No Load Speed:	0-1800r/min
Drilling Diameter:	160mm
Packing Size & Pcs:	51*37.5*31.5cm/4pcs
N.W/G.W:	19KG/20KG



Diamond Drill	HT-6200
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2800W
No Load Speed:	800r/min
Drilling Diameter:	200mm
Packing Size & Pcs:	82*33.5*21.5/1pcs
N.W/G.W:	15KG/16KG



Diamond Drill	HT-6238
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	3600W
No Load Speed:	850r/min
Drilling Diameter:	245mm
Packing Size & Pcs:	82*33.5*21.5cm/1pcs
N.W/G.W:	15KG/16KG



Electric Drill Mixer	HT-6140C
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2000W
No Load Speed:	0-2000r/min
Packing Size & Pcs:	57*30*31cm/5pcs
N.W/G.W:	13KG/14KG



Demolition Hammer	HT-8096
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2800W
Impact Energy:	55J
No Load Speed:	2040r/min
Packing Size & Pcs:	71*17*29cm/1pcs
N.W/G.W:	12KG/13KG



Angle Grinder	HT-100A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	850W
No Load Speed:	11000r/min
Diameter Of Grinding Wheel:	100mm
Packing Size & Pcs:	63*35*26cm/10pcs
N.W/G.W:	20KG/21KG



Angle Grinder	HT-100B
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1050W
No Load Speed:	15000r/min
Diameter Of Grinding Wheel:	100mm
Packing Size & Pcs:	63*35*26cm/10pcs
N.W/G.W:	19KG/20KG



Angle Grinder	HT-100F
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	850W
No Load Speed:	11000r/min
Diameter Of Grinding Wheel:	100mm
Packing Size & Pcs:	65*33*21cm/10pcs
N.W/G.W:	20KG/21KG



Circular Saw	HT-185-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1450W
No Load Speed:	4500r/min
Diameter Of Blade:	185mm
Packing Size & Pcs:	73*32*40cm/6pcs
N.W/G.W:	26KG/27KG



Circular Saw	HT-235-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2200W
No Load Speed:	4500r/min
Diameter Of Blade:	235mm
Packing Size & Pcs:	57*39*42.5cm/4pcs
N.W/G.W:	27KG/28KG



Marble Cutter	HT-110A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1050W
No Load Speed:	13000r/min
Diameter Of Blade:	110mm
Packing Size & Pcs:	49.5*44.5*38.5cm/8pcs
N.W/G.W:	23KG/25KG



Marble Cutter	HT-110E
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1250W
No Load Speed:	12000r/min
Diameter Of Blade:	110mm
Packing Size & Pcs:	49.5*44.5*38.5cm/6pcs
N.W/G.W:	21KG/23KG



Marble Cutter	HT-110AC
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1250W
No Load Speed:	12800r/min
Diameter Of Blade:	110mm
Packing Size & Pcs:	49.5*44.5*38.5cm/6pcs
N.W/G.W:	21KG/23KG



Marble Cutter	HT-125C
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1500W
No Load Speed:	13000r/min
Diameter Of Blade:	125mm
Packing Size & Pcs:	73*25*37.5cm/6pcs
N.W/G.W:	25KG/27KG



Miter Saw	HT-255-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1800W
No Load Speed:	5000r/min
Diameter Of Blade:	255mm
Packing Size & Pcs:	54.5*41*40cm/1pcs
N.W/G.W:	10KG/11KG



Cut-Off Machine	HT-355-2A
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2200W
No Load Speed:	4100r/min
Diameter Of Blade:	355mm
Packing Size & Pcs:	53.5*30.5*39cm/1pcs
N.W/G.W:	13KG/15KG



Cut-Off Machine	HT-355P
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	2300W
No Load Speed:	4100r/min
Diameter Of Blade:	355mm
Packing Size & Pcs:	53.5*30.5*39cm/1pcs
N.W/G.W:	13KG/15KG



Cut-Off Machine	HT-3000
Voltage/Frequency:	380V/50Hz-60Hz
Input Power:	3000W
No Load Speed:	2800r/min
Diameter Of Blade:	400mm
Packing Size & Pcs:	65*38*54cm/1pcs
N.W/G.W:	15KG/16KG



Cut-Off Machine	HT-3000S
Voltage/Frequency:	380V/50Hz-60Hz
Input Power:	3000W
No Load Speed:	2840r/min
Diameter Of Blade:	400mm
Packing Size & Pcs:	65*38*54cm/1pcs
N.W/G.W:	15KG/16KG



Jig Saw	HT-65-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	500W
No Load Speed:	500-3000r/min
Cutting Length:	65mm
Packing Size & Pcs:	59*35.5*23cm/6pcs
N.W/G.W:	18KG/19KG



Electric Trimmer	HT-1168C
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	580W
No Load Speed:	3000r/min
Cutting Capacity:	6.35mm
Packing Size & Pcs:	69*28.5*28cm/10pcs
N.W/G.W:	18KG/19KG



Electric Planer	HT-82-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	560W
No Load Speed:	16300r/min
Cutting Capacity:	82*1mm
Packing Size & Pcs:	55.5*36*45.5cm/6pcs
N.W/G.W:	25KG/26KG



Grooving Machine	HT-126-1
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	4200W
No Load Speed:	6700r/min
Diameter Of Blade:	125mm
Packing Size & Pcs:	59*40*29cm/2pcs
N.W/G.W:	15KG/16KG



Reciprocating Saw	HT-1501
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1500W
No Load Speed:	0-2300r/min
Cutting Capacity:	90mm
Packing Size & Pcs:	48*35*37.5cm/8pcs
N.W/G.W:	21KG/22KG



Electric Blower	HT-3301
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	3000W
No Load Speed:	8000-17000r/min
Wind Volume:	13cbm/min
Packing Size & Pcs:	49*45*58cm/4pcs
N.W/G.W:	14KG/15KG



Wall Sander	HT-6180C
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	800W
No Load Speed:	1200-2300r/min
Sandpaper Diameter:	180mm
Packing Size & Pcs:	49.5*35*55cm/4pcs
N.W/G.W:	14KG/15KG



Wall Sander	HT-6232C
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	800W
No Load Speed:	800-1800r/min
Sandpaper Diameter:	215mm
Packing Size & Pcs:	112.5*30.5*44cm/2pcs
N.W/G.W:	12KG/13KG



Electric Chain Saw	HT-5016F
Voltage/Frequency:	220V-240V/50Hz-60Hz
Input Power:	1800W
No Load Speed:	4200r/min
Guide Bar Size:	16 Inch
Packing Size & Pcs:	51*45.5*42.5cm/4pcs
N.W/G.W:	19KG/20KG



Gasoline Chain Saw	HT-5820C
Engine Displacement:	49.3CC
Engine Power:	2200W
No Load Speed:	3000r/min
Guide Bar Size:	18 Inch
Fuel Tank:	550ml
Engine Oil Tank:	260ml
Engine Type:	Single-Stroke,Air cooled
Packing Size & Pcs:	56*52.5*32.5cm/2pcs
N.W/G.W:	17KG/18KG



Gasoline Chain Saw	HT-5820-1
Engine Displacement:	54.6CC
Engine Power:	2400W
No Load Speed:	3000r/min
Guide Bar Size:	20 Inch
Fuel Tank:	550ml
Engine Oil Tank:	260ml
Engine Type:	Single-Stroke,Air cooled
Packing Size & Pcs:	55*51*32cm/2pcs
N.W/G.W:	17KG/18KG



Hand-held welding machine	HT-ARC-200
Rated Power Supply& Voltage:	AC200V
Rated Frequency:	50/60Hz
Rated Input Power:	5.1KVA
No-load Voltage:	55V
Output Current Regulation:	50-120A
Rated Output Voltage:	22-24.8V
Rated Duty Cycle:	15%
Thrust:	built-in
No-load loss:	-
Efficiency:	80%
Power Factor:	0.73
Insulation Level:	F
Weight:	1.3kg
Overall Dimension:	231*231*76.2mm



Inverter manual welding machine	HT-ZX7-260G
Rated Power Supply& Voltage:	AC110-560V
Rated Frequency:	50/60Hz
Rated Input Power:	7.2KVA
Output Current:	14.2-24.2A
Rated Output:	150A/26A
Welding Current Adjustment Range:	30-150A
No-load Voltage:	62V
Rated Duty Cycle:	60%
Efficiency:	80%
Power Factor:	0.75COSφ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	2.0-3.2mm
Weight:	3.1kg
Overall Dimension:	250*120*210mm



Inverter manual welding machine	HT-ZX7-320G
Rated Power Supply& Voltage:	AC110-560V
Rated Frequency:	50/60Hz
Rated Input Power:	9.5KVA
Output Current:	18.8-31.2A
Rated Output:	180A/27.2A
Welding Current Adjustment Range:	30-180A
No-load Voltage:	72V
Rated Duty Cycle:	60%
Efficiency:	85%
Power Factor:	0.75COSφ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	2.0-5.0mm
Weight:	3.9kg
Overall Dimension:	340*120*210mm



Inverter manual welding machine	HT-ZX7-420G
Rated Power Supply& Voltage:	AC110-560V
Rated Frequency:	50/60Hz
Rated Input Power:	11.5KVA
Output Current:	24-40.1A
Rated Output:	220A/28.8A
Welding Current Adjustment Range:	30-220A
No-load Voltage:	72V
Rated Duty Cycle:	60%
Efficiency:	85%
Power Factor:	0.75COSφ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	2.0-5.0mm
Weight:	4.1kg
Overall Dimension:	340*120*210mm



Airless Self-protecting welding machine	HT-NBC-250
Rated Power Supply& Voltage:	AC220V
Rated Frequency:	50/60Hz
Rated Input Power:	5.1KVA
Output Current:	16.5A
Rated Output:	140A/21V
Welding Current Adjustment Range:	30-140A
No-load Voltage:	56V
Rated Duty Cycle:	40%
Efficiency:	85%
Power Factor:	0.75COSφ
Manual Soldering:	140A/25.6V
Suitable Plate Thickness:	1.0-5.0mm
Weight:	5.1kg
Overall Dimension:	390*170*285mm



Airless Self-protecting welding machine	HT-NBC-315S
Rated Power Supply& Voltage:	AC110-560V
Rated Frequency:	50/60Hz
Rated Input Power:	10.8KVA
Output Current:	20.4-35A
Rated Output:	260A/27V
Manual Welding Current Adjustment Range:	30-160A
Gas Shielded Welding Current Regulation Range:	50-260A
No-load Voltage:	56V
Rated Duty Cycle:	60%
Efficiency:	85%
Power Factor:	0.75COS ϕ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	2.0-4.0mm
Suitable Welding Wire Diameter:	0.8-1.0mm
Weight:	10.5kg
Overall Dimension:	480*220*330mm



Airless Self-protecting welding machine	HT-NBC-270
Rated Power Supply& Voltage:	AC110-560V
Rated Frequency:	50/60Hz
Rated Input Power:	7.8KVA
Output Current:	14.5-25.5A
Rated Output:	220A/22V
Manual Welding Current Adjustment Range:	30-140A
Gas Shielded Welding Current Regulation Range:	50-200A
No-load Voltage:	56V
Rated Duty Cycle:	60%
Efficiency:	85%
Power Factor:	0.75COS ϕ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	2.0-3.2mm
Suitable Welding Wire Diameter:	0.8-1.0mm
Weight:	6.9kg
Overall Dimension:	410*170*280mm



Electric Welding Machine	HT-ZX7-200T
Rated Power Supply& Voltage:	AC220V $\pm$ 15%
Rated Power:	5.1KVA
Rated Current:	23.2A
Rated Output:	120A/24.8V
Welding Current Adjustment Range:	20-120A
No-load Voltage:	65V
Rated Duty Cycle:	40%
Rated Frequency:	50/60Hz
Efficiency:	80%
Power Factor:	0.73COS ϕ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	1.6-2.5mm
Weight:	2.7KG
Overall Dimension:	315*120*195mm



Electric Welding Machine	HT-ZX7-250TD
Rated Power Supply& Voltage:	AC220V/380V
Rated Power:	6.1KVA
Rated Current:	AC220V:27.9A AC380V:16.1A
Rated Output:	140A/25.6V
Welding Current Adjustment Range:	20-140A
No-load Voltage:	65V
Rated Duty Cycle:	40%
Rated Frequency:	50/60Hz
Efficiency:	80%
Power Factor:	0.73COS ϕ
Protection Class of Case:	IP21
Suitable Electrode Diameter:	1.6-3.2mm
Weight:	3.5KG
Overall Dimension:	360*125*235mm



Hand-held Engineering Drill	HT-6130M
Borehole Diameter:	Φ120mm
No-load Speed:	0-2000r/min
Rated Power:	1800W
Rated Voltage:	220-240V
Rated Frequency:	50Hz



Hand-held Engineering Drill	HT-6180
Borehole Diameter:	Φ160mm
No-load Speed:	0-1800r/min
Rated Power:	2000W
Rated Voltage:	220-240V
Rated Frequency:	50Hz



Desk Type Engineering Drill	HT-6200
Borehole Diameter:	Φ200mm
No-load Speed:	800r/min
Rated Power:	2800W
Rated Voltage:	220-240V
Rated Frequency:	50Hz



Desk Type Engineering Drill	HT-6238
Borehole Diameter:	Φ245mm
No-load Speed:	850r/min
Rated Power:	3600W
Rated Voltage:	220-240V
Rated Frequency:	50Hz



Mouse sander	HT-2902
Voltage	230V 50Hz
Speed	13000 RPM
Alum base plate	140x140X90mm
Export carton size	52x19.5x36cm (8pcs)
Weight	1.2kg



Palm ¼ sheet sander	HT-2901
Voltage	230V 50Hz
Speed	14000 RPM
Alum base plate	110x100mm
Export carton size	52x19.5x36cm (8pcs)
Weight	1.4kg



Jigsaw	HT-5801R
Voltage	230V 50Hz, 600W /710W
Variable speed	800~3000 RPM
Cutting depth	wood:80mm,steel:8mm-710w
Bevel cutting	-45
Weight	2.2kg



Rotary Sander	HT-2501R
Voltage	230V 50Hz, 320W
Variable speed	6000~12000 RPM
Base plate	φ125mm
Export carton size	55x26x33cm (8pcs)
Weight	1.4kg



Rotary Tool Kit-LCD	HT-2703R
Voltage	230V~240V, 50Hz, 170W
Variable speed	10000-32000RPM
Variable speed & Collect size	6 cluthes, 2.3mm & 3.2mm
Export carton size	32x22x16cm
Weight	1.1kg