

Onlywy

ENCLOSURE BOX
DISTRIBUTION BOX
WATERPROOF JUNCTION BOX

产品选型手册 Model Catalogue



温州为焊电力科技有限公司

WENZHOU ONLYWY POWER TECH CO.,LTD

温州为烨电力科技有限公司
WENZHOU ONLYWY POWER TECH CO.,LTD

Add : Economic Development Zone Jing 3 Road, YueQing City,
Wenzhou,ZheJiang Province,China
M-phone/whatsAPP/wechat:+86-18757717196
Tel : 0577-62633711 Fax:0577-62633712
E-mail: info@onlywy.com
Website:www.onlywy.com

Alyssa zhao
WhatsApp 联系人





产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP67
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP67
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size	灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size
YF-AG-506555	YF-AG-PC506555	50×65×55	YF-AG-175175100	YF-AG-PC175175100	175×175×100
YF-AG-659555	YF-AG-PC659555	65×95×55	YF-AG-15020075	YF-AG-PC15020075	150×200×75
YF-AG-8011045	YF-AG-PC8011045	80×110×45	YF-AG-150200100	YF-AG-PC150200100	150×200×100
YF-AG-8011070	YF-AG-PC8011070	80×110×70	YF-AG-150200130	YF-AG-PC150200130	150×200×130
YF-AG-8011085	YF-AG-PC8011085	80×110×85	YF-AG-150250100	YF-AG-PC150250100	150×250×100
YF-AG-8013070	YF-AG-PC8013070	80×130×70	YF-AG-150250130	YF-AG-PC150250130	150×250×130
YF-AG-8013085	YF-AG-PC8013085	80×130×85	YF-AG-20020095	YF-AG-PC20020095	200×200×95
YF-AG-8016055	YF-AG-PC8016055	80×160×55	YF-AG-200200130	YF-AG-PC200200130	200×200×130
YF-AG-8016095	YF-AG-PC8016095	80×160×95	YF-AG-280190130	YF-AG-PC280190130	280×190×130
YF-AG-10010075	YF-AG-PC10010075	100×100×75	YF-AG-280190180	YF-AG-PC280190180	280×190×180
YF-AG-8018070	YF-AG-PC8018070	80×180×70	YF-AG-280280130	YF-AG-PC280280130	280×280×130
YF-AG-8025070	YF-AG-PC8025070	80×250×70	YF-AG-280280180	YF-AG-PC280280180	280×280×180
YF-AG-8025085	YF-AG-PC8025085	80×250×85	YF-AG-280340130	YF-AG-PC280340130	280×340×130
YF-AG-12512575	YF-AG-PC12512575	125×125×75	YF-AG-280340180	YF-AG-PC280340180	280×340×180
YF-AG-125125100	YF-AG-PC125125100	125×125×100	YF-AG-280380130	YF-AG-PC280380130	280×380×130
YF-AG-12517575	YF-AG-PC12517575	125×175×75	YF-AG-280380180	YF-AG-PC280380180	280×380×180
YF-AG-125175100	YF-AG-PC125175100	125×175×100	YF-AG-380190130	YF-AG-PC380190130	380×190×130
YF-AG-14017095	YF-AG-PC14017095	140×170×95	YF-AG-380190180	YF-AG-PC380190180	380×190×180



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP67
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP67
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size
YF-BG-10015070	YF-BG-PC10015070	100×150×70
YF-BG-20010075	YF-BG-PC20010075	200×100×75
YF-BG-15015090	YF-BG-PC15015090	150×150×90
YF-BG-220110170	YF-BG-PC220110170	220×110×170
YF-BG-290190140	YF-BG-PC290190140	290×190×140
YF-BG-380280130	YF-BG-PC380280130	380×280×130
YF-BG-350250150	YF-BG-PC350250150	350×250×150
YF-BG-330330130	YF-BG-PC330330130	330×330×130



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP67
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP67
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size
YF-MG-300200160	YF-MG-PC300200160	300×200×160
YF-MG-300200170	YF-MG-PC300200170	300×200×170
YF-MG-300200180	YF-MG-PC300200180	300×200×180
YF-MG-300300170	YF-MG-PC300300170	300×300×170
YF-MG-300300180	YF-MG-PC300300180	300×300×180
YF-MG-400300170	YF-MG-PC400300170	400×300×170
YF-MG-400300180	YF-MG-PC400300180	400×300×180
YF-MG-500400200	YF-MG-PC500400200	500×400×200
YF-MG-600400220	YF-MG-PC600400220	600×400×220
YF-MG-600500220	YF-MG-PC600500220	600×500×220



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP67
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP67
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size
YF-KG-10015070	YF-KG-PC10015070	100×150×70
YF-KG-20010070	YF-KG-PC20010070	200×100×70
YF-KG-15015090	YF-KG-PC15015090	150×150×90
YF-KG-220110170	YF-KG-PC220110170	220×110×170
YF-KG-290190140	YF-KG-PC290190140	290×190×140
YF-KG-390290160	YF-KG-PC390290160	390×290×160
YF-KG-350250150	YF-KG-PC350250150	350×250×150
YF-KG-330330130	YF-KG-PC330330130	330×330×130



产品特点 /PRODUCT FEATURES

- 采用铝合金压铸成形，耐高温、防腐蚀，可在恶劣环境下使用。
- 适用于端子箱、配电板、仪器仪表盒、信号箱、采矿场、沿海工厂、污水处理设施等环境。
- 防护等级：IP67
- 表面处理：磨砂面（浅灰色）、光面（青灰色）
- Aluminum alloy die-casting forming, high temperature resistant, Corrosion-Proof, can be used in harsh environments.
- Applicable: Terminal box, Distribution Box, Instrument Box, Signal Junction Box, Stope, Coastal factories, Sewage Treatment Works and other environments.
- Protection: IP67.
- Surface Treatment: Frosting(light gray), smooth (steel grey).

技术参数 /TECHNICAL DATA

型号 Model	宽 Wx 高 Hx 深度 D (mm)	备注 Remarks
YF-AG-FA1	64×58×35	四个螺丝 /4 PCS Screw
YF-AG-FA2	120×80×55	六个螺丝 /6 PCS Screw
YF-AG-FA2-1	120×80×55	四个螺丝 /4 PCS Screw
YF-AG-FA2-2	135×85×56	四个螺丝 /4 PCS Screw
YF-AG-FA2-3	125×80×58	四个螺丝 /4 PCS Screw
YF-AG-FA3	188×120×78	六个螺丝 /6 PCS Screw
YF-AG-FA3-1	188×120×78	四个螺丝 /4 PCS Screw
YF-AG-FA4	100×68×50	翻盖带四个螺丝 /4 PCS Screw & With Hinge
YF-AG-FA5	222×145×55	六个螺丝 /6 PCS Screw
YF-AG-FA5-1	222×145×60	四个螺丝 /4 PCS Screw
YF-AG-FA6	222×145×75	六个螺丝 /6 PCS Screw
YF-AG-FA6-1	222×145×80	四个螺丝 /4 PCS Screw
YF-AG-FA7	111×64×37	四个螺丝 /4 PCS Screw
YF-AG-FA8	180×140×55	翻盖带四个螺丝（有窗、无窗） 4 PCS Screw & With Hinge & Flange (Optional with window/without window)
YF-AG-FA9	90×36×31	四个螺丝 /4 PCS Screw
YF-AG-FA10	228×150×75	四个螺丝（有窗、无窗） /4 PCS Screw (Optional with window/without window)
YF-AG-FA10-2	228×150×85	四个螺丝 /4 PCS Screw
YF-AG-FA12	200×130×75	可带窗口（有窗、无窗） /4 PCS Screw (Optional with window/without window)
YF-AG-FA12-1	200×130×85	四个螺丝 /4 PCS Screw
YF-AG-FA13	185×135×85	四个螺丝 /4 PCS Screw

技术参数 / TECHNICAL DATA

型号 Model	宽 Wx 高 Hx 深度 D (mm)	备注 Remarks
YF-AG-FA14	220×155×95	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA15	250×185×88	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA15-1	250×185×88	翻盖四角螺丝 (有窗、无窗) 4 PCS Screw & With Hinge (Optional with window/without window)
YF-AG-FA16	280×185×80	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA18	80×76×57	四个螺丝 / 4 PCS Screw
YF-AG-FA18-1	80×76×55	四个螺丝 / 4 PCS Screw
YF-AG-FA20	175×80×56	四个螺丝 / 4 PCS Screw
YF-AG-FA20-1	175×80×80	四个螺丝 / 4 PCS Screw
YF-AG-FA21	250×80×64	四个螺丝 / 4 PCS Screw
YF-AG-FA22	250×80×80	四个螺丝 / 4 PCS Screw
YF-AG-FA24	115×65×55	四个螺丝 / 4 PCS Screw
YF-AG-FA25	160×100×60	四个螺丝 / 4 PCS Screw
YF-AG-FA25-1	165×95×39	四个螺丝 / 4 PCS Screw
YF-AG-FA26	160×100×65	四个螺丝 / 4 PCS Screw
YF-AG-FA29	150×100×80	四个螺丝 / 4 PCS Screw
YF-AG-FA34	115×90×55	四个螺丝 / 4 PCS Screw
YF-AG-FA34-1	115×90×60	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA36	250×120×82	四个螺丝 / 4 PCS Screw
YF-AG-FA38	320×120×90	四个螺丝 / 4 PCS Screw
YF-AG-FA40	360×160×95	四个螺丝 / 4 PCS Screw
YF-AG-FA41	360×160×135	四个螺丝 / 4 PCS Screw
YF-AG-FA43	100×100×60	四个螺丝 / 4 PCS Screw
YF-AG-FA44	140×140×75	四个螺丝 / 4 PCS Screw
YF-AG-FA58	145×100×45	四个螺丝 / 4 PCS Screw
YF-AG-FA60	120×120×82	四角螺丝 / 4 PCS Screw
YF-AG-FA61	160×160×70	四角螺丝 / 4 PCS Screw
YF-AG-FA62	160×160×90	四角螺丝 / 4 PCS Screw
YF-AG-FA62-1	160×160×86	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA63	240×160×75	四个螺丝 / 4 PCS Screw
YF-AG-FA64	240×160×100	四角螺丝 / 4 PCS Screw
YF-AG-FA65	265×185×80	四角螺丝 / 4 PCS Screw
YF-AG-FA66	260×185×96	四角螺丝 / 4 PCS Screw
YF-AG-FA67	260×185×128	四角螺丝 / 4 PCS Screw
YF-AG-FA68	300×210×100	四角螺丝 / 4 PCS Screw
YF-AG-FA69	300×210×130	四角螺丝 / 4 PCS Screw
YF-AG-FA70	340×235×95	四个螺丝 / 4 PCS Screw
YF-AG-FA70-1	340×235×95	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA71	340×235×120	四角螺丝 / 4 PCS Screw
YF-AG-FA71-1	340×235×120	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA71-2	340×235×115	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA72	340×235×135	四角螺丝 / 4 PCS Screw
YF-AG-FA72-1	340×235×135	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA73	340×235×160	四角螺丝 / 4 PCS Screw
YF-AG-FA73-1	340×235×160	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA73-2	340×235×155	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA75	280×230×110	四角螺丝 / 4 PCS Screw
YF-AG-FA75-1	280×230×110	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA76	400×260×110	四角螺丝 / 4 PCS Screw
YF-AG-FA76-1	400×260×110	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge
YF-AG-FA78	400×310×110	四角螺丝 / 4 PCS Screw
YF-AG-FA78-1	400×310×110	合页翻盖四角螺丝 / 4 PCS Screw & With Hinge



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP65
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP65
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	规格 Size
YF-DG-8012050	80×120×50
YF-DG-11015070	110×150×70
YF-DG-14019070	140×190×70
YF-DG-19024090	190×240×90
YF-DG-220300120	220×300×120
YF-DG-300380120	300×380×120



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP65
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution box, etc.
- Protection degree: IP65
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size	灰色盖子 Solid cover	透明盖子 Clear cover	规格 Size
YF-FG-1	F1	75×120×200	YF-FG-11	F11	105×260×380
YF-FG-1-1	F1-1 高盖	113×120×200	YF-FG-11-1	F11 高盖	140×260×380
YF-FG-1-2	F1-2 带耳	75×120×200	YF-FG-11-4	F11-4 中盖	120×260×380
YF-FG-1-3	F1-3 底盖	56×120×200	YF-FG-14	F14	90×120×120
YF-FG-2	F2	60×90×158	YF-FG-15	F15	85×150×230
YF-FG-2-2	F2-2 带耳	64×90×158	YF-FG-15-6	F15 平盖	87×150×230
YF-FG-3	F3	55×90×115	YF-FG-15-2	F15-2 带耳	87×150×230
YF-FG-3-2	F3-2 带耳	55×90×115	YF-FG-19-2	F19-2 有耳	33×58×83
YF-FG-4	F4	50×68×100	YF-FG-19-1	F19-1 无耳	33×58×83
YF-FG-4-2	F4-2 带耳	50×68×100	YF-FG-20	F20	35×58×63
YF-FG-5	F5	90×160×160	YF-FG-20-2	F20-2 带耳	35×58×63
YF-FG-5-2	F5-2 带耳	90×160×160	YF-FG-21	F21	90×160×240
YF-FG-6	F6	95×182×263	YF-FG-21-1	F21 高盖	120×160×240
YF-FG-6-1	F6-1 高盖	125×182×263	YF-FG-22	F22	90×110×160
YF-FG-6-3	F6-3 底盖	60×182×263	YF-FG-24	F24	110×188×192
YF-FG-7-2	F7-2 带耳	158×90×46	YF-FG-24-2	F24-2 带耳	70×188×192
YF-FG-9	F9	135×195×280	YF-FG-25	F25	56×81×83
YF-FG-10	F10	110×240×320	YF-FG-36	F36	290×210×100
YF-FG-10-1	F10-1 高盖	140×240×320	YF-FG-50	F50	140×280×300
YF-FG-10-5	F10-5 特高	155×240×320	YF-FG-K2	K2	120×170×250



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP65
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP65
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	规格 Size
YF-HG--5050	50×50
YF-HG-8080	80×80
YF-HG-858550	85×85×50
YF-HG-10010070	100×100×70
YF-HG-15011070	150×110×70
YF-HG-15015070	150×150×70
YF-HG-20010070	200×100×70
YF-HG-20015580	200×155×80
YF-HG-20020080	200×200×80
YF-HG-25520080	255×200×80
YF-HG-255200120	255×200×120
YF-HG-300250120	300×250×120
YF-HG-400350120	400×350×120



产品特点 /PRODUCT FEATURES

- 采用高强度 PVC、ABS、PC 材料制成，外观美观大方，具有很高的可塑性和紧固性。
- 适用于端子箱、配电板、仪器仪表盒、信号箱设备。
- 防护等级：IP65
- 抗冲击力：IK08
- It is made of PVC, ABS, PC materials that have a good exterior, excellent processing performance and strength.
- It is convenient for the general & mechanical usages such as terminal box, measuring equipment box, gauge box, power distribution, control box, etc.
- Protection degree: IP65
- Degree of Protection against Mechanical Impact: IK08

技术参数 /TECHNICAL DATA

灰色盖子 Solid cover	规格 Size
YF-RG-5050	50×50
YF-RG-8080	80×80
YF-RG-858550	85×85×50
YF-RG-10010070	100×100×70
YF-RG-15011070	150×110×70
YF-RG-15015070	150×150×70
YF-RG-20010070	200×100×70
YF-RG-20015580	200×155×80
YF-RG-20020080	200×200×80
YF-RG-25520080	255×200×80
YF-RG-255200120	255×200×120
YF-RG-300250120	300×250×120
YF-RG-400350120	400×350×120



技术参数 / TECHNICAL DATA

产品系列 Solid	规格 Size	断路器可装数 Breakers in the
YF-HT-5	150×110×90	2-5
YF-HT-8	195×145×90	8
YF-HT-12	250×195×110	12
YF-HT-15	300×190×110	15
YF-HT-18	350×190×110	18
YF-HT-24	350×270×110	24

New professional socket box 新型专业插座箱

Onlywy


专利号 / Patent no :
2015 3303 5529.2
2015 2016 2877.0
2015 2016 2368.8



产品特点 /PRODUCT FEATURES

- 适用于防水、防尘、防腐蚀等特殊场合
- 符合标准：IEC60529、IP67、EN 60309
- Suitable for special occasions such as waterproof, dustproof and anti-corrosion
- Compliant with standards: IEC60529, IP67, EN 60309


外形尺寸图 /DIMENSIONS



New professional socket box
新型专业插座箱

Onlywy

外形尺寸图 / DIMENSIONS



外形尺寸图 / DIMENSIONS



New professional socket box 新型专业插座箱

Onlywy

专利号 / Patent no :
2015 3003 5426.6
2015 3003 5432.1
2015 3003 5471.1



产品特点 /PRODUCT FEATURES

- 适用于防水、防尘、防腐蚀等特殊场合
- 符合标准：IEC60529、IP67、EN 60309
- Suitable for special occasions such as waterproof, dustproof and anti-corrosion
- Compliant with standards: IEC60529, IP67, EN 60309

外形尺寸图 /DIMENSIONS



New professional socket box
新型专业插座箱

Onlywy

外形尺寸图 / DIMENSIONS



外形尺寸图 / DIMENSIONS





技术参数 / TECHNICAL DATA

规格 Size	电缆范围 Cable range(mm)	螺丝长度 GL(mm) screw length	本体高度 H(mm) Body height	扳手直径 (mm) Wrench diameter	螺纹外径 AG(mm) Thread outer diameter	开孔尺寸 Hole Size
PG7	3-6.5	8	22	15	12.5	12.5-12.8
PG7	2-5	8	22	15	12.5	12.5-12.8
PG9	4-8	8.2	24	19	15.2	15.2-15.5
PG9	2-6	8.2	24	19	15.2	15.2-15.5
PG11	5-10	8.6	26	22	18.6	18.6-18.9
PG11	3-7	8.6	26	22	18.6	18.6-18.9
PG13.5	6.7-12	9	27	24	20.4	20.4-20.7
PG13.5	5-9	9	27	24	20.4	20.4-20.7
PG16	10.2-14	10	29	27	22.5	22.5-22.8
PG16	7-12	10	29	27	22.5	22.5-22.8
PG21	13-18	10	35	33	28.3	28.3-28.6
PG21	9-16	10	35	33	28.3	28.3-28.6
PG29	18.5-25	12	40	42	37	37-37.3
PG29	13-20	12	40	42	37	37-37.3
PG36	23-32	14	48	53	47	47-47.3
PG36	20-26	14	48	53	47	47-47.3
PG42	32.7-38	14	50	60	54	54-54.3
PG42	25-31	14	50	60	54	54-54.3
PG48	37-44	16.6	51	65	59.3	59.3-59.6
PG48	29-35	16.6	51	65	59.3	59.3-59.6

外形尺寸图 / DIMENSIONS

