

CORPORATE PROFILE



www.eiffellubricants.com

THE COMPANY



The Burj Eiffel Int. Lubricants IND LLC was founded in **2004** and has established itself as a leading lubricant and grease manufacturer in more than 50 countries across the globe.


We are committed to delivering unique products and services in a highly competitive and dynamic market. Our success and growth are truly dependent on clients as prospective partners.

With extensive technical expertise and relentless efforts, the company has made a name synonym to "Quality". Since then, Eiffel Lubricants has grown from strength to strength and has established itself as an organization focused on quality, innovation and customer centricity.





COUNTRIES





40,000 MT
OF
LUBRICANTS

16,000 MT OF GREASES



6,000 MT OF VISCOSITY INDEX IMPROVERS

















LUBRICANTS
THAT EMPOWER
ENGINES

Our Range of High-Quality Products





AUTOMOTIVE LUBRICANTS

To ensure your vehicle's engines are always protected



GEAR OILS

Keeping gears lubricated during all conditions



COMMERCIAL ENGINE OILS

Make sure your truck's engine is protected during long journeys



BRAKE FLUIDS

For the safety of your personnel, ensure your brakes are functioning with the help of our brake fluids



TRANSMISSION FLUIDS

Lubricate the metal parts and bearings in your vehicle's transmission



MARINE **LUBRICANTS**

To keep everything moving in all types of sea conditions



MOTORCYCLE OILS

Protect your Motorbike with our range of 2T and 4T oils



INDUSTRIAL LUBRICANTS


Industrial vehicles tend to face more and tear, hence require the right kind of lubrication



WHY EIFFEL?

Your satisfaction is our motivation.






ELEVATING EXCELLENCE: OUR CORE QUALITIES



High-performance Lubrication Solution



PERFECT BLEND, GREAT PERFORMANCE

Eiffel's state-of-the-art R&D center in U.A.E., along with our indepth understanding of the market, have created products that have the perfect blend to globally enhance engine performance







Eiffel Spark Ultimate-Fully Synthetic

Protection and performance	
Protection against engine wear	*****
Protection at extreme heat	*****
Protection at extreme cold	*****
Keeps engines clean	*****
Fuel economy	*****
Extends engine life	*****

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

Keeps engines performing like new
 Ultimate performance and protection in extreme hot & cold temperatures
 Latest Original Equipment Manufacturers (OEM) and industry approvals,

https://www.eiffellubricants.com/product/spark-ultimate-0w40-sn/



SPARK ULTIMATE 0W40 SN

RANGE:

SPARK ULTIMATE 0W20 SN SPARK ULTIMATE 0W30 SN



Eiffel Opera Supreme-Synthetic

Protection and performance	
Protection against engine wear	*****
Protection at extreme heat	*****
Protection at extreme cold	*****
Keeps engines clean	*****
Fuel economy	*****
Extends engine life	*****

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

Keeps engines performing like new
 Ultimate performance and protection in extreme hot & cold temperatures
 Latest Original Equipment Manufacturers (OEM) and industry approvals, recommended by car dealers

https://www.eiffellubricants.com/product/opera-supreme-5w30-sp/



OPERA SUPREME 5W30 SP

RANGE:

OPERA SUPREME 5W20 SP OPERA SUPREME 5W40 SP



Eiffel Opera Ultimate-Fully Synthetic

Protection and performance	
Protection against engine wear	****
Protection at extreme heat	****
Protection at extreme cold	****
Keeps engines clean	****
Fuel economy	*****
Extends engine life	*****

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

Keeps engines performing like new Ultimate performance and protection in extreme hot & cold temperatures Latest Original Equipment Manufacturers (OEM) and industry approvals, recommended by car dealers

https://www.eiffellubricants.com/product/opera-ultimate-esp-5w30-sn/



OPERA ULTIMATE ESP 5W30 SN



Eiffel Presti-Semi Synthetic

Protection and performance	
Protection against engine wear	***
Protection at extreme heat	***
Protection at extreme cold	***
Keeps engines clean	***
Fuel economy	***
Extends engine life	***

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

	 Frequent driving under high engine stress conditions
Applications	 Occasional driving under high engine stress conditions
	■ Daily driving under normal conditions

https://www.eiffellubricants.com/product/presti-supreme-10w40-sp/



PRESTI SUPREME 10W30 SP

RANGE: PRESTI SUPREME 10W40 SP

Product Portfolio-Automotive (Commercial Vehicles)



Eiffel Fabela Xtreme-Fully Synthetic

Protection and performance	
Protection against engine wear	*****
Protection at extreme heat	*****
Protection at extreme cold	*****
Keeps engines clean	*****
Fuel economy	*****
Extends engine life	*****

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

	 Naturally aspirated and turbo-charged diesel- powered engines built by European and Japanese manufacturers
Applications	On-highway light and heavy-duty trucking
	 Off-highway industries including construction, mining, quarrying, and agriculture

https://www.eiffellubricants.com/product/fabela-xtreme-5w30-ck-4/



FABELA XTREME 5W30 CK-4

RANGE: FABELA XTREME 5W40 CK-4

Product Portfolio-Automotive (Commercial Vehicles)



Eiffel Vista Xtreme

Protection and performance	
Protection against engine wear	***
Protection at extreme heat	***
Protection at extreme cold	***
Keeps engines clean	***
Fuel economy	***
Extends engine life	***

For all up-to-date information, please consult the on-line Eiffel Lubricants Product Data Sheet Library

	 Naturally aspirated and turbo-charged diesel- powered engines built by European and Japanese manufacturers
Applications	On-highway light and heavy-duty trucking
	 Off-highway industries including construction, mining, quarrying, and agriculture

https://www.eiffellubricants.com/product/vista-xtreme-15w40-ck-4/



VISTA XTREME 15W40 CK-4

RANGE: VISTA XTREME 15W50 CK-4

Product Portfolio-Automotive (Commercial Vehicles)



Eiffel Vista Titanium

Protection and performance	
Protection against engine wear	***
Protection at extreme heat	***
Protection at extreme cold	***
Keeps engines clean	***
Fuel economy	***
Extends engine life	***

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

	 Naturally aspirated and turbo-charged diesel- powered engines built by European and Japanese manufacturers
Applications	■ On-highway light and heavy-duty trucking
	 Off-highway industries including construction, mining, quarrying, and agriculture

https://www.eiffellubricants.com/product/vista-titanium-15w40-ci-4/



VISTA TITANIUM 15W40 CI-4

RANGE: VISTA TITANIUM 15W50

Product Portfolio-Automotive (Transmission Oils)



Eiffel Multi Transfluid ATF

Protection and performance	
Low temperature pumpability and circulation	***
Good cold start performance	***
Oxidation & thermal stability	***
Wear protection	***
Shear stable viscosity index improvers	***
Extends transmission life	***

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Applications	 Optimum frictional characteristics due to presence of friction modifiers
	Good compatibility with various seal materials found in transmission system.
	 Suitable for use in automatic transmissions of car & light trucks and On-highway & Off-highway heavy duty automatic transmissions

https://www.eiffellubricants.com/product/multi-transfluid-atf-dxiii/



Multi Transfluid
ATF DXIII

RANGE: Transyn ATF DX III Transyn ATF DX VI

Product Portfolio-Automotive (Transmission Oils)



Eiffel Transyn CVTF

Protection and performance	
Low temperature pumpability and circulation	***
Good cold start performance	***
Oxidation & thermal stability	***
Wear protection	***
Shear stable viscosity index improvers	***
Extends transmission life	***

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Applications

- Eiffel Transyn CVTF is a high performance continuous variable transmission fluid, formulated with high quality fully synthetic base stocks
 Good compatibility with various seal materials found in transmission system.
- Suitable for use in automatic transmissions of car requiring CV transmissions

Transyn ATF CVTF

https://www.eiffellubricants.com/product/transyn-atf-cvtf/

RANGE: Transyn ATF DCTF

Product Portfolio-Automotive (Transmission Oils)



Eiffel Transyn ATF AL4

Protection and performance	
Low temperature pumpability and circulation	***
Good cold start performance	***
Oxidation & thermal stability	***
Wear protection	***
Shear stable viscosity index improvers	***
Extends transmission life	****

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Applications like electronically controlled convertor clutches, 4HP20 and ZF 5HP19 gear boxes and transmissions where LT 71141 is recommended Good compatibility with various seal materials found in transmission system.

Suitable for all automatic, semi-automatic transmissions or torque convertors in passenger cars and commercial vehicles.

LIFE WITHOUT FRICTION

Transyn ATF AL4

https://www.eiffellubricants.com/product/transyn-atf-al4/

Product Portfolio-Automotive (Brake Fluids)



Eiffel Brake Fluid

Protection and performance	
Brake and clutch performance	***
High boiling point	***
Safe and consistent brake performance	***
Corrosion protection	***
Improved life and reliability	***
Reduced leakage and loss of brake fluid	***

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Applications

- Supreme performance hydraulic brake fluid based on polyethylene glycol ether technology to provide a high level of brake and clutch performance in automotive and commercial vehicles.
- They are designed to meet or exceed the general
- requirements of most builders of automotive disc, drum and anti-skid brake systems in vehicles requiring DOT 3 or DOT 4 level performance.

LIFE WITHOUT FRICTION

Eiffel Brake Fluid DOT 4

https://www.eiffellubricants.com/product/eiffel-brake-fluid-dot-4/

RANGE: Eiffel Brake Fluid DOT 3

Industrial Gear Oil Range

Eiffel Axel Ind Gear

Eiffel Axel Ind Gear series of lubricants are supreme performance industrial gear oils, formulated with high quality base stocks fortified with sulfur-phosphorus additive system.

Specifications Eiffel Axel Ind Gear series meets or exceeds following International and Builder specifications:

- •DIN 51517-3 (CLP)
- •ISO 6743-6 & ISO 12925-1 (CKC/CKD)
- •US Steel 224
- David Brown
- •Flender BA 7300, table A
- •David Brown S1.53.101

Eiffel Axel

Ind Gear 46 68 100 150 220 320 460 680 Series





Industrial Hydraulic Oil Range

Eiffel HiPower Hyd HVI series

Eiffel HiPower Hyd HVI range of lubricants are high viscosity index anti-wear hydraulic fluids formulated with high quality HVI base stocks and advanced anti-wear additive technology.

Specifications Eiffel HiPower Hyd HVI series meets or exceeds following International and Builder specifications:

- •DIN 51524 Part 3 HVLP type
- •ISO 6743/4 HV
- •Denison HF-0, HF-2 (T6H20C)
- •VICKERS M-2950S, -I-286
- •Cincinnati Machine P68, P69, P70
- •VICKERS 35VQ25, 104C







Industrial Hydraulic Oil Range

Eiffel HiPower Hyd ZF series

Eiffel HiPower Hyd ZF range of lubricants are supreme performance Zinc Free Ashless anti-wear hydraulic oils formulated with high quality base stocks and advanced additive technology.

68

100

150

Specifications Eiffel HiPower Hyd ZF series meets or exceeds following International and Builder specifications:

- •DIN 51524 Part-2 HLP Type
- •ASTM D6158 & SAE MS 1004
- •Cincinnati Milacron P68, P69, P70
- •ISO 11158 (HM fluids)
- •Denison HF-0, HF-1, HF-2
- •VICKERS M-2950S, -I-286-S
- •Bosch Rexroth RE 90220
- •GM LS-2 & Conestoga Pump Test ISO 20763









Eiffel HiPower Hyd AW series

Eiffel HiPower Hyd AW range of lubricants are supreme performance anti-wear hydraulic oils formulated with high quality base stocks and balanced additive technology.


Specifications Eiffel HiPower Hyd AW series meets or exceeds following International and Builder specifications:

- •DIN 51524 Part 2 HLP type
- •ISO 11158 (HM fluids)
- Denison HF-0 (T6H20C)
- •VICKERS M-2950S, -I-286

Eiffel HiPower Hvd AW	10	22	32	46	68	100	150
Hyd AW Series							







Eiffel Turbo Heavy series

Eiffel Turbo Heavy series are high performance heavy duty circulating oils formulated with high quality base stocks and advanced additive technology, to provide exceptional equipment protection and reliability in applications lubricated by circulating systems which are operating under moderate to severe conditions.

Outstanding thermal & oxidation stability prevents varnish & sludge formation and helps in extending life of oil and filter. Excellent water separability reduces sludge build up and improves efficiency of timing valves.

Eiffel Turbo Heavy series

150

220

320

460





GREASE

At Burj Eiffel Int. Lubricants Ind. LLC we manufacture a full range of a variety of Lubricating **Greases for Automotive and** Industrial **Applications**

RANGE OF GREASES:




- EIFFEL EXTREME PRESSURE LITHIUM GREASE EP SERIES:
 - EP-0, EP-00, EP-000, EP-1, EP-2, EP-3
- EIFFEL XTREME PROTECT **LITHIUM COMPLEX** GREASE **EP** SERIES:
 - EP-2, EP-3
- EIFFEL MULTI-PURPOSE LITHIUM GREASE MP SERIES:
 - MP-2, MP-3
- EIFFEL EXTREME PRESSURE **BENTONITE** GREASE **HT-EP** SERIES:
 - EP-1, EP-2, EP-3
- EIFFEL PROTECT **GRAPHITE** GREASE **OGL** SERIES:
 - OGL-00, OGL-000, OGL-1, OGL-2, OGL-3
- EIFFEL PROTECT MOLY GREASE EP SERIES (MOLYBDENUM DISULFIDE):
 - EP-0, EP-00, EP-1, EP-2, EP-3
- EIFFEL GREASE **CA-MP** SERIES
 - MP-2, MP-3
- EIFFEL GREASE CA-EP SERIES
 - EP-2, EP-3
- EIFFEL EXTREME PROTECT GREASE CS-2 (CALCIUM SULPHONATE)

Industrial Lithium Grease Range

Eiffel Extreme Pressure Grease

Grease



For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Eiffel Extreme Pressure Greases are suitable for most types of Marine, Automotive & Industrial applications.

Applications

Eiffel Xtreme Protect Grease EP 00, EP 0 and EP 1 are suitable for centralized lubrication systems and other applications where low temperature performance and effective leakage control are required.

Eiffel
Protect EP 000 EP 00 EP 1 EP 2 EP 3







PACK SIZE AVAILABLE
250 GRAMS
500 GRAMS
1 KG
15 KG
180 KG

LIFE WITHOUT FRICTION

Industrial Lithium Grease Range

Eiffel Extreme Pressure Grease HT EP

Protection and performance	
Resistance to water washout	****
Oxidation & thermal stability	****
Load Carrying Capacity	*****
Corrosion Protection	*****
Mechanical Stability	*****

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Eiffel Extreme Pressure Grease HT-EP series are suitable for below applications: **Drying Ovens** Jaw Crushers **Applications** Kiln cars Steel Mills Hot Rolling Mills Aluminum, Cement, Glass and Rubber plants





PACK SIZE AVAILABLE			
250 GRAMS			
500 GRAMS			
1 KG			
15 KG			
180 KG			


Eiffel

Grease

HT-EP 000 **Protect**

Industrial Lithium Grease Range

Eiffel Extreme Pressure Grease OGL-00



For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library

Applications

- Eiffel Protect Grease OGL series are suitable for most types of Marine and Industrial applications.
- Eiffel Protect Grease OGL 00 & 460 are suitable for lubricating large, slow to medium speed, heavily loaded gears operating under heavy-duty conditions, wire ropes, winches, high speed chains etc.,
- Eiffel Protect Grease OGL 1.5 is suitable for lubricating slide rails, boom surfaces, chains and open gears during initial turning. Example: Ring gears in cement mill.





PACK SIZE AVAILABLE
250 GRAMS
500 GRAMS
1 KG
15 KG
180 KG

Eiffel LUBRICANTS LIFE WITHOUT FRICTION

Industrial Lithium Grease Range

Eiffel Protect Moly Grease EP-2

For all up-to-date information, please consult the on-line Eiffel lubricants Product Data Sheet Library



- Eiffel Protect Moly Grease EP series are suitable for most types of Marine, Automotive & Industrial applications.
- Eiffel Protect Moly Grease EP 00, EP 0 and EP 1 are suitable for heavily loaded centralized lubrication systems and other applications where low temperature performance and effective leakage control are required.
- Suitable for antifriction and plain bearings, bushings and pins, operating under moderate to severe load conditions & in applications with high shock loads.





PACK SIZE AVAILABLE
250 GRAMS
500 GRAMS
1 KG
15 KG
180 KG

Eiffel Protect Grease

EP 00

EP 0

EP 1

EP 2

EP 3

OEM APPROVALS

CLICK TO VIEW APPROVALS





















EIFFEL OPERA ULTIMATE C

AMERICAN PETROLEUM INSTITUTE

SCHEDULE A - LICENSE AGREEMENT EIFFEL LUBRICANTS may be used through 31-Mar-2021 are as folio

API SERVICE SYMBOL

BRAND NAME EIFFEL DURAMAX SILVER 20W-50 20W-40 20W-50 20W-40 20W-50 20W-40 10W-30 10W-40 10W-40 15W-40 15W-40 15W-40 5W-20 5W-30 EIFFEL DURAMAX SILVER EIFFEL DURAMAX SILVER 4T EIFFEL DURAMAX SUPERIOR 4 EFFEL DURAMAX SUPERIOR 4T EIFFEL DURAMAX ULTIMATE EIFFEL ENERGY BOOST 4T EIFFEL MARVELA EXTREME EIFFEL MARVELA EXTREME EIFFEL MARVELA TITANIUM EIFFEL MARVELA ULTIMATE EIFFEL MARVELA ULTIMATE EIFFEL NOBLE SILVER 4T EIFFEL NOBLE SUPERIOR EIFFEL NOBLE SUPERIOR 41 EFFEL NOBLE SUPERIOR AT EFFEL OPERA GOLD EFFEL OPERA ULTIMATE EFFEL OPERA ULTIMATE C2

Engine Oil Licensing and Certification System



Attn.: Mr. Juzer Vaziri P.O. Box: 47480

United Arab Emirates EAS2/DG/TA

Motor Oil Approval (993/94-020)

Based on the information given by your company and our analysis. PORSCHE is giving its approval according to the Eiffel Opera Ultimate 5W40 SN. We will include your motor oil in the next issue of our "Technical Information Motor Oil".

This approval will expire on September 30, 2023, if no extension is requested before in good time. This approval will expire before the end of the above mentioned period: if the approved formulation is changed or if negative fields results are recorded or for any reason if Porsche deems it necessary.

You may inform your customers about this approval (Porsche "A40") in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers' specifications. Any further reference to Porsche or the use of the crest and logotype of Porsche is strictly prohibited.

Dr. Ing. h.c. F. Porsche Aktiengesellschaf

ClDs.

VOLKSWAGEN

Burj Eiffel Int. Lubricants Ind. LLC

Juzer Vaziri P.O. Box 47480 Sharjah United Arab Emirates 06.05.17 IHRE NACHECHT 1437-elf-sk BURCHWARL 9-43156 BURCHWARL 9-32371 TELEPAX 1437-elf-sk 9-43156 9-32371

30.09.2017 DATUM

Engine Oil

Dear Mr Juzer Vaziri,

Analysis of the engine oil

Eiffel Opera Ultimate SN/CF SAE 5W-40 (Oil-Code: LBB-14729-A)

has shown that product in question meets the requirements in accordance with VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been

"approved under VW Standard 502 00 and VW Standard 505 00"

Please note that this approval expires after 36 months, at which point compliance

Yours sincerely,

Dr. Elfrath

Dr. Kossmehl

TELEFON +49 5361 9-0

DAIMLER

Burj Eiffel Int. Lubricants Ind. L.L.C. P.O. Box 47480 UNITED ARAB EMIRATES

		Telefon/Phone +497 11 17-	Telefax/Fax +49.7 11 17-	Hauspost-Code/ Internal Code
		24801	59756	C651
Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail		Datum/Date
30.06.2019	RD/PDI-F-110280	Mrs. Fuchs		14.08.2019

MB-Approval Certificate

MB-Approval 229.52 for: "EIFFEL OPERA ULTIMATE ESP Oil-Code: OR-F64662Q-A, SAE-Grade: 5W-30

Dear Sir or Madam.

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 2295.2 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed

The following regulations apply for the MB-Approval:

- . The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
 The MB-Approval automatically terminates on expiry of the validity period at the latest
- . The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE http://bevo.mercedes-benz.com

 Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" apply.

must be retained for at least 3 years. We will inform you of the dispatch address.

W. T. ble i.V. Telse Tschamo

Hoo Ester i.V. Dr. Jochen Betsch

VOLVO Volvo Group Trucks Technology

STD 417-0002 approval

Company name: Product name: Oil code(s): Viscosity grade:

BURJ EIFFEL INT. LUBRICANTS IND. LLC. EIFFEL VISTA TITANIUM 15W40 CI-4/SL

EDU493 (LBB-18214-A) 15W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

September 29, 2021 Approval #: 417-0002-21-2333

Approval expires two years after the approval date.

For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

OUR NOTABLE CLIENTS









SUDATRAF SUDAN





















Saheel Tower 1, Level 4 402 Al Ittihad Rd - Dubai



www.eiffellubricants.com