

Savvy Global

HOSPITAL FURNITURE PRICE LIST

SG 001 EXAMINATION COUCH (OVERALL SIZE 1800x500x800mm)

USD: 275

(A)



USD: 285

(B)



The couch made of CRCA sheet. Foam padded top in two sections with three drawers on upper section. Lower section comprises of cabinet with lockable sliding doors. Provided with B.P. Stand and I.V. Rod. Head rest adjustable with knob system

SG 002. EXAMINATION TABLE (OVERALL SIZE 1800x500x800mm)

USD : 75

(A)



USD: 68

(B)



Framework made of CRC tubular pipe, mounted on four nylon rubber shoes. CRCA sheet top in two sections with head side adjustable on ratchet

SG 003. PATIENT STOOL (REVOLVING 4 LEGS)

USD: 25

(A)



(B)



Framework made of CRC tubular pipe mounted on four nylon/rubber shoes, mounted revolving top fitted with strong and accurate machine screw Stainless steel top. Height adjustable.

SG 004. FOOT STEP DOUBLE (450x450x320mm) USD: 25



Stand made of CRC tubular pipe mounted on four nylon/rubber shoes. Both steps fitted with rubber mattress surrounded by aluminium angle frame.

SG 005. STRETCHER ON TROLLEY (2030X560X820mm)

USD: 100

USD: 150



(A)

STRETCHER ON TROLLEY



(B)

STRETCHER ON TROLLEY WITH HI LO SYSTEM

Frame work made of CRC tubular pipe construction, mounted on four swivel castors of 125 mm/150mm dia. Removable stretcher top made of CRCA sheet supported on tubular frame. Stainless Steel handles provision of I.V.ROD

SG 006. EMERGENCY CUM RECOVERY TROLLEY (2125x710mm)

USD: 515



Framework made of CRC tubular /rectangular steel tubes. Mounted on four swivel castors of 125mm dia with two brakes Trendelenburg and reverse Trendelenburg Position with the help of mechanical system top made of laminated panel with backrest adjustable on ratchet. Height adjustable by mechanical system on one side removable type radiolucent top in two sections for obtaining backrest and fitted with cassette holding tray underneath provided with one I.V. Rod, Oxygen Cylinder Trolley with tray and drop side/swing away type safety railing.

SG 007. WHEEL CHAIR NON – FOLDING WITH CUSHIONED SEAT AND BACK

USD: 85



Framework made of CRC tubular pipe, fixed cushioned seat, back and armrest. Foldable footrest, front wheel of 125mm dia. rear wheels of 650mm dia. Fitted with solid rubber tyre

AI 008. WHEEL CHAIR FOLDING (DLX) VISCO COMPANY'S

USD: 172

(A) VISCO COMPANY'S

(B) LOCAL FOLDING



Framework made of CRC tubular pipe seat and back made of foam leather foldable. Detachable armrest, foot rest. Front wheel of 150mm dia, rear wheels of 650mm dia. fitted with solid rubber tyre with hand brakes.

SG 009. ELECTRICAL ICU BED (2160Lx1000Wx500-750H)

USD: 1850



The ABS head and foot board can be easily assemble and dissembled, the aluminium alloy guardrail can be firmly allocated it is firm and reliable. Powder coated steel bed surface. Powder coated steel bed frame. Silence 5” castors and powerful actuators. Back section angle: 80degree.Knee section lifting angle: 45 degree. Loading capacity: 250Kgs.

**SG 010. ICU BED HI – LO FACILITY WITH ABS PANEL AND SIDE
RAILING
USD: 546**



Four section perforated CRCA sheet top. Four separate screws with four collapsible handles for backrest, knee rest, trendelenburg /reverse trendelenburg and height adjustable. Removable ABS head & foot bows, mechanically operated height adjustable trolley type base and mainframe made of strong CRC rectangular steel tubes mounted on four 125mm swivel castors with two brakes.

Provided with one I.V.Rod with four locations, detachable aluminium collapsible safety side rails.

SG 011. ICCU BED WITH HI-LO FACILITY (2010X920X610MM)
USD: 385

Four section perforated CRCA sheet top. Four separate screws with four collapsible handles for backrest, knee rest, Trendelenburg /reverse Trendelenburg and height adjustable.



Removable S.S.tubular head & foot bows with laminated panels. Mechanically operated height adjustable. Trolley type base and mainframe made of strong CRC rectangular steel tubes mounted on four 125mm swivel castors with two brakes. Provided with one I.V.Rod with four locations, swivel type full-length safety side rails.

**SG 012. ICU BED FIXED HEIGHT FOWLER POSITION WITH
TWO WAY TILT. (2010X920X610MM)
USD: 365**



Four section perforated CRCA sheet top. Three separate screw with three collapsible handles for backrest, knee rest, and Trendelenburg /revers Trendelenburg. Removable S.S. Tubular head and foot bows with laminated panels. Trolley type base and mainframe made of strong CRC rectangular steel tubes mounted on four 125mm swivel castors two with brakes. Provided with one I.V. stand with four locations, swivel type full-length safety side

SG 013. FOWLER BED (DLX) (2010X920X610mm) USD: 215



Four section perforated CRCA sheet top. Two separated screws with two collapsible handles for backrest, and knee rest adjustment. S.S. tubular head & foot bows with laminated panels. Mainframe made of strong CRC rectangular steel tubes. Mounted on four 100mm swivel castors with two brakes. Four IV rod locations.

SG 013(a). FOWLER BED WITH ABS PANEL (DLX) (2010X920X610mm) USD: 319



Four section perforated CRCA sheet top. Two separated screws with two collapsible handles for backrest, and knee rest adjustment. Removable ABS head & foot bows. Mainframe made of strong CRC rectangular steel tubes. Mounted on four 100mm swivel castors with two brakes. Four IV rod locations.

SG 013 (b). FOWLER BED (GENERAL/REGULAR MODEL)
(2010X920X610mm)
USD: 195



Four section perforated CRCA sheet top. Two separate screw with one handle for backrest and knee rest adjustments. Mainframe made of strong CRC rectangular steel tubes. Head & foot bows of CRC steel tubular pipes with vertical supports. Mounted on four rubber/nylon feet. Four IV rod locations.

SG 014. SEMI FOWLER BED WITH ABS PANEL (DLX)
(2010X920X610mm)
USD: 215



Two section perforated CRCA sheet top one separated screws with one collapsible handles for backrest adjustment. Removable ABS head & foot bows. Mainframe made of strong CRC rectangular steel tubes. Mounted on four 100mm swivel castors with two brakes. Four IV rod locations.

SG 015. SEMI FOWLER BED (DLX) (2010X920X610mm)

USD: 185



Two section perforated CRCA sheet top. one separated screw with one collapsible handle for backrest adjustment Chrome plated tubular head & foot bows with laminated panels. Mainframe made of strong CRC rectangular steel tubes. Mounted on four 100mm swivel castors with two brakes. Four IV rod locations.

SG 016. SEMI FOWLER BED (GENERAL/HOSPITAL/REGULAR MODEL) (2010X920X610mm)

USD: 175



(A) POWDER COATED LEGS

USD: 185



(B) STAINLESS STEEL LEGS

Two section perforated CRCA sheet top. One separate screw with one handle for backrest adjustments. Mainframe made of strong CRC rectangular steel tubes. Head & foot bows of CRC steel tubular pipes with vertical supports. Mounted on four rubber/nylon feet. Four IV rod locations

SG 017. ATTENDANT BED (GENERAL/REGULAR)
(1830X610X410mm)
USD: 65



Perforated CRC sheet top,/12mm plywood main frame made of strong CRC rectangular steel tubes. Mounted on four rubber/nylon feet.

SG 018. PLAIN BED /HOSPITAL COT (2010X920X610mm) USD: 79.5



Perforated CRCA sheet top, frame made of strong CRC rectangular steel tubes. Head & leg bows of CRC steel tube with vertical support. Mounted on four rubber feet. Four IV rod locations.

**SG 018A PAEDIATRIC BED WITH DROP SIDE RAILING
(1400X800X600mm) USD: 129**



Framework made of CRC rectangular /square steel tubes. Mounted on four rubber feet. Perforated CRCA sheet top with full length drop side rails. Provision of I.V.Rod in four locations.

SG 019. BED SIDE LOCKER (DLX) (400X400X800mm) USD: 65



Locker made from machine pressed CRCA sheets. All three sides closed having one box and a drawer. Top made of stainless steel mounted on four nylon bushes of 50mm dia.

**SG 019(a). CHINA MODEL BED SIDE LOCKER (DLX)
(400X400X800mm) USD: 69.5**



Locker made from machine pressed CRCA sheets. All three sides closed having one box and a drawer. Top made of stainless steel mounted on four nylon bushes of 50mm dia.

SG 020. BED SIDE LOCKER (400X400X800mm) USD: 54.5



Machine pressed double bent CRCA sheet locker box with door. Square pipe Contraction with rubber feet. Top made of Stainless Steel.

SG 021. ADJUSTABLE OVER BED TABLE

USD: 50
(A) WITH KNOB SYSTEM
MECHANISM



USD: 65
(B) WITH GEAR



Table base and frame made of CRC rectangular /square tubes. Mounted on four 50mm castors. Top made of laminated board.

SG 022. CRASH CART (925X475X1525mm) USD: 290



Framework made of CRC tubular pipe mounted on four castor wheels of 125mm dia with two brakes. Crash cart fitted with two polystyrene storage units with three drawers each, upper platform fitted with six colour removable bins, complete with oxygen cylinder, trolley, I.V.Rod and wooden platform and shelves.

SG 023. OVER BED TABLE (PATIENT FOOD TROLLEY)
(1050X400X980mm) USD: 55



CRCA steel tubular frame, mounted on four 50mm castors. Top made of laminated board.

SG 024. BABY CRADLE (900X380X980mm) USD: 57



Framework made of CRC tubular pipe with three pair of hooks for tilt positions of crib, mounted on four 50mm dia castor wheels. Top made of CRCA sheet. Crib made of M.S.steel bars/strip.

SG 025. SALINE STAND (FOUR WINGED BASE) USD: 25



Strong CRC tubular pipe stand mounted on square rod base fitted with four castors of 50mm dia. Chrome plated I.V.rod with double hook adjustable with knob.

SG 026. CYLINDER TROLLEY USD: 25



Framework made of CRC tubular pipe, base and cylinder holder made of strong M.S. flat with two rubber wheels of 100mm dia.

SG 027. BULK CYLINDER TROLLEY USD: 75



Framework made of CRC tubular pipe, base and cylinder holder made of strong M.S. flat, Mounted on Three rubber wheels of 100mm dia.

SG 028. DRESSING TROLLEY (750X500X800mm) USD: 100



Frame work made of CRC tubular pipe, mounted on four castor wheels of 100mm dia two fixed stainless steel shelf with protective railings on three sides on top shelf. Provided with stainless steel bucket and basin.

**SG 028 (a). SAME AS ABOVE BUT WITH ALL STAINLESS STEEL
(Grade 202) USD: 125**



SG 029. INSTRUMENT TROLLEY (750X500X800mm) USD: 75



Framework made of CRC tubular pipe, mounted on four castor wheels of 50mm dia two-fixed stainless-steel shelves with protective railings on three sides on top shelf.

SG 029(a). SAME AS ABOVE BUT WITH ALL STAINLESS STEEL (Grade 202) USD: 95

**SG 030. CURVED INSTRUMENT TROLLEY S.S.
(600X450X800mm) (Grade 202) USD: 120**



Framework made of S.S. tubular pipe, Circumference 1120mm. Mounted on four castorwheels of 50mm dia two- fixed stainless steel shelves with protective railings on three sides on top shelf.

SG 031. MAYO TROLLEY USD: 50



Framework made of CRC tubular /square pipe. Mounted on four castor wheels of 50mm dia.adjustable height with stainless steel tray.

**SG 031(a). SAME AS ABOVE BUT WITH ALL STAINLESS STEEL
USD: 64**

SG 032. BASIN STAND SINGLE (800X350mm) USD: 35



Framework made of CRC tubular pipe mounted on three castors of 50mm dia provided with one stainless steel basin.

SG 033. KICK BUCKET (300X550mm) S.S. USD: 28



Framework made of S.S. tubular pipe mounted on three castors of 100mm dia with S.S.basin.

SG 034. OBSTETRIC LABOUR TABLE

(TELESCOPIC)(1800X650X750mm) USD: 520



Framework made of CRCA tubular pipe mounted on four aluminium shoes. Stainless steel three-section table top with perennial cut out in the middle section, leg section can slide completely under the main section. Mechanically operated for trendelenburg position with back rest adjustable on rachet. One telescopic saline rod, self-locking handgrips, Lithotomic rods with straps with side railing.

SG 035. DELIVERY TABLE WITH ‘U’CUT (1825X760X810mm)
USD: 200



Frame work made of CRC tubular pipe mounted on four rubber feet CRCA sheet top and ‘U’cut with leg holder S.S.rods on foot end.

SG 035(a). SAME AS ABOVE BUT COMPLETE STAINLESS STEEL
USD: 250

SG 036. SCRUB (SINK FOR OPERATION THEATRE)
USD: 325



Made of S.S.Sheet, specifications depends on available space, with modified design and mirror or mat finishing(Buffing). For Four feet length (S.S.304)

SG 037. LAPAROSCOPIC TROLLEY (686X457X1370Hmm)

USD: 225



Framework made of heavy CRC Rectangular/Square pipes each self having one novapan sheet, one Alkon draw, electrical socket for each self. Two oxygen cylinder holders, sides covered with CRCA Sheet. Four 100/125mm dia.swivel castors with two brakes.

SG 037(a). LAPAROSCOPIC TROLLEY MODEL

(1400X650X625mm) USD: 250



Framework made of heavy CRC sheet mounted on four castor wheels of 125mm dia.with two brakes. Five shelves of 575mm X 400mm, one drawer, cylinder trolley, I.V.Rod and two aluminium handles for easy to mobile.

SG 038. SOLID LINEN TROLLEY (POWDER COATED) (910hx510mm)
USD: 55



Steel tubular framework mounted on three 100mm dia swivelling castors.
Supplied one removable canvas bag

SG 038(a). SOLID LINEN TROLLEY (S.S.) USD: 60

SG 039. SIDE SCREEN (THREE-FOLD) (2440X1675Hmm)
USD: 79



Frame work made of CRC Tubular pipe in three section mounted on twin castor wheels of 50mm dia middle span 1020mm wide side span 585mm wide each

SG 040 3-SEATER WAITING CHAIR (Airport Chairs) USD: 145



Frame work made of moulded perforated seat and back

**SD 041. WAITING CHAIR 3-SEATER
USD: 75/-**



Frame work made of CRC Tubular pipe and CRC rectangular pipe, perforated seat and back with armrest made of oval pipe.

TERMS AND CONDITIONS:

1. The above rates are net, packing, forwarding, freight, insurance, other levies shall be extra.
2. Payment 100% advance with the PO copy and number.
3. Delivery within 4 to 8 weeks from the date of receipt of confirmed order
Depends on your volume of order.
4. We reserve to make any modification in the illustration / specification of the items are reserved.
5. The products are warranted for a period of 12 months against any manufacturing defects.