



E GLOVE



Discover our Products.

E Glove Sdn Bhd is a Malaysian company focuses in manufacturing and developing various glove products with the slogan "Excellent Protection" that will help you to choose the right hand protection.



Blue Nitrile



White Latex



Black Latex

MADE IN MALAYSIA

Glove Types



Nitrile Examination Gloves
Powdered & Powder-Free, Non-Sterile
Blue Nitrile Glove



Latex Examination Gloves
Powdered & Powder-Free, Non-Sterile
White Latex Glove



Latex Examination Gloves
Powdered & Powder-Free, Non-Sterile
Black Latex Glove





E GLOVE



BLUE NITRILE GLOVE

Glove Sizes

- Small, Medium, Large & Extra-Large
- Size of gloves shall be marked in the check box on the shipping carton with black ink

Product Specifications

- Type : Powdered & Powder-Free, Non-sterile
- Material : 100% Synthetic Nitrile
- Colour : Blue, White & Black
- Design & Features : **Powdered:**
Ambidextrous, finger textured or palm textured surface, beaded cuff, USP grade absorbable cornstarch
- Powder-Free:**
Polymer coated or online single chlorinated, offline double chlorinated, ambidextrous, finger textured or palm textured surface, beaded cuff
- Storage : The gloves shall maintain their properties when stored in a dry condition.
Avoid direct sunlight
- Shelf-life : 5 years from the date of manufacturing

MADE IN MALAYSIA

AVAILABLE SIZES



Physical Dimensions

Dimensions	Standards		
	E Glove	ASTM D3578	EN 455
Length (mm)	Min 230, Min 240, 300 $\pm$ 10	Min 220 (S), Min 230 (M, L, XL)	Min 240
Palm Width (mm)			
• S	84 $\pm$ 3	80 $\pm$ 10	80 $\pm$ 10
• M	94 $\pm$ 3	95 $\pm$ 10	95 $\pm$ 10
• L	105 $\pm$ 3	110 $\pm$ 10	110 $\pm$ 10
• XL	113 $\pm$ 3	120 $\pm$ 10	$\geq$ 110
Thickness : Single Wall (mm)			
• Finger	Min 0.05	Min 0.05	N/A
• Palm	Min 0.05	Min 0.05	N/A

Physical Properties

Property	ASTM D6319	EN 455
Tensile Strength (MPa)		
• Before Aging	Min 14	N/A
• After Aging	Min 14	N/A
Elongation at Break (%)		
• Before Aging	Min 500	N/A
• After Aging	Min 400	N/A
Median Force at Break (N)		
• Before Aging	N/A	Min 6
• After Aging	N/A	Min 6



E GLOVE



WHITE LATEX GLOVE

Glove Sizes

- Small, Medium, Large & Extra-Large
- Size of gloves shall be marked in the check box on the shipping carton with black ink

Product Specifications

- Type : Powdered & Powder-Free, Non-sterile
- Material : 100% Synthetic Latex
- Colour : Blue, White & Black
- Design & Features : **Powdered:**
Ambidextrous, finger textured or palm textured surface, beaded cuff, USP grade absorbable cornstarch
- Powder-Free:**
Polymer coated or online single chlorinated, offline double chlorinated, ambidextrous, finger textured or palm textured surface, beaded cuff
- Storage : The gloves shall maintain their properties when stored in a dry condition.
Avoid direct sunlight
- Shelf-life : 5 years from the date of manufacturing

MADE IN MALAYSIA

AVAILABLE SIZES



Physical Dimensions

Dimensions	Standards		
	E Glove	ASTM D3578	EN 455
Length (mm)	Min 230, Min 240, 300 $\pm$ 10	Min 220 (S.) Min 230 (M, L, XL)	Min 240
Palm Width (mm)			
• S	84 $\pm$ 3	80 $\pm$ 10	80 $\pm$ 10
• M	94 $\pm$ 3	95 $\pm$ 10	95 $\pm$ 10
• L	105 $\pm$ 3	110 $\pm$ 10	110 $\pm$ 10
• XL	113 $\pm$ 3	120 $\pm$ 10	$\geq$ 110
Thickness : Single Wall (mm)			
• Finger	Min 0.05	Min 0.05	N/A
• Palm	Min 0.05	Min 0.05	N/A

Physical Properties

Property	ASTM D6319	EN 455
Tensile Strength (MPa)		
• Before Aging	Min 14	N/A
• After Aging	Min 14	N/A
Elongation at Break (%)		
• Before Aging	Min 500	N/A
• After Aging	Min 400	N/A
Median Force at Break (N)		
• Before Aging	N/A	Min 6
• After Aging	N/A	Min 6



E GLOVE



BLACK LATEX GLOVE

Glove Sizes

- Small, Medium, Large & Extra-Large
- Size of gloves shall be marked in the check box on the shipping carton with black ink

Product Specifications

- Type : Powdered & Powder-Free, Non-sterile
- Material : 100% Synthetic Latex
- Colour : Blue, White & Black
- Design & Features : **Powdered:**
Ambidextrous, finger textured or palm textured surface, beaded cuff, USP grade absorbable cornstarch
- Powder-Free:**
Polymer coated or online single chlorinated, offline double chlorinated, ambidextrous, finger textured or palm textured surface, beaded cuff
- Storage : The gloves shall maintain their properties when stored in a dry condition.
Avoid direct sunlight
- Shelf-life : 5 years from the date of manufacturing

MADE IN MALAYSIA

AVAILABLE SIZES



Physical Dimensions

Dimensions	Standards		
	E Glove	ASTM D3578	EN 455
Length (mm)	Min 230, Min 240, 300 $\pm$ 10	Min 220 (S), Min 230 (M, L, XL)	Min 240
Palm Width (mm)			
• S	84 $\pm$ 3	80 $\pm$ 10	80 $\pm$ 10
• M	94 $\pm$ 3	95 $\pm$ 10	95 $\pm$ 10
• L	105 $\pm$ 3	110 $\pm$ 10	110 $\pm$ 10
• XL	113 $\pm$ 3	120 $\pm$ 10	$\geq$ 110
Thickness : Single Wall (mm)			
• Finger	Min 0.05	Min 0.05	N/A
• Palm	Min 0.05	Min 0.05	N/A

Physical Properties

Property	ASTM D6319	EN 455
Tensile Strength (MPa)		
• Before Aging	Min 14	N/A
• After Aging	Min 14	N/A
Elongation at Break (%)		
• Before Aging	Min 500	N/A
• After Aging	Min 400	N/A
Median Force at Break (N)		
• Before Aging	N/A	Min 6
• After Aging	N/A	Min 6

 **E GLOVE SDN BHD**



Blue Nitrile



White Latex



Black Latex



If you have any enquiries on our products, please contact :



E GLOVE SDN. BHD (1374-850-T)

Corporate Office

Unit F-3-5, Blok F, CBD Perdana Cyber, 63000 Cyberjaya
Tel: +601168161845

Email: sales@e-glovez.com

www.e-glovez.com

MADE IN MALAYSIA

