


## MODULAR FLOOR TILES 18-01N

### ITEM: PP400G-1801









- ♦ Waterproof and Anti-slipping The material is waterproof and the surface is treated by frosting, with very good slip resistance.
- Drainage Design Each mat can quickly drain the water and sand keep the floor clean.
- Strong bearing capacity Excellent load capacity, suitable for high person traffic and car passing places.
- ♦ Corrosion resistance Sunscreen and cold resistant. Resistant to grease acid and chemicals.
- ◆ Durable and strong
- Easy installation, neat and close joint easy to install, easy to dismantle, easy to clean





The size of the mat is 400mm\*400mm, the thickness is 18mm, the edge size is 400mm\*60mm and it is a slope the ring buckle is the female edge, and the other is the male edge. Color available of edge is yellow and gray.


The corners are used as accessories. The use frequency is very low, and the avalable colors are yellow and gray.







## MODULAR FLOOR TILES 20-01

ITEM: PP400G-2001





- ♦ the first 2-centimeter car wash floor tiles on the market
- ♦ Diamond pattern, more anti-slip
- ◆ T-shaped lock design, close joining
- ◆ Cross support, dense distribution, more stable support
- ◆ The bottom reinforcing ribs are thicker, both rigid and tough
- ◆ Large load-bearing capacity, can bear vehicles weighing up to 5 tons
- ◆ Three-year warranty, free replacement for broken products
- ◆ Colorful, easy to match, beautiful and practical








The size of the mat is 400mm\*400mm, the thickness is 20mm, the edge size is 398mm\*69mm and it is a slope the ring buckle is the female edge, and the other is the male edge. Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the avalable colors are yellow and gray.

## INNOVATION IS THE CORE DRIVING FORCE OF ENTERPRISE DEVELOPMENT CHINA LEADING BRAND OF MODULAR & INTERLOCKING FLOOR TILES










2




## MODULAR FLOOR TILES M20-01

ITEM: PP400M-2001



- black yellow blue red grey green
- ◆ Easy to clean, diamond pattern design, more non-slip
- ♦ High density design does not get stuck in high heels and does not drop screws.
- ◆ More cross supports, heavy load
- ◆ Stronger and more durable, five-year warranty, the best choice for car detailing shop.
- ◆ Four sides interlocking, simple installation, after cutting can be buckled, no waste








The size of the mat is 400mm\*400mm, the thickness is 20mm, the edge size is 398mm\*69mm and it is a slope. Four sides interlocking design. Color available of edge is yellow and gray. The corners are used as accessories. The use frequency is very low, and the available colors are yellow and gray.

## INNOVATION IS THE CORE DRIVING FORCE OF ENTERPRISE DEVELOPMENT CHINA LEADING BRAND OF MODULAR & INTERLOCKING FLOOR TILES




-3




INNOVATION IS THE CORE DRIVING FORCE OF ENTERPRISE DEVELOPMENT CHINA LEADING BRAND OF MODULAR & INTERLOCKING FLOOR TILES


### CAR WASH FLOOR TILES L20

ITEM: PP400G-L20





- ◆ 2cm thickness available
- ◆ Dragon scale pattern design, anti-slip, beautiful, and auspicious.
- ♦ High-quality raw materials, bright colors, no odor, environmental protection.
- ♦ Red, yellow, blue, green, black, and gray colors available, meeting the customer's color requirements.
- ◆ Upgrading lock design, easy to install and easy to dismantle and clean.
- Strengthen the support, not easy crush or broken, meet the requirements of most vehicles.
- ◆ Long service life, 3-year warranty.
- ◆ Different thicknesses, use different supports, ensure maximum load while easy to drain.








The edge size is 400mm\*69mm and it is a slope, the ring buckle is the female edge, and the other is the male edge. Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the available colors are yellow and gray.












# INNOVATION IS THE CORE DRIVING FORCE OF ENTERPRISE DEVELOPMENT CHINA LEADING BRAND OF MODULAR & INTERLOCKING FLOOR TILES


### CAR WASH FLOOR TILES L30 CAR WASH FLOOR TILES L40

ITEM: PP400G-L30 ITEM: PP400G-L40





- ◆ 3-4cm thickness available
- ◆ Dragon scale pattern design, anti-slip, beautiful, and auspicious.
- ♦ High-quality raw materials, bright colors, no odor, environmental protection.
- Red, yellow, blue, green, black, and gray colors available, meeting the customer's color requirements.
- ◆ Upgrading lock design, easy to install and easy to dismantle and clean.
- Strengthen the support, not easy crush or broken, meet the requirements of most vehicles.
- ◆ Long service life, 3-year warranty.
- ◆ Different thicknesses, use different supports, ensure maximum load while easy to drain.









The edge size is 395mm\*87mm and it is a slope.the ring buckle is the female edge, and the other is the male edge.Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the available colors are yellow and gray.













### CAR WASH FLOOR TILES L50 CAR WASH FLOOR TILES L60

ITEM: PP500G-L50 ITEM: PP500G-L60



- black yellow blue red grey green
- ◆ 5-6cm thickness available
- ◆ Dragon scale pattern design, anti-slip, beautiful, and auspicious.
- ♦ High-quality raw materials, bright colors, no odor, environmental protection.
- ♦ Red, yellow, blue, green, black, and gray colors available, meeting the customer's color requirements.
- ♦ Upgrading lock design, easy to install and easy to dismantle and clean.
- Strengthen the support, not easy crush or broken, meet the requirements of most vehicles.
- ◆ Long service life, 3-year warranty.
- Different thicknesses, use different supports, ensure maximum load while easy to drain.








The edge size is 497mm\*130mm and it is a slope.the ring buckle is the female edge, and the other is the male edge.Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the avalable colors are yellow and gray.













## CAR WASH FLOOR TILES XJ30 CAR WASH FLOOR TILES XJ40

ITEM: PP400G-XJ30 ITEM: PP400G-XJ40





- ♦ 3-4cm thickness available
- ◆ Diamond design surface, more non-slip
- ◆ Upgrading lock design, easy to install and easy to dismantle and clean.
- Rectangular drain hole design, simple and aesthetic.
- ◆ Large hole design,easier to clean, suitable for pre-wash station.
- ♦ It can achieve non-disassembly flushing and cleaning of sediment
- ◆ Rich in color, easy to match, beautiful and practical







#### INNOVATION IS THE CORE DRIVING FORCE OF ENTERPRISE DEVELOPMENT CHINA LEADING BRAND OF MODULAR & INTERLOCKING FLOOR TILES



7




### DRAINAGE DITCH CUBE

ITEM: PP400S-3001



- black yellow blue red grey green
- No ditching, Drainage design No digging trench: laying directly
   No silting: the sediment is discharged directly along the drainage ditch
- Waterproof and Anti-slipping The material is waterproof and the surface is treated by frosting, with very good slip resistance.
- ♦ Heavy duty, can bear vehicles less than 5 tons
- ♦ Warranty for 3 years, free replacement if broken or unable to use
- ♦ Rich in color, easy to match, beautiful and practical








The edge size is 395mm\*60mm and it is a slope.the ring buckle is the female edge, and the other is the male edge.Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the avalable colors are yellow and gray.







### **INSULATING FLOOR 1501**

ITEM: PP335S-1501






- Upgrading lock design, more durable
- Can be laid in a large area without fear of thermal expansion and contraction caused by temperature changes
- Reinforcement design,stronger support
- ◆ Better insulation performance with test report
- ◆ Environmental protection meets EU standards








The edge size is 332mm\*51mm and it is a slope the ring buckle is the female edge, and the other is the male edge. Color available of edge is yellow and gray. The corners are used as accessories. The use frequency is very low, and the available colors are yellow and gray.







PVC FLOOR TILES M05 PVC FLOOR TILES M6.5 PVC FLOOR TILES M6.5 PVC FLOOR TILES M07

ITEM: PVC500M-05 ITEM: PVC500M-06 ITEM: PVC500M-6.5 ITEM: PVC500M-07





# INTERLOCKING FLOOR TILES ORIGINATOR IN CHINA




- ◆ 500\*500\*5mm-6mm-6.5mm-7mm
- Suitable for the upgrade and renovation of the ground and local ground protection in car repair factories, new energy repair workstations, garages, production plants, workshops, warehouses, gyms, kindergartens and other office places.
- ♦ Safe, reliable, odorless, fireproof, wear-resistant, insulating and environmental protection.
- Excellent performance wear-resistant, oil-resistant, fast construction, and recyclable.
- ◆ Protects the existing floor from damage, such as dusting, oil pollution, chemical corrosion, vehicle impact.
- Good thermal and acoustic insulation and excellent resistance to impact and vibration, ideal for fork trucks and heavy loads
- · Rich colors, free combination, beautiful and practical.
- · Simple construction, labor-saving, convenient and fast, no downtime.





The size of the mat is 512mm\*512mm, mat size is 500mm\*500mm not including lock buckle. the edge size is 512mm\*105mm including lock buckle and it is a slope. edge size is 500mm\*85mm not including lock buckle. The available colors of edge are yellow and gray.















### **PVC FLOOR TILES A07**

ITEM: PVC500A-07





- ◆ 500\*500\*7mm
- Upgrading lock design, more durable without fear of thermal expansion and contraction caused by temperature changes
- Suitable for the upgrade and renovation of the ground and local ground protection in car repair factories, new energy repair workstations, garages, production plants, workshops warehouses, gyms, kindergartens and other office places.
- ◆ Safe, reliable, odorless, fireproof, wear-resistant, insulating and environmental protection.
- Excellent performance wear-resistant, oil-resistant, fast construction, and recyclable.
- ◆ Protects the existing floor from damage, such as dusting, oil pollution, chemical corrosion, vehicle impact.
- Good thermal and acoustic insulation and
- excellent resistance to impact and vibration, ideal for fork trucks and heavy loads
- · Rich colors, free combination, beautiful and practical.
- · Simple construction, labor-saving, convenient and fast, no downtime.



The size of the mat is 512mm\*512mm, mat size is 500mm\*500mm not including lock buckle. the edge size is 512mm\*105mm including lock buckle and it is a slope. edge size is 500mm\*85mm not including lock buckle. The available colors of edge are yellow and gray.








### **GUTTER COVER**

ITEM: PP500\*183G-23








- ♦ Double-layer structure, modular design, the cover can be used separately
- ◆ The inner wall of the gutter is smooth with good drainage
- ♦ Heavy weight, sufficient material, strong and durable
- ◆ Large load-bearing capacity, can bear vehicles up to 5 tons
- ◆ Two-year warranty, free replacement for broken or unusable products
- ◆ Easy to construct, save labor
- ◆ Simple construction, widely applicable












### MULTIFUNCTIONAL GUTTER COVER


ITEM: PP600\*300G-38




- 60cm 30cm
- ◆ Product Specifications 30\*60\*3.8CM
- ◆ Excellent load capacity, suitable for heavy vehicles such as trucks, engineering vehicles, and fire engines.
- ♦ It can be overhead laying, providing 2-year warranty within a span of 15CM.
- ♦ luxury metallic lustre, after laying flat, tiles can be laid around the perimeter, suitable for high-end body membrane workshop
- ◆ The appearance is small hole glass steel style, anti-high heels.
- ◆ It can be laid in both horizontal and vertical directions, the lockable joints can be connected.
- ◆ Widely applicable, versatile, beautiful and practical.















### SOFT PVC FLOOR TILES


ITEM: PVC400G-13







- It is made of thick solid strip support, and the wide drainage hole is convenient for the discharge of water and sediment.
- Anti-slipping,,Strong bearing capacity
- · Easy installation, neat and close joint
- Due to soft materials, the whole floor can be rolled up to clean up the bottom of the ground, which is efficient and convenient.
- ◆ Sunscreen and cold resistant . Resistant to grease, acid and chemicals.
- It is widely used in Car wash shop, Food factory, Seafood processing plants Exhibition hall, Garage, Around swimming pool, Bath center, Welcome mat of enterprises and institutions, etc.



The edge size is 400mm\*80mm.

the ring buckle is the female edge, and the other is the male edge. Color available of edge is yellow and gray.

The corners are used as accessories. The use frequency is very low, and the avalable colors are yellow and gray.

