



We...

As Proaks Metal we would like to inform you about our products which we manufacture and market. We stand by our products reliability not only throughout the project and essembly stages but also in the course of utilization, even after years. Our sole purpose is earning your trust and deserving your preference for your next project based upon your impression of our products.

Finding the best solutions for your projects with Proaks products, prioritising our customers satisfaction in every step of production. Therefore, we process the best quality raw materials with our experience and fund of knowledge. On top of that, we guarantee our quality with the certificates we proudly own. Despite all, if any irregularities occur during application which are not in accordance with our standarts, we simply replace it.

That way the solution always provides satisfactory consequences. That result is the biggest source of pride for Proaks Metal staff. Constant drive for progress is the result of our passion and respect to our jobs.

PROAKS METAL



Nr: A-221177 EC DECLARATION OF CONFORMITY AT UYGUNLUK BEYANI

Manufacturer / Üretici :

PROAKS METAL YAPI SİSTEMLERİ SANAYİ VE TİC. LTD. ŞTİ.

Address / Adres:

ORGANIZE SANAYI BÖLGESI BİRLİK KÜÇÜK SAN. SİT. 17. ADA 5. CAD. NO:29 BEYLİKDÜZÜ İSTANBUL TÜRKİYE TURKEY

Products / Ürün:

ALÇI LEVHA MÜDEHALE KAPAKLARI / PLASTERBOARD ACCESS PANEL FUGA VE DETAY PROFÎLLERÎ / REVEALS AND MOLDINGS PROFÎLES ASMA TAVAN, DUVAR BÖLME AKSESUARLARI / SUSPENDED CEILING, WALL PARTITION ACCESSORIES

Related Standards / İlgili Standartlar:

TS EN 14190:2014 - ALÇI LEVHALAR – TEKRAR İŞLEME TABİ TUTULARAK ELDE EDİLEN – TARİFLER, GEREKLER VE DENEY YÖNTEMLERİ / GYPSUM BOARD PRODUCTS FROM REPROCESSING - DEFINITIONS, REQUIREMENTS AND TEST METHODS TS EN 14195:2014 - ALÇI LEVHA SİSTEMLERİNDE KULLANILAN METAL ÇERÇEVE BİLEŞENLERİ - TARİFLER, GEREKLER VE DENEY YÖNTEMLERİ /METAL FRAMING COMPONENTS FOR GYPSUM BOARD SYSTEMS - DEFINITONS, REQUIREMENTS AND TEST METHODS

Base of Certification / Sertifikasyon Zemini : Technical File No: CE-PROAKS-221118

For the above products, the technical file and base product provided by the manufacturer is prepared on the basis of a voluntary test in accordance with the Construction Products Regulation 305/2011/EU Category I basic protection requirements.

The CE mark shown below can be used on the product at the discretion of the company, after the preparation of the necessary technical documents and declaration of conformity, and as long as other relevant directives and standards are complied with.

The use of CE marking is at the discretion of the company.

Yukarıda belirtilen ürünler için, üretici tarafından sunulan teknik dosya ve baz alınan ürün, gönüllü bir test temelinde Yapı Malzemeleri Yönetmeliği 305/2011/AB temel koruma gereksinimlerine uygun hazırlanmışsa, gerekli teknik belgelerin ve uygunluk beyanının hazırlanmasından sonra ve diğer ilgili direktifier ve standartlara uyum sağlandığı sürece aşağıda gösterilen CE işareti firmanın inisiyatifiyle ürün üzerine kullanılabilinir. CE işaretinin kullanılması firmanın inisiyatifindedir.

CERT. PUBLICATION DATE SERT. YAYIN TARIHİ 18.11.2022

CERTI. EXPIRY DATE SERT. GEÇERLİLİK TARİHİ 17.11.2023 DIRECTOR

WQR International Certification Ltd. www.wgrcert.com | info@wgrcert.com



The validity of the certificate can be checked through www.wqrcert.com Bu belgenin geçerilliği www.wqrcert.com internet sitesinden kontrol edilebilir



CERTIFICATE

Proaks Metal Yapı Sistemleri Sanayi ve Ticaret Ltd. Şti.

Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad. No: 29 Beylikdüzü İstanbul Turkey

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 45001:2018

Occupational Health and Safety Management System

Scope : Manufacturing and Sales of Galvanized Sheet Roof Connection Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor Aluminum Intervention Cover and Detail Profiles

IAF/EA Code: 14,17

This certificate is valid during above mentioned company perform the requirements of ISO 45001:2018 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022 Cert. Last Issue Date : 18.11.2022

Cert. Expiry Date: 17.11.2023

Cert. Period Exp. Date: 17.11.2025

Certificate Number: I1668765953O





King Cert International Certification Ltd.

King Cert International Certification Ltd. Manastirski Livadi, Str. Lavski Rid 19, Sofia Bulgaria info@KingCert.com FR.25. / 01.09.2016 / 04.06.2019 / 02

Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.



CERTIFICATE

Proaks Metal Yapı Sistemleri Sanayi ve Ticaret Ltd. Sti.

Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad. No: 29 Beylikdüzü İstanbul Turkey

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 9001:2015

Quality Management System

Scope: Manufacturing and Sales of Galvanized Sheet Roof Connection Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor Aluminum Intervention Cover and Detail Profiles

IAF/EA Code: 14,17

This certificate is valid during above mentioned company perform the requirements of ISO 9001:2015 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022

Cert. Last Issue Date : 18.11.2022 Cert. Expiry Date : 17.11.2023

Cert. Period Exp. Date: 17.11.2025

Certificate Number: I1668765817Q





King Cert International Certification Ltd.

King Cert International Certification Ltd. Manastirski Livadi, Str. Lavski Rid 19, Sofia Bulgaria info@KingCert.com FR.25. / 01.09.2016 / 04.06.2019 / 02

Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.



CERTIFICATE

Proaks Metal Yapı Sistemleri Sanayi ve Ticaret Ltd. Sti.

Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad. No: 29 Beylikdüzü İstanbul Turkey

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 14001:2015

Environmental Management System

Scope : Manufacturing and Sales of Galvanized Sheet Roof Connection Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor Aluminum Intervention Cover and Detail Profiles

IAF/EA Code: 14,17

This certificate is valid during above mentioned company perform the requirements of ISO 14001:2015 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022

Cert. Last Issue Date : 18.11.2022 Cert. Expiry Date : 17.11.2023

Cert. Period Exp. Date: 17.11.2025

Certificate Number: I1668765895E

AL PORTION ARRANGEMENT

Management Systems Certification Body

MSCB-196

King Cert International Certification Ltd.

King Cert International Certification Ltd. Manastirski Livadi, Str. Lavski Rid 19, Sofia Bulgaria info@KingCert.com FR.25. / 01.09.2016 / 04.06.2019 / 02


Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS

Profile accessories are used as complementary materials in plasterboard suspended ceiling partition systems. The raw material used in the accessories is manufactured with hot-dip galvanization features and provides protection against rust. None of the products are stainless. Due to the coating of our products, the coating does not fall off when folded. When used in accordance with application standards, it distributes the load evenly and does not cause cracks in any component of the system. Since our products are modular, they can be easily disassembled and installed.



SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



CLIP

PACKAGING ORDER CODE 2101

Pieces 1.500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 72.000 Pallet dimensions: 80 x 120 x 130 cm

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C60 profiles to each other.

Usage Area:

It is used in plaster board suspended ceiling systems.


Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

<06▶



SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ANCHOR CLIP

PACKAGING ORDER CODE 2102

Pieces *1.500 pcs.*

Pallet Content:



Width Length Height Pallet quantity: 72.000 Pallet dimensions: 80 x 120 x 140 cm

Product Description:


It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ROLLER CLIP

PACKAGING ORDER CODE 2106

Pieces 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 72.000 Pallet dimensions: 100 x 125 x 120 cm

Product Description:


It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



S TYPE CARRIER

PACKAGING ORDER CODE 2103

Pieces 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 35.000 Pallet dimensions: 100 x 125 x 170 cm

Product Description:


It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



CEILING CARRIER C CLIP

PACKAGING ORDER CODE
2113

Pieces 200 pcs.

Pallet Content:



Width Length Height Pallet quantity: 14.000 Pallet dimensions: 100 x 125 x 170 cm

Product Description:


It is an accessory that ensures the connection of the main and secondary carrier ceiling C60 profiles to each other. Unlike standard clips, it provides a stronger connection.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



L TYPE ANGLE BRACKET

PACKAGING ORDER CODE 2114

Pieces 200 pcs.

Pallet Content:



Width Length Height Pallet quantity: 35.000 Pallet dimensions 100 x 125 x 170 cm

Product Description:


It is a fastening element used in the corners of drywall walls and ceilings. It ensures that the corners are smooth and strong.

Usage Area:

It is used in gypsum board wall and ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ADDITIONAL PIECE

PACKAGING ORDER CODE 2104

Pieces 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 18.000 Pallet dimensions $100 \times 125 \times 220$ cm

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

Aksesuarların suya temas etmemesi gerekir. Koliler düz ve kuru alanda stoklanmalıdır.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Ölçü	Paket Miktarı
2202	20 cm	100 pcs.
2203	30 cm	100 pcs.
2204	40 cm	100 pcs.
2205	50 cm	100 pcs.
2206	60 cm	100 pcs.
2207	70 cm	100 pcs.
2208	80 cm	100 pcs.
2209	90 cm	100 pcs.
2210	100 cm	100 pcs.
2212	120 cm	100 pcs.
2214	140 cm	100 pcs.
2215	150 cm	100 pcs.
2220	200 cm	100 pcs.
2230	300 cm	100 pcs.

SUSPENSION WIRE ROUND TWIST

Pallet Content:



Width Length Height Pallet quantity: 30.000 Pallet dimensions 100 \times 120 \times 60 cm

Product Description:

It is a fastening element used in gypsum board ceiling systems. It ensures the installation of gypsum boards to the profiles.

Usage Area:

It is used in gypsum board ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Product type	Package quantity
2302	20 cm	100 pcs.
2303	30 cm	100 pcs.
2304	40 cm	100 pcs.
2305	50 cm	100 pcs.
2306	60 cm	100 pcs.
2307	70 cm	100 pcs.
2308	80 cm	100 pcs.
2309	90 cm	100 pcs.
2310	100 cm	100 pcs.
2312	120 cm	100 pcs.
2314	140 cm	100 pcs.
2315	150 cm	100 pcs.
2320	200 cm	100 pcs.
2330	300 cm	100 pcs.

WALL PROFILE SCREW

Pallet Content:



 $\begin{tabular}{ll} Width Length Height \\ Pallet quantity: 25.000 Pallet dimensions 100 x 120 x 60 cm \end{tabular}$

Product Description:

It is a fastening element used in gypsum board wall systems. It ensures the installation of gypsum boards to the wall profiles.

Usage Area:

It is used in gypsum board wall systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Product type	Package quantity
2002	20 cm	100 pcs.
2003	30 cm	100 pcs.
2004	40 cm	100 pcs.
2005	50 cm	100 pcs.
2006	60 cm	100 pcs.
2007	70 cm	100 pcs.
2008	80 cm	100 pcs.
2009	90 cm	100 pcs.
2010	100 cm	100 pcs.
2012	120 cm	100 pcs.
2014	140 cm	100 pcs.
2015	150 cm	100 pcs.
2020	200 cm	100 pcs.
2030	300 cm	100 pcs.

SUSPENSION WIRE WITH EYE BEND

Pallet Content:



Width Length Height Pallet quantity: 25.000 Pallet dimensions 100 x 120 x 60 cm

Product Description:


An accessory that provides the connection between the ceiling and the system in suspended ceiling systems.

Usage Area:

Used in gypsum board suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Product type	Package quantity
2407	7 cm	500 pcs.
2410	10 cm	500 pcs.
2412	12 cm	500 pcs.
2414	14 cm	250 pcs.
2415	15 cm	250 pcs.
2420	20 cm	250 pcs.
2425	25 cm	250 pcs.
2430	30 cm	250 pcs.
2440	40 cm	250 pcs.
2450	50 cm	50 pcs.
2461	60 cm	50 pcs.

CLIP

Pallet Content:



			vviul	П	Leng	LII	пеідііі
7 cm Pallet quantity: 65.0	00	Pallet dimensions	80	Χ	120	X	90 cm
10 cm Pallet quantity: 27.00	00	Pallet dimensions	80	Χ	125	Χ	95 cm
12 cm Pallet quantity: 45.00	00	Pallet dimensions	80	Χ	125	X	95 cm
15 cm Pallet quantity: 37.50	00	Pallet dimensions	80	Χ	120	X	90 cm
20 cm Pallet quantity: 16.50	00	Pallet dimensions	80	Χ	120	Χ	85 cm
25 cm Pallet quantity: 18.75	50	Pallet dimensions	80	Χ	120	X	80 cm
30 cm Pallet quantity: 15.00	00	Pallet dimensions	80	Χ	120	X	80 cm
40 cm Pallet quantity: 12.25	50	Pallet dimensions	80	Χ	120	X	75 cm

Product Description:

It is an accessory used to fix ceiling and wall profiles to the wall and ceiling in suspended ceiling and partition wall systems.

Usage Area:

Used in gypsum plasterboard suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

Width Length Height

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



DOUBLE SPRING

Order code	Product type	Package quantity
2500	DOUBLE SPRING	1.500 pcs.
2512	DOUBLE SPRING STAINLESS	1.500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 72.00 Pallet dimensions 80 x 120 x 130 cm

Product Description:


It is a connecting accessory used in suspended ceiling systems to link two wires together and adjust the height.

Usage Area:

Used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





STEEL SUSPENDED CEILING ANCHOR

Order code **Product type Package quantity** 1.000 pcs 2501 Steel suspended ceiling anchor

Pallet Content:



Width Length Height Pallet quantity: 50.00 Pallet dimensions 80 x 120 x 100 cm

Product Description:

It is an accessory used to fix the suspension wire to concrete in suspended ceiling systems.


18

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Steel Suspension Clamp

Order code Product type Package quantity 2502 Clip-In Steel Suspension Clamp 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 25.00 Pallet dimensions 80 x 125 x 120 cm

Product Description:


It is an accessory that connects the Clipin carrier profiles to the suspension wire.

Usage Area:

It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Clip-In Hair Suspension Clamp

Order code Product type Package quantity
2503 Clip-In Hair Suspension Clamp 1.000 pcs.

Pallet Content:



Width Length Height Pallet quantity: 45.00 Pallet dimensions 80 x 120 x 60 cm

Product Description:


It is an accessory that provides the connection of clipin carrier profiles and hanging wire.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Lamel 85 Suspension Clamp

Order code Product type Package quantity

2504 Lamel 85 Suspension Clamp 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 30.00 Pallet dimensions 80 x 120 x 120 cm

Product Description:


It is an accessory that enables the connection of the lamella carrier system with the hanging wire.

Usage Area:

It is used in lamellar suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Clip-In Wire Clip

Order code **Product type Package quantity** 2505 Clip in Tel Klips dcfix 500 pcs. 2506 Clip in Tel Klips dks 500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 30.00 Pallet dimensions 100 x 120 x 70 cm

Product Description:


It is an accessory used to fix clipin carrier profiles to each other.

Usage Area:

It is used in Clipin ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Clip-In Pressure Pad

Order code

Product type

Package quantity 1.250 pcs.

2507

Clip-In Pressure Pad

Pallet Content:



Width Length Height Pallet quantity: 62.500 Pallet dimensions 100 x 125 x 120 cm

Product Description:

Clipin edge is used to clamp suspended ceiling panels inside the C Profile.

Usage Area:


It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

423

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Connector Piece

Order code Product type Package quantity

2509 Clip-In Connector 750 pcs.
Piece

Pallet Content:



Width Length Height Pallet quantity: 45.000 Pallet dimensions 80 x 120 x 120 cm

Product Description:


It is an accessory that enables the clip carrier profiles to be connected to each other.

Usage Area:

It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Double-Hole Suspension Bracket

Order code 2510

Product type Double-Hole

Suspension Bracket

Package quantity 5.000 pcs.

Pallet Content:



Width Length Height Pallet quantity: 180.000 Pallet dimensions 80 x 120 x 95 cm

Product Description:


It is an accessory used to fix the hanging wire to the ceiling.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Single-Hole **Suspension Bracket**

Order code 2511

Product type Single-Hole Suspension Bracket **Package quantity** 5.000 pcs.

Pallet Content:



Width Length Height Pallet quantity: 180.000 Pallet dimensions 80 x 120 x 95 cm

Product Description:

Product Description It is an accessory used to fix the hanging wire to the ceiling with a nail gun.

Usage Area:


Usage Area It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Product Storage Conditions Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

426

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





Autoclaved Aerated Concrete (AAC) Anchor Plate

Order code	Product type	Package quantity
251204	40x50x150 mm - 0,40 mm	1.000 pcs.
251205	40x50x150 mm - 0,50 mm	500 pcs.
251208	40x50x150 mm - 0,80 mm	500 pcs.
251210	40x50x150 mm - 1,00 mm	500 pcs.
251212	40x50x150 mm - 1,20 mm	250 pcs.
251215	40x50x150 mm - 1,50 mm	250 pcs.
251220	40x50x150 mm - 2,00 mm	250 pcs.

Pallet Content:



Width Length Height 0.40 mm Pallet quantity: 45.000 Pallet dimensions 80 x 125 x 95 cm 0.50 mm Pallet quantity: 45.000 Pallet dimensions 80 x 125 x 95 cm 0.80 mm Pallet quantity: 45.000 Pallet dimensions 80 x 125 x 95 cm 1.00 mm Pallet quantity: 45.000 Pallet dimensions 80 x 125 x 95 cm 1.20 mm Pallet quantity: 10.500 Pallet dimensions 80 x 120 x 60 cm 1.50 mm Pallet quantity:10.500 Pallet dimensions 80 x 120 x 60 cm 2.00 mm Pallet quantity: 10.500 Pallet dimensions 80 x 120 x 60 cm

Product Description:


It is used to fix aerated concrete, pumice and brick walls to concrete.

Usage Area:

It is used in brick, pumice and aerated concrete wall applications.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





ROOF PURLIN

Order code	Product	туре	Package quanti
2550	20x40 mm	Ral 9002	4,000 pcs.
2553	42x45 mm	Ral 9002	2.000 pcs.
2555	42x45 mm	Ral 3009	2.000 pcs.
2559	42x45 mm	Galvaniz	2.000 pcs.
2561	34x45 mm	Ral 3004	2.000 pcs.

Pallet Content:



Width Length Height Pallet quantity: 40.000 Pallet dimensions: 80 x 120 x 120 cm

Product Description:


Roof saddles are made of galvanized sheet metal and sandwich panels are used as trapeze panels on the roof. It is used to ensure drainage and sealing in the part fixed with screws.

Usage Area:

It is used in Roof Panel and trapezoidal systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





LOCKING ROOF CLIP

Order code Product type Package quantity
2570 Fixed - Galvanised 1.500 pcs.

Pallet Content:



Width Length Height Pallet quantity: 75.000 Pallet dimensions: 100 x 125 x 120 cm

Product Description:

It is used as a connection accessory in standing seam roofing systems.

Usage Area:

It is used in standing seam roof coverings.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PANEL FENCE CLIP

Order code 2571

Product type 50 mm

Package quantity 200 pcs.

Pallet Content:



Width Length Height Pallet quantity: 25.000 Pallet dimensions: 85 x 120 x 75 cm

Product Description:

Panel çit profillerinin montajında kullanılan bağlantı aksesuarıdır.

Usage Area:

Panel çit sistemlerinde kullanılır.

Product Storage Conditions:

Aksesuarların suya temas etmemesi gerekir. Koliler düz ve kuru alanda stoklanmalıdır.

≪30

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ISOLATION DETECTION PINS

Pallet Content:



Order code	Product type	Package quantity
TT2940	4 mm	1.000 pcs.
TT2941	6 mm	1.000 pcs.
TT2942	8 mm	500 pcs.
TT2943	10 mm	500 pcs.
TT2944	12 mm	500 pcs.

Product Description:

It is a fastener which is used to fix thermal insulation boards such as XPS Rock wool and EPS with a One-sided surface mounted with adhesive tape.

Usage Area:


It is used in thermal insulation boards.


Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

<31

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





COMPOSITE PANEL CLIP

Order code	Product type	Package quantity
2951	12 mm	2500 Pieces x10 boxes
2952	15 mm	2500 Pieces x10 boxes

Pallet Content:



Width Length Height Pallet quantity: 187.500 Pallet dimensions: 80 x 120 x 100 cm

Product Description:

It is the connecting element used between aluminum composite panels on exterior facades.

Usage Area:


It is used in aluminum composite panel system.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

◄32▶

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PRO RUBBER DOWEL

Order code 2603	Product type White	Package quantity 500 pcs. x 50
2604	White	500 pcs. x 50
2605	Yellow	500 pcs. x 50
2606	Yellow	500 pcs. x 50
2607	Blue	500 pcs. x 50
2608	Blue	500 pcs. x 50

Pallet Content:



Width Length Height Pallet quantity: 250.000 Pallet dimensions: $80 \times 120 \times 100$ cm

Product Description:


In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PB RUBBER DOWEL 8mm

Order code 2613	Product type White	Package quantity 500 pcs. x 50
2614	White	500 pcs. x 50
2615	Yellow	500 pcs. x 50
2616	Yellow	500 pcs. x 50
2617	Blue	500 pcs. x 50
2618	Blue	500 pcs. x 50

Pallet Content:



Width Length Height Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. used for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PLASTIC DOWEL 8mm

Order code	Product type	Package quantity
2623	White	500 pcs. x 50
2624	White	500 pcs. x 50
2625	Yellow	500 pcs. x 50
2626	Yellow	500 pcs. x 50
2627	Blue	500 pcs. x 50
262x8	Blue	500 pcs. x 50

Pallet Content:



Width Length Height Pallet quantity: 250.000 Pallet dimensions: $80 \times 120 \times 100$ cm

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. used for fixing.

Usage Area:


It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS







5.0 x 45 WASHER HEAD DOWEL SCREW

Order code 2701	Product type Yellow	Package quantity 200 pcs. x 30
2702	Yellow	500 pcs. x 12
2703	Yellow	5.000 pcs. x 1
2704	White	200 pcs. x 30
2705	White	500 pcs. x 12
2706	White	5.000 pcs. x 1

Pallet Content:



Width Length Height Pallet quantity: 250.000 Pallet dimensions: $80 \times 120 \times 100$ cm

Product Description:


In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





CHIPBOARD SCREW

Order code	Product type	Package quantity
2711	5,0x40	200 pcs. x 30
2712	5,0x40	500 pcs. x 12
2713	5,0x45	200 pcs. x 30
2714	5,0x45	500 pcs. x 12
2715	5,0x50	200 pcs. x 30
2716	5,0x50	500 pcs. x 12
2717	5,0x60	150 pcs. x 30
2718	5,0x60	300 pcs. x 12
2719	<i>5,0x70</i>	150 pcs. x 30
2720	5,0x70	300 pcs. x 12

Pallet Content:



Width Length Height Pallet quantity: 250.000 Pallet dimensions: $80 \times 120 \times 100 \text{ cm}$

Product Description:


In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





WASHER

Order code 2625

Product type

Package quantity

1/4 inch

5000 pcs.

Pallet Content:



Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. It is used together with screws for fixing.

Usage Area:


It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

438

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





WASHER HEAD SCREW + PB DOWEL

Order code	Product type	Package quantity
2814	5.0x45 Yellow Washer Head Screw+White Pro 8mm Dowel	100 pcs. x 50
2815	5.0x45 Yellow Washer Head Screw+Yellow Pro 8mm Dowel	100 pcs. x 50
2816	5.0x45 White Washer Head Screw+White Pro 8mm Dowel	100 pcs. x50
2817	5.0x45 White Washer Head Screw+Yellow Pro 8mm Dowel	100 pcs. x 50

Pallet Content:



Width Length Height Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Product Description:


In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





WASHER HEAD SCREW + PB DOWEL

Order code	Product type	Package quantity
2801	5.0x45 Yellow Washer Head Screw + White Pb 8mm Dowel	100 pcs. x50
2802	5.0x45 Yellow Washer Head Screw + Yellow Pb 8mm Dowel	100 pcs. x50
2803	5.0x45 White Washer Head Screw + White Pb 8mm Dowel	100 pcs. x50
2804	5.0x45 White Washer Head Screw + Yellow Pb 8mm Dowel	100 pcs. x50

Pallet Content:



Width Length Height Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Product Description:


In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





WASHER HEAD SCREW + 8mm DOWEL

Order cod	e Product type	Package quantit
2805	5.0x45 White Washer Head Screw + White 8mm Dowe	100 pcs. x50
2806	5.0x45 White Washer Head Screw + Yellow 8mm Dowe	100 pcs x50
3807	5.0x45 White Washer Head Screw + White 8mm Dowe	100 pcs 50
2808	5.0x45 White Washer Head Screw + Yellow 8mm Dowe	100 pcs x50

Pallet Content:



Width Length Height Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Product type	Package quantity
2515	5 cm x 45 m	48 pcs.
2516	5 cm x 90 m	36 pcs.
2517	10 cm x 90 m	18 pcs.
2518	8 cm x 90 m	18 pcs.

JOINT TAPE

Pallet Content:



Width Length Height 5 cm x 90 m Pallet quantity 1.512 Pallet dimensions: 100 x 120 x 160 cm 10 cm x 90 m Pallet quantity 756 Pallet dimensions: 100 x 120 x 160 cm

Product Description:

It is an adhesive glass fiber tape used in the joints of partition walls and ceiling systems. It prevents cracks in the areas where it is used and provides a flat surface.

Usage Area:

It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS





POINTED DRYWALL SCREW

Order code	Product type	Package quantity
4001	3.5 x 25 SIV	1.000 Adet x18
4003	3.5 x 35 SIV	500 Adet x18
4005	3.5 x 45 SIV	500 Adet x18

Pallet Content:



Width Length Height $3,5x25\,MUV$ - Pointed Pallet quantity 288.000 Pallet dimensions 80 x 120 x 95 cm $3,5x35\,MUV$ - Pointed Pallet quantity 144.000 Pallet dimensions 80 x 120 x 95 cm

3,5x45 MUV - Pointed Pallet quantity 115.200 Pallet dimensions 80 x 120 x 95 cm

Product Description:

Drywall screws are fasteners used in partition wall and suspended ceiling systems to fix profiles in plasterboard systems

Usage Area:


It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS







SELF-DRILLING DRYWALL SCREW

Order code	Product type	Package quantity
4000	3.5 x 25 MUV	1.000 pcs. x18
4002	3.5 x 35 MUV	500 pcs. x18
4004	3.5 x 45 MUV	500 pcs. x18

Pallet Content:



Width Length Height 3,5x25 MUV - Pointed Pallet quantity 288.000 Pallet dimensions 80 x 120 x 95 cm 3,5x35 MUV - Pointed Pallet quantity 144.000 Pallet dimensions 80 x 120 x 95 cm 3,5x45 MUV - Pointed Pallet quantity 115.200 Pallet dimensions 80 x 120 x 95 cm

Product Description:

Drywall screws are fasteners used in partition wall and suspended ceiling systems to fix profiles in plasterboard systems

Usage Area:

It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:









Beylikdüzü, Birlik Sanayi Sitesi 5. Cadde No:29 PK: 34524 İstanbul TÜRKİYE

Tel: 0090 212 541 0924 info@proaksmetal.com.tr

Faks: 0090 212 426 7803 www.proaksmetal.com.tr

