

HOSPITAL FURNITURE

PLAIN HOSPITAL BED

CODE - MH0101-A



CODE - MH0101-B








Description:-

- ✦ Bed Size : L-1828 x W-901 x H-584 MM
- ✦ Framework Made of M.S. Tube.
- ✦ Top Made of Perforated CRCA MS Sheet.
- ✦ Tubular Head & Foot Bows of Unequal Height.
- ✦ Provision for I.V. Rod at all Corners.
- ✦ Finish : Epoxy Powder Coated / Baked Paint.

OPTIONAL :

1. Mattress
Black & Blue
2. MS Side Railing.
3. SS Side Railing
4. With Wheels.
5. I.V. Stand.

Accessory:-

ABS PANEL	MATTRESS	IV ROD	WHEELS	SIDE RAILING
				

SEMI FOWLER BED

CODE - MH0102-A



CODE - MH0102-B



Description:-

- ✦ Bed Size : L-1828 x W-901 x H-584 MM
- ✦ Semi Fowler Bed with Detachable MS Frame.
- ✦ Head & Foot Bows with Laminated Panels.
- ✦ Epoxy Coated Mild Steel Structure with 2 Section Mattress Platform Made of CRCA M.S.
- ✦ Sheet Crank Mechanisms for Back Adjustment.

OPTIONAL :

1. Mattress
Black & Blue
2. MS Side Railing.
3. SS Side Railing
4. With Wheels.
5. I.V. Stand.

Accessory:-

ABS PANEL	MATTRESS	IV ROD	WHEELS	SIDE RAILING

FOWLER BED

CODE - MH0103-A



CODE - MH0103-B








Description:-

- ✦ Bed Size : L-1828 x W-901 x H-584 MM
- ✦ 18G Frame Work Made of 1x2" Rectangular MS Tube.
- ✦ 4 Section Top Made of Perforated 22G MS Sheet.
- ✦ Having Head & Foot Panels Made of 20g Round Pipe 1.25".
- ✦ Pre Treated & Epoxy Powder Coated.
- ✦ Legs are Made of 18g 1.25" Squire Pipe.

OPTIONAL :

1. Mattress
Black & Blue
2. MS Side Railing.
3. SS Side Railing
4. With Wheels.
5. I.V. Stand.

Accessory:-

ABS PANEL	MATTRESS	IV ROD	WHEELS	SIDE RAILING
				

ICU BED HI-LOW MANUAL FIVE FUNCTIONS

CODE - MH0104



OPTIONAL : 1 Mattress Black & Blue
2 With Wheels. 3 I.V. Stand. 4 Urine Bag Holder
5 Chart Holder. 6 Mosquito Net. 7 X-ray permeable Backrest

Description:-

- ✦ Bed Size : L-2032 x W-901 x H-584 MM
- ✦ Back Rest Foot Rest Height and Trendleburg Will be Manual by Crank Handle.
- ✦ Its Frame Work Mad of Rectangular Mild Steel Tubes.
- ✦ The Four I.V. Rod Locations.
- ✦ This Product Features bed Mounted on 100mm Dia Castor.
- ✦ It has Tubular Head & Foot Bows of Uneq u a l Height with Vertical Bar Supports.

ICU BED HI-LOW MOTORIZED FIVE FUNCTIONS

CODE - MH0105



OPTIONAL : 1 Mattress Black & Blue
2 With Wheels. 3 I.V. Stand. 4 Urine Bag Holder
5 Chart Holder. 6 Mosquito Net. 7 X-ray permeable Backrest.
8 CPR Function. 9 Battery Backup.

Description:-

- ✦ Bed Size : L-2032 x W-901 x H-584 MM
- ✦ Back Rest Foot Rest Height and Trendleburg Will be Operate by Remote Control.
- ✦ Its Frame Work Mad of Rectangular Mild Steel Tubes.
- ✦ The Four I.V. Rod Locations.
- ✦ This Product Features bed Mounted on 100mm Dia Castor.
- ✦ It has Tubular Head & Foot Bows of Uneq u a l Height with Vertical Bar Supports.

Accessory:-

ABS PANEL	MATTRESS	IV ROD	WHEELS	SIDE RAILING

Attendant BED

CODE - MH0106-A



CODE - MH0106-B








Description:-

- ✦ Bed Size : L-1830 x W-559 x H-584 MM
- ✦ Main Frame of Rectangular.
- ✦ Pipe Perforated Sheet Top.
- ✦ Having U Type & C Type Legs.
- ✦ Mounted on Rubber Stumps.
- ✦ Pertreated and Epoxy Powder Coated.

OPTIONAL :

1. Mattress
Black & Blue
2. MS Side Railing.
3. SS Side Railing
4. With Wheels.
5. I.V. Stand.

Accessory:-

ABS PANEL	MATTRESS	IV ROD	WHEELS	SIDE RAILING
				

OVER BED TABLE

CODE - MH0107



- ✦ Simple Food Table with Wheels Facilitates.
- ✦ Patient and Attenders Dining.

OVER BED TABLE

CODE - MH0108



- ✦ Long Service Life.
- ✦ Lmmaculate Finish.
- ✦ Simple Design.

INSTRUMENT TROLLEY WITH WHEELS

CODE - MH0109



- ✦ Overall Approx. Dimension : 710x460x850mm.
- ✦ Stainless Steel Tubular Frame Work.
- ✦ Two SS Shelves with Three Side Railings in Top Shelf
- ✦ Four Heavy Duty Castors 100 mm Dia Two with Brake.

OXYGEN CYLINDER TROLLEY

CODE - MH0110



- ✦ Size : L-300 x W-200 x H-1050 MM
- ✦ Tubular Frame Work Made up of M. S. Round Pipes.
- ✦ Suitable for 30 inch Height Gas Cylinder.
- ✦ Tubular Frame Work Fitted With Two 100mm dia. Nylon Castors.
- ✦ Finish Pretested in 7 Tank Hot Process & Powder Coated.

BEDSIDE LOCKER

CODE - MH0111



- ✦ Machine Pressed CRCA Steel Sheets Enclosed on Three Sides.
- ✦ Having One Locker Box & Drawer with Slide.
- ✦ Mild Steel Tubular Legs Fitted With 50mm Dia. Wheel Without Brake.
- ✦ Finish Pre-Treated and Epoxy Powder Coated.

BEDSIDE LOCKER

CODE - MH0112



- ✦ Size : W-400 x H-820mm
- ✦ Locker Made from Machine Pressed Steel Sheets Enclosed on three Sides Having One Box and One Drawer with Slide.
- ✦ Fitted with Superimposed Stainless Steel Top with Raised Edge on Three Side.

REVOLVING STOOL

CODE - MH0113



- ✦ L-300 x W-300 x H-450mm
- ✦ Tubular Frame Work Made up to M.S. Round PiPes. S.S. Top.
- ✦ Hight Adjustable From 450 mm to 650 mm by Accurately Machined Screw Mechanism.
- ✦ Legs Fitted with Rubber. Shoes.
- ✦ Finish Pretreated in 7 Tank.
- ✦ Hot Process & Powder Coated.

CRASH TROLLEY

CODE - MH0114



- ✦ Two Cabinets with Six Drawers of Polystyrene.
- ✦ Complete S.S. Frame Structure.
- ✦ Six Plastic Bins.
- ✦ One Saline Rod 150mm Dia. Castors, Two with Breaks.
- ✦ Detachable & Powder Coated O2 Cylinder Arrangement.

LINEN TROLLEY

CODE - MH0115



- ✦ The trolley is constructed with stainless steel material.
- ✦ With four 75mm castors and 2 with brakes for easy moving.
- ✦ The trolley is designed without sharp edges.
- ✦ With three shelves, side rails on three sides except the bottom shelf.
- ✦ One bag for carrying dirty clothing.
- ✦ With one handle to move the trolley easily.

E.C.G. TROLLEY

CODE - MH0116



- ✦ Size : L-425 x W-520 x H-780 MM
- ✦ Mild Steel Tubular Framework.
- ✦ Mild Steel Drawer Under the Top Shelf, Top SS Shelf Approx.
- ✦ SS Cable Hanging Rod & Rubber Padded SS Handle
- ✦ Four Castors 50 mm Dia, Without Brake.

SINGLE HOSPITAL FOOT STEP

CODE - MH0117



- ✦ M.S. Top Fitted with Aluminum Strips.
- ✦ Frame Made of 1"x18 G CRCA Tube Fitted with PVC Stumps.
- ✦ Finish Pre-treated and Epoxy Powder Coated.

DOUBLE HOSPITAL FOOT STEP

CODE - MH0118



- ✦ Top Made of CRCA Double Bent.
- ✦ Legs Made of 25 mm x 18 G & Horizontal.
- ✦ Support of 19 mm x 18 G CRCA Tube Fitted With PVC Stumps.
- ✦ Finish : Pre-Treated & Epoxy Powder Coated.

HOSPITAL SCREEN

CODE - MH0119



- ✦ Size 66"x69" 3 or 4 Folds MS Tubular Construction Legs with 50mm dia. Castors With Spring Wire for Curtain Cloth Epoxy Powder Coated.
- ✦ Disclaimer : Product May Differ (Eg. Colour) From the Product Image Displayed.

EXAMINATION COUCH

CODE - MH0120



- ✦ Bed Size : L-1830 x W-508 x H-584 MM
- ✦ Maximum User Weight 165Kg (26 St.)
- ✦ Durable Silver Epoxy Coated Frame.
- ✦ Paper Roll Holder Included (Fits at Head or Foot End).
- ✦ CE Marked.

EXAMINATION COUCH

CODE - MH0121



- ✦ Bed Size : L-1830 x W-508 x H-584 MM
- ✦ CRCA Tubular Framework.
- ✦ One Drawer and One Cabinet.
- ✦ Pretreated and Epoxy Powder Coated.

EXAMINATION COUCH

CODE - MH0122



- ✦ Bed Size : L-1830 x W-508 x H-584 MM
- ✦ Two Section Examination Couch With Upholstered Top.
- ✦ Assisted Adjustable Backrest of 45 cm.
- ✦ Three Doors and Three Drawers for Storage.
- ✦ Fixed Rexine Upholstered Top in Two Sections.
- ✦ Fitted With Four Legs & Powder Coated on all Metal Surfaces.
- ✦ Headrest Adjustable by Gas Spring.

INFANT RADIANT WARMER

CODE - MH0123



- ✦ Material : Steel & Fiber Reinforced Plastic (FRP), Colour : White, Power Supply.
- ✦ Specialty : Micro controller Based Solid State Proportional Temperature Control With Baby Temperature Monitoring and Control Facility, Silica Heater Used for Uniform Temperature Distribution, Safety Alarms Provided for Probe Fail & High Temperature Condition.

AUTOCLAVES

CODE - MH0124



- ✦ Medlines Intravenous Stainless Steel Stands Offer Durability Combines With Added Stability.
- ✦ Five Leg I.V. Stand Offers Excellent Balance Provided by the 24" Diameter Aluminum Base.
- ✦ 2" Hard Rubber Swivel Casters & Wall - Saver End Caps Guard Against Scuffing.

PHOTO THERAPY UNIT

CODE - MH0125



- ✦ Clear Collapsible Fold Down Side Panels.
- ✦ Baby Tray With Transparent base for Undersurface.
- ✦ Photo therapy Usage X-Ray Cassette Guide Facility.

FOGGING MACHINE

CODE - MH0126



- ✦ Usage / Application : Laboratory, Hospital Operation Theatre, Clinic, Nursing Home, Clean Rooms.
- ✦ Timer Device : With Timer.
- ✦ Material : Stainless Steel 304 Grade Automation Grade Semi - Automatic, Automatic.
- ✦ Pest Control Type : Pesticide, OT, Pesticide Features.

BLOOD COLLECTION CHAIR

CODE - MH0127



- Comfortable 2" Padding on Back, Seat and Armrests.
- Flip Arm is Height and Depth Adjustable.
- Tubular Steel Frame.

BLOOD COLLECTION CHAIR

CODE - MH0128



- Max Capacity 200 Kg.
- Backrest Fix
- Legrest Fix
- Height Fix

BLOOD COLLECTION CHAIR

CODE - MH0129



- Max Capacity 200 Kg.
- Backrest Adjustable $10^{\circ} - 75^{\circ} = 5^{\circ}$
- Legrest Adjustable $80^{\circ} - 12^{\circ} = 50^{\circ}$
- Can be Placed as Bed.

BLOOD COLLECTION CHAIR

CODE - MH0130



- Max Capacity 200 Kg.
- Backrest Adjustable $10^{\circ} - 75^{\circ} = 5^{\circ}$
- Legrest Adjustable $80^{\circ} - 12^{\circ} = 50^{\circ}$
- Can be Placed as Bed.

EXAMINATION LIGHT

CODE - MH0131

Number of LED : 15
 Intensity : 50,000 Lux
 Diameter of Light : 200mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 4350K Colour
 Rendering Index : 91 Ra
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Power : 12 Watt



EXAMINATION LIGHT

CODE - MH0132

Number of LED : 15
 Intensity : 50,000 Lux
 Diameter of Light : 200mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 4350K Colour
 Rendering Index : 91 Ra
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Power : 12 Watt



MOBILE OT LIGHT

CODE - MH0133

Number of LED : 35
 Focusing : Fix
 Power : 60 Watt
 Colour Temp. : 3800-5200K
 Intensity : 1,00,000
 Diameter of Light : 310mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Colour Rendering Index 91 Ra



CEILING DOUBLE DOME OT LIGHT

CODE - MH0134

Number of LED : 35 x 2
 Focusing : Fix
 Power : 60 Watt
 Colour Temp. : 3800-5200K
 Intensity : 1,00,000 x 2
 Diameter of Light : 310mm x 2
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Colour Rendering Index : 91 Ra



CEILING OT LIGHT

CODE - MH0135

Number of LED : 35
 Focusing : Fix
 Power : 60 Watt
 Colour Temp. : 3800-5200K
 Intensity : 1,00,000
 Diameter of Light : 310mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Colour Rendering Index : 91 Ra



MOBILE OT LIGHT

CODE - MH0136

Number of LED : 36
 Intensity : 1,30,000 Lux
 Diameter of Light : 470mm
 Spot Diameter : 450 - 500 mm
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 3800-5200K
 Colour Rendering Index : 91 Ra
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 10-100 Digital
 Power Supply : 220V/50Hz AC
 Power : 60 Watt



MOBILE SINGLE DOME OT LIGHT

CODE - MH0137

Number of LED : 105
 Intensity : 2,00,000 Lux
 Diameter of Light : 565mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 3800-5200K
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 560mm
 Power Supply : 220V/50Hz AC
 Power : 120 Watt
 Special Function : 5 Memory Function
 Colour Rendering Index : 91 Ra



CEILING SINGLE DOME OT LIGHT

CODE - MH0138

Intensity : 2,00,000 Lux
 Diameter of Light : 565mm
 Spot Diameter : 100 - 150 mm
 Number of LED : 105
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 3800-5200K
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 560mm
 Power Supply : 220V/50Hz AC
 Power : 120 Watt
 Special Function : 5 Memory Function
 Colour Rendering Index : 91 Ra



CEILING DOUBLE DOME OT LIGHT

CODE - MH0139

Number of LED : 105x2
 Intensity : 2,00,000 Lux x 2
 Diameter of Light : 565mm
 Spot Diameter : 100 - 150 mm
 Depth Illumination : 10 - 15 cm
 Colour Temp. : 3800-5200K
 Focusing : Fix
 LED Average Life : >50000 Hrs.
 Intensity Control : 560mm x 2
 Power Supply : 220V/50Hz AC
 Power : 120 Watt x 2
 Special Function : 5 Memory Function
 Colour Rendering Index : 91 Ra



MOBILE SINGLE DOME OT LIGHT

CODE - MH0140

Lux Power Intensity : 1,60,000 Lux
 Color Rendering Index : 95
 Number of LED : 48
 Size of Light Field : 12 - 30 cm
 Colour Temp. : 4000-5000K
 Dimming : 10% - 100%
 LED Average Life : >50000 Hrs.
 Power Supply : 220V/50Hz
 60HZ AC drive by 24 DC
 Focusing : Adjustable by Handle



SINGLE DOME CEILING OT LIGHT

CODE - MH0141

Color Rendering Index : 95
 Lux Power Intensity : 1,60,000 Lux
 Number of LED : 48
 Size of Light Field : 12 - 30 cm
 Colour Temp. : 4000-5000K
 Dimming : 10% - 100%
 LED Average Life : >50000 Hrs.
 Power Supply : 220V/50Hz
 60HZ AC drive by 24 DC
 Focusing : Adjustable by Handle



DOUBLE DOME CEILING OT LIGHT

CODE - MH0142

Color Rendering Index : 95
 Number of LED : 48 + 48
 Size of Light Field : 12 - 30 cm
 Lux Power Intensity : 1,60,000 + 1,60,000 Lux
 Colour Temp. : 4000-5000K
 Dimming : 10% - 100%
 LED Average Life : >50000 Hrs.
 Power Supply : 220V/50Hz
 60HZ AC drive by 24 DC
 Focusing : Adjustable by Handle



HYDRAULIC SURGICAL OT TABLE

CODE - MH0143



Suitable For :	Features :
General Surgery	Length of Table : 1910 mm
Urology Surgery	Width of Table Top : 522 mm
Gynecology	Height (Min-Max.) : 750-1000 mm
Laparoscopy	Trendelenburg (Rev.) : 25°
Dermatology	Lateral Tilt : ± 20°
Plastic Surgery	Back Section : ± 60°
	Head Section : ± 60°
	Leg Section : 0°- 90°

C-ARM COMPATIBLE ELECTRIC OT TABLE

CODE - MH0144



Suitable For :	Features :
General Surgery	Length of Table : 1910 mm
Vascular Surgery	Width of Table Top : 522 mm
Cardiac Surgery	Height (Min-Max.) : 750-1000 mm
Neurology Surgery	Trendelenburg (Rev.) : 25°
Urology Surgery	Lateral Tilt : ± 20°
Gynecology	Back Section : ± 60°
Laparoscopy	Head Section : ± 60°
Plastic Surgery	Leg Section : 0°- 90°

C-ARM COMPATIBLE HYDRAULIC OT TABLE

CODE - MH0145



Suitable For :	Features :
General Surgery	Length of Table : 1910 mm
Vascular Surgery	Width of Table Top : 522 mm
Cardiac Surgery	Height (Min-Max.) : 750-1000 mm
Neurology Surgery	Trendelenburg (Rev.) : 25°
Urology Surgery	Lateral Tilt : ± 20°
Gynecology	Back Section : ± 60°
Laparoscopy	Head Section : ± 60°
Plastic Surgery	Leg Section : 0°- 90°

C-ARM COMPATIBLE SEMI ELECTRIC OT TABLE

CODE - MH0146



Suitable For :	Features :
General Surgery	Length of Table : 1910 mm
Vascular Surgery	Width of Table Top : 522 mm
Cardiac Surgery	Height (Min-Max.) : 750-1000 mm
Neurology Surgery	Trendelenburg (Rev.) : 25°
Urology Surgery	Lateral Tilt : ± 20°
Gynecology	Back Section : ± 60°
Laparoscopy	Head Section : ± 60°
Plastic Surgery	Leg Section : 0°- 90°

ELECTRIC OT TABLE WITH ORTHOPEDIC ATTACHMENTS


CODE - MH0147



Features :	
Orthopedic Section	: 1 Pc
Pelvic Rest	: 1 Pc
Pelvic Support (Radio Translucent)	: 1 Pc
Inner Thigh Support (Radio Translucent)	: 1 Pc
Foot Plate with Ortho Shoes	: 1 Pair
Tibia Attachment	: 1 Pc
Hand Surgery Table (Radio Translucent)	: 1 Pc
Leg Holder (Goepel Type)	: 1 Pair

C-ARM COMPATIBLE FULLY ELECTRIC OT TABLE

CODE - MH0148



Suitable For :	Features :
General Surgery	Length of Table : 1910 mm
Vascular Surgery	Width of Table Top : 522 mm
Cardiac Surgery	Height (Min-Max.) : 750-1000 mm
Neurology Surgery	Trendelenburg (Rev.) : 25°
Urology Surgery	Lateral Tilt : ± 20°
Gynecology	Back Section : ± 60°
Laparoscopy	Head Section : ± 60°
Plastic Surgery	Leg Section : 0°- 90°



SCAN QR CODE
FOR MORE PRODUCTS



MENTOK HEALTHCARE PVT. LTD.

Registered Office :

A-9, Manu Vihar, Behind Road No. 9F-2, V.K.I. Area, Jaipur-302013,
Rajasthan (INDIA)

Mobile :

9887411411

Website :

www.mentokhealthcare.com