Your Safety, Our Priority

Shenzhen Lingdu Technology Co., Ltd Add: F28/29 Tower A Lechuanghui Building No.1211 Guan'guang Road, Longhua District, Shenzhen China

Tel: +86-755-6663 1899 Email: info@szlndu.com 15 ⁺
Years

100 Patents

130 ⁺
Engineers R & D Team

180 ⁺
Business Countries

ABOUT US

LNDU, founded in 2010, enjoys a prestigious reputation in China. It has 12 production lines and covers 50,000m² in Dongguan. With about 130 powerful R&D staffs, LNDU has brought over 180 countries with high-quality & reliable security products.

Your Safety, Our Priority





Indoor Smart Door Knob



Video Lock with Screen



Palm Vein Recognition Smart Lock



Dual-Cam Video Doorbell



Solar Camera



Battery Camera



Indoor IP Camera



Battery Camera





AL501

• Video Lock

- © 3-In-1 Combination
- © 2K Camera · Smart Lock · Doorbell





Feature



Anti-peeking Keypad











(IP65) IP65

Specification

Resolution

Auto Lock

Sensor FOV

Fingerprint Capacity

Password Capacity

Storage Power Supply

Accessories Features

APP

2K 3MP

172°

Doorbell

100 Groups 50 Groups

Cloud

Removable 10,000mAh Battery Pack

Chime

Fingerprint / Password / Key / Wi-Fi / 433 Chime / PIR /

Video Doorbell / Two-Way Intercom / Night Vision / IP65

AL505

- Video Lock with Screen
- © Fingerprint and Password Unlock
- Wi-Fi Connection







Feature













Remote Access



Fingerprint Unlock

Specification

Resolution Sensor

FOV Storage Fingerprint Capacity

Password Capacity Accessories

Power Supply Applicable Door Thickness 3K

5MP

172°

EMMC 8GB 100 Groups 100 Groups

Removable 10,000mAh Battery Pack

35-55 MM





AL601

Video Lock

- © 3-In-1 Combination
- © 2K Camera · Smart Lock · Doorbell







Feature



Anti-peeking Keypad



PIR+Radar



APP APP

2K

3MP

172°

100 Groups

50 Groups

Cloud

Chime

TUYA

Two-way Intercom

Access





tuya



Specification

Resolution

(O) Auto Lock

Sensor FOV

Fingerprint Capacity

Password Capacity

Storage

Power Supply Accessories

Features

Fingerprint / Password / Key / Wi-Fi / 433 Chime / PIR / Video Doorbell / Two-Way Intercom / Night Vision / IP65

APP

AL605

- Video Lock with Screen © Fingerprint and Password Unlock
- Wi-Fi Connection





Removable 10,000mAh Battery Pack



Feature



Auto Lock

3.5-Inch Screen





PIR+Radar







Doorbell



Remote Access

Two-way

Two-way Intercom



Unlock IP65

Fingerprint

Specification

Resolution Sensor

FOV

Storage Accessories

Fingerprint Capacity Password Capacity

Power Supply

Applicable Door Thickness

APP

2K 3MP

172°

Cloud Chime

100 Groups 50 Groups

Removable 10,000mAh Battery Pack

35-55 MM TUYA

S390

• Video Lock

- O Doorbell, Camera, Smart Lock
- Wi-Fi Connection







Feature

IC Card





Key Unlock







(b) Auto Lock





tuyo

Specification

Resolution

Sensor FOV

Accessories

Keypad IC Card

Fingerprint Capacity

Password Capacity Power Supply

Applicable Door Thickness

APP

720P 1MP

100°

Chime

Touch 50 Groups

50 Groups

50 Groups 4 * AA Batteries

35-55 MM TUYA

D289

Video Lock

O Doorbell, Camera, Smart Lock

⊚ Wi-Fi Connection







Feature

Key Unlock



Low Power Consumption







Two-way (\odot)



Password Unlock



Specification

Resolution Sensor

FOV Accessories

Keypad Fingerprint Capacity Password Capacity Power Supply

Applicable Door Thickness APP

720P 1MP

100° Chime

Rubber 50 Groups 50 Groups

4 * AA Batteries 35-55 MM

TUYA





SP300

• Palm Vein Recognition Smart Lock

- Palm Vein Recognition, Password Unlock
- Wi-Fi Connection

Feature



Remote Unlock

₩i-Fi









One Click
Unlock/Lock



8+0 Alexa/Google Assistant





Specification

Keypad Арр Power Supply

7800mAh

IC Card Palm Vein Capacity Password Capacity

Lithium Battery 50 Groups 50 Groups

Touch TUYA

50 Groups 35-55 MM Applicable Door Thickness

ST380

• Wi-Fi Smart Lock

- Al Self-Learning Fingerprint

Feature

Remote Unlock

IC Card



Al Self-Learning Fingerprint Password Unlock Password Unlock



Wi-Fi









Fingerprint Capacity Password Capacity Applicable Door Thickness



Specification

Keypad Арр Power Supply



35-55 MM

Touch

SF300

• Wi-Fi Smart Lock

- Al Self-Learning Fingerprint, Password Unlock
- Wi-Fi Connection

Feature

Wi-Fi



Al Self-Learning Fingerprint Unlock











Specification

Keypad Арр Power Supply Fingerprint Capacity Password Capacity Applicable Door Thickness

TUYA 100 Groups

8 * AA Batteries 50 Groups 35-55 MM



8+0 Alexa/Google Assistant

ST300

• Wi-Fi Smart Lock

- Al Self-Learning Fingerprint, Password Unlock
- Wi-Fi Connection



Feature



Al Self-Learning Fingerprint Unlock





Remote Unlock



Password Unlock











Specification

Keypad Арр

Power Supply

IC Card

Fingerprint Capacity

Password Capacity

Applicable Door Thickness

Touch TUYA

8 * AA Batteries

50 Groups

100 Groups

50 Groups

35-55 MM

tuya a

D601

Bluetooth Smart Lock

- © Fingerprint, Password Unlock
- BT Connection





Feature









Fingerprint Unlock









Specification

Keypad APP

Power Supply

Fingerprint Capacity Password Capacity Applicable Door Thickness

Touch TUYA

4 * AA Batteries

50 Groups

50 Groups 35-55 MM



D200

Bluetooth Smart Lock

- © Fingerprint, Password Unlock
- BT Connection





Feature













)) Bluetooth

Specification

Keypad

Арр

Power Supply

Fingerprint Capacity

Password Capacity

Applicable Door Thickness

50 Groups 50 Groups 35-55 MM

4 * AA Batteries

Rubber

TUYA



AL302

Bluetooth Smart Lock

- Password Unlock
- BT Connection





Feature















Specification

Keypad APP

Password Capacity Power Supply

Applicable Door Thickness

Touch TUYA 50 Groups 4 * AA Batteries 35-55 MM



DL600

- DIY Smart Lock with Doorbell Keypad
- © 2K Camera · Smart Lock · Doorbell
- © Easy Installation

Feature



Two-way Intercom









tuya t

Specification

APP Resolution

Sensor FOV

Accessories Fingerprint Capacity

Password Capacity Door Lock

Doobell Keypad

TUYA, CLDBUS

2K 3MP

135°

8 * Adapters, 1 * Door Sensor

100 Groups 100 Groups

2500mAh Lithium Battery 5200mAh Lithium Battery







DIY Smart Lock

(Exclusively for Japan)

- © Easy Installation
- © Silent High Torque Motor



Feature









Specification

APP

Accessories Fingerprint Capacity Password Capacity Door Lock Keypad

CLDBUS

1 * Door Sensor 100 Groups 50 Groups

2500mAh Lithium Battery 2 * AA Batteries

DL500

DIY Smart Lock

- © Easy Installation
- © Silent High Torque Motor



Feature









Specification

APP

Accessories Fingerprint Capacity Password Capacity Door Lock Keypad

CLDBUS

8 * Adapters, 1 * Door Sensor

100 Groups 50 Groups

2500mAh Lithium Battery

2 * AA Batteries

T225 Smart Door Lock with Handle © Fingerprint, Password Unlock Wi-Fi Connection

Feature







35-55 MM







Specification

Password Capacity

Applicable Door Thickness

Touch Keypad TUYA App Power Supply 8 * AA Batteries IC Card 50 Groups 100 Groups Fingerprint Capacity 50 Groups



T226

• Smart Door Lock with Handle

- © Fingerprint, Password Unlock
- Wi-Fi Connection





Feature













Specification

Keypad Touch TUYA Арр 8 * AA Batteries Power Supply IC Card 50 Groups Fingerprint Capacity 100 Groups Password Capacity 50 Groups Applicable Door Thickness 35-55 MM



T228

Smart Door Lock with Handle

- © Fingerprint, Password Unlock
- BT Connection



Feature













Specification

Keypad Touch TUYA App IC Card 50 Groups Fingerprint Capacity 50 Groups Password Capacity 50 Groups 4 * AA Batteries Power Supply 35-55 MM Applicable Door Thickness



T229

• Video Smart Lock with Handle

- © Fingerprint and Password Unlock
- Wi-Fi Connection





Feature



₩i-Fi



Two-way Intercom









Keypad Touch APP TUYA Resolution 720P 1MP Sensor Angle 100° IC Card 50 Groups Fingerprint Capacity 50 Groups Password Capacity 50 Groups 4 * AA Batteries Power Supply 35-55 MM Applicable Door Thickness



D227

Indoor Smart Handle Lock

- © Fingerprint, Password Unlock
- BT Connection



Feature









8+0 Alexa/Google Assistant



Specification

Keypad APP

Fingerprint Capacity Password Capacity Power Supply

Applicable Door Thickness

Touch TUYA 50 Groups

50 Groups 4 * AAA Batteries 35-55 MM



D228

• Indoor Smart Handle Lock

- © Fingerprint, Password Unlock
- BT Connection



Feature









8+0 Alexa/Google Assistant



Specification

Keypad

Fingerprint Capacity Password Capacity Power Supply

Applicable Door Thickness

Touch TUYA 50 Groups

50 Groups 4 * AAA Batteries 35-55 MM



D260

Indoor Smart Door Knob

- © Fingerprint, Password Unlock
- BT Connection



Feature







Rubber

TUYA

50 Groups 50 Groups

4 * AAA Batteries







Specification

Keypad APP

Password Capacity Fingerprint Capacity Power Supply Applicable Door Thickness

35-55 MM



D258

Indoor Smart Door Knob

- © Fingerprint Unlock
- BT Connection



Feature













Specification

Fingerprint Capacity Power Supply Applicable Door Thickness

TUYA 50 Groups 4 * AAA Batteries 35-55 MM



H320Pro

- Smart Lock with Camera
- © Fingerprint and Password Unlock



Feature



₩i-Fi

Password Unlock



Fingerprint Unlock

Two-way Audio







Specification

Keypad APP

Resolution Sensor FOV

IC Card Fingerprint Capacity Password Capacity Power Supply Lock Body

Touch TUYA

720P 1MP

100° 50 Groups 50 Groups

50 Groups 4 * AA Batteries

5050, 6050, 5072, 5572, 6072, 4585, 6085, 7054

H210

Smart Lock with Handle

- © Fingerprint, Password Unlock



Feature



Password Unlock



Fingerprint Unlock









Specification

Emergency Power Supply

IC Card

Fingerprint Capacity

Password Capacity Power Supply

Lock Body

TUYA

Type-C

50 Groups

50 Groups

50 Groups

4 * AA Batteries

5050, 6050, 5072, 5572, 6072, 4585, 6085, 7054

H05D

Smart Lock with Camera

- © Fingerprint and Password Unlock



Feature







Two-way Audio









Specification

Keypad Touch APP CLDBUS Resolution 720P Sensor 1MP FOV 100° IC Card Fingerprint Capacity

50 Groups 50 Groups Password Capacity 50 Groups Power Supply 8 * AAA Betteries Applicable Door Thickness 40-70 MM

3585, 4585, 6085, 3572, 4572, 6072, 3592, 4592, 6092 Lock Body

H05C

Smart Lock with Handle

- © Fingerprint and Password Unlock



Feature



Password Unlock



APP APP





Remote Unlock





Keypad

Lock Body



Specification

App

IC Card Fingerprint Capacity Password Capacity Power Supply Applicable Door Thickness

Touch CLDBUS

50 Groups 50 Groups

50 Groups 8 * AAA Betteries

40-70 MM

3585, 4585, 6085, 3572, 4572, 6072, 3592, 4592, 6092



K26

• Solar Camera

Standby Power Supply

Feature

Low Power Consumption

PIR Smart Detection























Specification

Resolution Sensor Compressed Format Internal Storage Night Vision PIR Soloar Panel

Battery Video Storage

4K 8MP 143° H.265 / H.264 DDR:256MB Flash: 16MB Support 3-7 Meter 1.2W

9000mAh (Removable) Max 128G / Cloud Storage **K28**

• Solar Camera

© Per-roll & AOV

O Long Standby Power Supply

Feature



Wi-Fi 6 (2.4GHz/5.8GHz)





Integrated Solar Panel



8+0 Alexa/Google Assistant



Specification

Resolution Sensor 4MP 150° FOV

Compressed Format H.265 / H.264 DDR: 128MB Flash: 32MB Internal Storage Support

Night Vision 3-7 Meter PIR Radar 5.8G Soloar Panel 0.8W

Battery 9000mAh (Removable) Video Storage Max 128G / Cloud Storage



• Battery Camera

2K

Standby Power Supply



Feature











(IP65) IP65

Wi-Fi 6 (2.4GHz/5.8GHz)

PIR Smart Detection

Specification

Resolution Sensor 3MP 140° FOV Compressed Format

H.265 / H.264 Internal Storage DDR: 64MB Flash: 8MB PIR

3-7 Meter Battery 4400mAh External Soloar Panel Support

Video Storage Max 128G / Cloud Storage







K27

Battery Camera

4K

O Low Power Consumption



Feature



Low Power Consumption















8+0 Alexa/Google Assistant



Specification

Resolution

Sensor

FOV

Compressed Format

Internal Storage

PIR Ray Detection

Radar

Night Vision

Battery

Video Storage

4K 8MP

143°

H.265 / H.264

DDR: 256MB Flash: 16MB

3-7 Meters 5.8G

Support

5200mAh

Max 128G / Cloud Storage



K27N

• Full Color Night Vision Battery Camera

© 2.5K

© Full Color Night Vision

Feature



Battery

Low Power Consumption





8+0 Alexa/Google Assistant

5200mAh





Specification

2.5K Resolution 4MP Sensor 143° FOV

Compressed Format H.265 / H.264

Internal Storage DDR: 256MB Flash: 16MB

PIR Ray Detection 3-7 Meters Radar 5.8G Night Vision Support

Video Storage Max 128G / Cloud Storage







Smart Camera

Your Safety, Our Priority



BS05

• Solar Camera

- Standby Power Supply

Feature



Low Power Consumption



























Specification

Resolution

Sensor FOV

Compressed Format

IR Cut

Solar Panel Battery

PIR Video Storage A Set of Devices 5MP

134° H.265 / H.264

Support 3-7 Meter

10000mAh (Removable) Max 128G / Cloud Storage

K15

• 4K Wired Camera

4K

© See Clearly in Any Light

Feature



(IP65) IP65

134° Wide Angle







8+0 Alexa/Google Assistant







Specification

Resolution 4K 8MP Sensor FOV



Rotation 280° Horizontal, 155° Vertical Wi-Fi

Ethernet RJ45 3.18mm Focal Length F1.6 Aperture

Video Storage Max 128G / Cloud Storage

K16

• Dual Wired Camera

- O Dual Camera
- © See Clearly in Any Light

Feature



169° Wide Angle







8+0 Alexa/Google Assistant





FOV

Rotation

Dual Cam Resolution Dual 1080P Dual 2MP Sensor

280° Horizontal, 155° Vertical 2.4GHz

Ethernet

2.8mm + 6mm

Aperture

Max 128G / Cloud Storage Video Storage

K25

• Battery Camera

- © Security and Durability
- © Remote Control / Wi-Fi Connection

Feature





Consumption Specification Full Color Night Vision Visual Alarm











Video Storage

Resolution Sensor

Compressed Format H.265 / H.264 Internal Storage DDR: 128MB Flash: 16MB

Night Vision Support

PIR 3-7 Meter, PIR Sensor Battery 10000mAh (Removable)

4K

8MP

134°

External Soloar Panel Support

Max 128G / Cloud Storage





P160M

• Indoor IP Camera

Attached to Any Magnetic Place



Feature



143° Wide Angle



Auto Day-Night Wi-Fi 6







Two-Way Audio

Magnetic
Suction Paste

S+O
Alexa/Google
Assistant



4K

8MP

143°

2.4GHz

Support

Streaming Video

Specification

Resolution Sensor

IR Cut

FOV Wi-Fi

Max 128G / Cloud Storage

Video Storage



C600

Video Doorbell

○ 2K

O Low Power Consumption



Feature







Two-way Audio



PIR Smart Detection



Specification

Resolution 2K Wi-Fi 2.4GHz FOV 160.6° Battery 5200mAh Chime Support Video Storage Cloud Storage



• Dual-Cam Video Doorbell

© 2K

O Dual Camera



Feature

Two-way Audio



Battery

Display

Chime

Low Power Consumption







8+0 Alexa/Google Assistant



PIR Smart Detection



tuya

Specification

Resolution 2K+FHD Wi-Fi 2.4GHz FOV 160.6°

(IP65) IP65

5200mAh (Removable)

Dual-Cam Image Support

Video Storage EMMC 16GB



Dual-Cam Video Doorbell

○ 2K

O Dual Camera





Feature



FOV

Two-way Audio





(IP54) IP54





8+0 Alexa/Google Assistant

2K+FHD

2.4GHz

160.6°

5200mAh

Support EMMC 16GB

Dual-Cam Image



PIR Smart Detection



Specification

Resolution Wi-Fi Battery Display Chime Video Storage