




LIGHT **BOOK** 2020

[www.gbulbindia.com](http://www.gbulbindia.com)








LED **BULB**

EIGHT ADVANTAGE

- |                                                                                                                          |                                                                                                                             |                                                                                                                        |                                                                                                                             |                                                                                                                                  |                                                                                                                                  |                                                                                                                                    |                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Energy saving<br>Low carbon Green | <br>Ultra long life<br>Excellent quality | <br>Optical lens<br>Brilliant light | <br>Anodic oxidation<br>Will never fade | <br>Intelligent circuits<br>Safe and stable | <br>The extra money<br>Performance multiple | <br>Ultra thick aluminum<br>Aviation standard | <br>The superior through over ten<br>Industrial standard |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|

Intelligent, Eco-friendly & Power saver...

## LED BULB



**CODE : GBNBD-0.5**

POWER : 0.5 WATT  
LUMENS : 40 LM.  
COLOR : R/G/B/P/O/Y



**CODE : GBNBP-0.5**

POWER : 0.5 WATT  
LUMENS : 40 LM.  
COLOR : R/G/B/P/O/Y



**CODE : GBHL-9**

POWER : 9 WATT  
LUMENS : 900 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-12**

POWER : 12 WATT  
LUMENS : 1100 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-14**

POWER : 14 WATT  
LUMENS : 1260 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-25**

POWER : 25 WATT  
LUMENS : 2250 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-35**

POWER : 35 WATT  
LUMENS : 3150 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-45**

POWER : 45 WATT  
LUMENS : 4050 LM.  
COLOR : CW/WW/NW



**CODE : GBHL-45 FAN**

POWER : 45 WATT  
LUMENS : 4050 LM.  
COLOR : CW



**CODE : GBHLF-60 FAN**

POWER : 60 WATT  
LUMENS : 5400 LM.  
COLOR : CW



**CODE : GBHL-10 T-BULB**

POWER : 10 WATT  
LUMENS : 900  
COLOR : CW/WW



**CODE : GBHL-9 INVERTER**

POWER : 9 WATT  
LUMENS : 810 LM.  
COLOR : CW



**CODE : GBHL-4 FILAMENT CODE : GBHL-7 DIMOND**

POWER : 4 WATT  
LUMENS : 400 LM.  
COLOR : CW/WW



POWER : 7 WATT  
LUMENS : 700 LM.  
COLOR : CW/WW



**CODE : GBHL-7 GU-10**

POWER : 7 WATT  
LUMENS : 700 LM.  
COLOR : CW/WW



The best way to  
predict the future  
is to create it.

—ABRAHAM LINCOLN

## LED TUBE LIGHT

### EIGHT ADVANTAGES



Sleek and Trendy design for fitting everywhere...

# LED TUBE LIGHT



## CODE : GBTB-18

POWER : 18 WATT  
LUMENS : 1620 LM.  
COLOR : CW/NW/WW



## CODE : GBTB-20

POWER : 20 WATT  
LUMENS : 2000 LM.  
COLOR : CW/NW/WW



## CODE : GBTB-22

POWER : 22 WATT  
LUMENS : 2200 LM.  
COLOR : CW/WW/NW



## CODE : GBTB-20 3IN1

POWER : 20 WATT  
LUMENS : 2000 LM.  
COLOR : CW-WW-NW



## CODE : GBTB-36

POWER : 36 WATT  
LUMENS : 3240 LM.  
COLOR : CW/WW/NW



## CODE : GBTB-36NL

POWER : 36+1 WATT  
LUMENS : 3600 LM.  
COLOR : CW+R/B/Y



## CODE : GBTB-45

POWER : 45 WATT  
LUMENS : 4500 LM.  
COLOR : CW/WW/NW




## CODE : GBTB-60 (IND.GRADE)

POWER : 60 WATT  
LUMENS : 6000 LM.  
COLOR : CW



## CODE : GBTB-120 (IND.GRADE)

POWER : 45 WATT  
LUMENS : 4050 LM.  
COLOR : CW



## CODE : GBTB-60 TRI-PROOF

POWER : 60 WATT  
LUMENS : 5400 LM.  
COLOR : CW

## Salient Features

- 80% Energy Saving then Conventional bulb
- Aluminum Heat sink Body for Better Heat Dissipation
- Upto 40000 Hours Long Working Life
- Mercury and Radiation Free Bulb.
- No Warm up Period , Flicker free Bulb.
- Decorative design Match with Modern interior.

## Applications :

G-Bulb LED Tubelight are Widely use in indoor Lighting.

Residence | Office | Hotel | Restaurant | hospital | Shopping Mall  
Education institutes | Auditorium | Cold Storage | Indoor Stadium  
Retail Shopping Outlets | Art gallery | Library | Parking | Theatre







LED **PANEL LIGHT**

EIGHT ADVANTAGE

- |                                                                                                                          |                                                                                                                             |                                                                                                                        |                                                                                                                             |                                                                                                                                  |                                                                                                                                  |                                                                                                                                    |                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Energy Saving<br>Low-carbon Green | <br>Ultra-long life<br>Excellent quality | <br>Optical lens<br>Brilliant light | <br>Anodic oxidation<br>Will never fade | <br>Intelligent circuits<br>Safe and stable | <br>The extra money<br>Performance multiple | <br>Ultra-thick aluminum<br>Aviation standard | <br>Hard support<br>High precision<br>Industrial standard |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|

Ultra Slim and Stylish design...



# LED PANEL LIGHT




## ULTRA SLIM PANEL SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out      |
|-----------|------|------|---------|--------------|--------------|--------------|
| GBPNUS-6  | 6w   | 0.98 | 480 Lm. | 3K / 4K / 6K | 120*120*25mm | 105*105*25mm |
| GBPNUS-12 | 12w  | 0.98 | 960Lm.  | 3K / 4K / 6K | 145*145*25mm | 130*130*25mm |
| GBPNUS-15 | 15w  | 0.98 | 1200Lm. | 3K / 4K / 6K | 170*170*25mm | 155*155*25mm |



## NEO DOWN PANEL SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out      |
|-----------|------|------|---------|--------------|--------------|--------------|
| GBPNNE-6  | 8w   | 0.98 | 800 Lm. | 3K / 4K / 6K | 115*115*35mm | 100*100*25mm |
| GBPNNE-12 | 15w  | 0.98 | 1500Lm. | 3K / 4K / 6K | 145*145*35mm | 130*130*25mm |
| GBPNNE-15 | 22w  | 0.98 | 2200Lm. | 3K / 4K / 6K | 170*170*25mm | 155*155*25mm |



## PRISM DOWN PANEL SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out      |
|-----------|------|------|---------|--------------|--------------|--------------|
| GBPNPR-8  | 8w   | 0.98 | 800 Lm. | 3K / 4K / 6K | 90*90*30mm   | 75*75*30mm   |
| GBPNPR-15 | 15w  | 0.98 | 1500Lm. | 3K / 4K / 6K | 120*120*30mm | 105*105*30mm |
| GBPNPR-22 | 22w  | 0.98 | 2200Lm. | 3K / 4K / 6K | 170*170*25mm | 170*170*30mm |



**Radiation & Mercury Free**

**Highest CRI**  
True Colour Vision



**Clare Free**  
SOFT LIGHTING



# LED PANEL LIGHT



## JOY RIMLESS PANEL SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out      |
|-----------|------|------|---------|--------------|--------------|--------------|
| GBPNPR-8  | 8w   | 0.98 | 800 Lm. | 3K / 4K / 6K | 90*90*25mm   | 75*75*25mm   |
| GBPNPR-15 | 15w  | 0.98 | 1500Lm. | 3K / 4K / 6K | 145*145*25mm | 125*125*25mm |
| GBPNPR-22 | 22w  | 0.98 | 2200Lm. | 3K / 4K / 6K | 170*170*25mm | 155*155*25mm |

## AQUA DOWN PANEL SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out      |
|-----------|------|------|---------|--------------|--------------|--------------|
| GBPNAQ-8  | 8w   | 0.98 | 800 Lm. | 3K / 4K / 6K | 110*110*50mm | 100*100*50mm |
| GBPNAQ-15 | 15w  | 0.98 | 1500Lm. | 3K / 4K / 6K | 145*145*50mm | 137*137*50mm |
| GBPNAQ-22 | 22w  | 0.98 | 2200Lm. | 3K / 4K / 6K | 160*160*50mm | 150*150*50mm |

## SUPER BRIGHT RIMLESS PANEL SERIES

| Code      | Watt | P.F. | Lumens   | Color        | Dimension    | Cut out      |
|-----------|------|------|----------|--------------|--------------|--------------|
| GBPNsb-10 | 10w  | 0.98 | 1000 Lm. | 3K / 4K / 6K | 85*85*25mm   | 70*70*25mm   |
| GBPNsb-18 | 18w  | 0.98 | 1800Lm.  | 3K / 4K / 6K | 120*120*25mm | 95*95*25mm   |
| GBPNsb-24 | 24w  | 0.98 | 2400Lm.  | 3K / 4K / 6K | 170*170*25mm | 150*150*25mm |

## FLEXI PANEL SERIES

| Code      | Watt | P.F. | Lumens   | Color        | Dimension    | Cut out    |
|-----------|------|------|----------|--------------|--------------|------------|
| GBPNFX-10 | 10w  | 0.98 | 1000 Lm. | 3K / 4K / 6K | 85*85*25mm   | 75*75*25mm |
| GBPNFX-18 | 18w  | 0.98 | 1800Lm.  | 3K / 4K / 6K | 120*120*25mm | 75*75*25mm |
| GBPNFX-22 | 22w  | 0.98 | 2400Lm.  | 3K / 4K / 6K | 170*170*25mm | 75*75*25mm |

# LED SURFACE PANEL LIGHT



## ULTRA SURFACE SERIES

| Code     | Watt | P.F. | Lumens  | Color        | Dimension    | Cut out |
|----------|------|------|---------|--------------|--------------|---------|
| GBSFU-8  | 8w   | 0.98 | 640 Lm. | 3K / 4K / 6K | 90*90*30mm   | *****   |
| GBSFU-15 | 15w  | 0.98 | 1200Lm. | 3K / 4K / 6K | 150*150*30mm | *****   |
| GBSFU-22 | 22w  | 0.98 | 1760Lm. | 3K / 4K / 6K | 177*177*30mm | *****   |



## EDGE SURFACE SERIES

| Code     | Watt | P.F. | Lumens   | Color        | Dimension    | Cut out |
|----------|------|------|----------|--------------|--------------|---------|
| GBSFE-16 | 16w  | 0.98 | 1280 Lm. | 3K / 4K / 6K | 120*120*30mm | *****   |
| GBSFE-24 | 24w  | 0.98 | 1920Lm.  | 3K / 4K / 6K | 172*172*30mm | *****   |
| GBSFE-30 | 30w  | 0.98 | 2400Lm.  | 3K / 4K / 6K | 225*225*30mm | *****   |



## STRICKER SURFACE SERIES

| Code      | Watt | P.F. | Lumens  | Color        | Dimension  | Cut out |
|-----------|------|------|---------|--------------|------------|---------|
| GBSFST-3R | 3w   | 0.98 | 240 Lm. | 3K / 4K / 6K | 50*50*10mm | *****   |
| GBSFST-3S | 3w   | 0.98 | 240Lm.  | 3K / 4K / 6K | 50*50*10mm | *****   |
| GBSFST-4H | 4w   | 0.98 | 320Lm.  | 3K / 4K / 6K | 50*50*35mm | *****   |
| GBSFST-4R | 4w   | 0.98 | 320Lm.  | 3K / 4K / 6K | 50*50*35mm | *****   |
| GBSFST-4R | 5w   | 0.98 | 400Lm.  | 3K / 4K / 6K | 55*55*15mm | *****   |



**Radiation &  
Mercury Free**


**Highest CRI**  
True Colour Vision



**Clare Free**  
SOFT LIGHTING







# LED **SURFACE CYLINDER**

## EIGHT ADVANTAGE

- |                                                                                                                          |                                                                                                                             |                                                                                                                        |                                                                                                                             |                                                                                                                                  |                                                                                                                                    |                                                                                                                                    |                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <br>Energy Saving<br>Low-carbon Green | <br>Ultra-long life<br>Excellent quality | <br>Optical lens<br>Brilliant light | <br>Anodic oxidation<br>Will never fade | <br>Intelligent circuits<br>Safe and stable | <br>The extra money<br>Performance multiplies | <br>Ultra-thick aluminum<br>Aviation standard | <br>Harder and stronger<br>Industrial standard |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

Simply Highlight Any Where...

## LED SURFACE CYLINDER LIGHT



### MICRO SURFACE CYLINDER LIGHT

| CODE :   | GBCYM-1     | GBCYM-3     | GBCYM-6     | GBCYM-15    |
|----------|-------------|-------------|-------------|-------------|
| POWER :  | 1W          | 3W          | 6W          | 15W         |
| LUMENS : | 70          | 270         | 540         | 1350        |
| SIZE :   | 25*25*48 mm | 40*40*50 mm | 50*50*60 mm | 70*70*80 mm |
| FINISH : | WH/BL/WOOD  | WH/BL       | WH/BL       | WH/BL       |
| COLOR :  | CW/WW/NW    |             |             |             |



### CHROME CYLINDER SURFACE LIGHT

| CODE :   | GBCYC-7     | GBCYC-12     | GBCYC-15     | GBCYC-20    |
|----------|-------------|--------------|--------------|-------------|
| POWER :  | 7W          | 12W          | 15W          | 20W         |
| LUMENS : | 700         | 1200         | 1500         | 2000        |
| SIZE :   | 25*25*48 mm | 72*72*100 mm | 75*75*110 mm | 70*70*80 mm |
| FINISH : | WH/BL/WOOD  | WHITE/BLACK  | WHITE/BLACK  | WHITE/BLACK |
| COLOR :  | CW/WW/NW    |              |              |             |



### EDGE SURFACE CYLINDER LIGHT

| CODE       | GBSFE-16                        | GBSFE-24      | GBSFE-30      |
|------------|---------------------------------|---------------|---------------|
| POWER :    | 16W                             | 24W           | 30W           |
| LUMENS :   | 1600                            | 2400          | 3000          |
| SIZE :     | 120*120*35 mm                   | 172*172*35 mm | 225*225*35 mm |
| COLOR :    | CW/WW/NW                        |               |               |
| SHAPE :    | ROUND / SQUARE                  |               |               |
| IP GRADE : | IP-20 (SUITABLE FOR INDOOR USE) |               |               |



**AURA**

12W / 15W




**CERA**

15W / 22W



**AXIS**

12W / 20W



**CUBA**

7W / 9W



**DIAMOND**

7W / 12W

## LED CEILING LIGHT

### EIGHT ADVANTAGE



Glare free lighting for better Productivity...



## LED CEILING LIGHT



### SLEEK CEILING LIGHT

| CODE :   | GBCLS-22      | GBCLS-36      | GBCLS-48      |
|----------|---------------|---------------|---------------|
| POWER :  | 22W           | 36W           | 48W           |
| LUMENS : | 1760          | 2880          | 3840          |
| SIZE :   | 295*295*10 mm | 595*595*10 mm | 595*595*10 mm |
| COLOR :  | CW/WW/NW      |               |               |



### LUMIA BACKLIT CEILING LIGHT

| CODE :   | GBCLL-36     | GBCLL-48   |
|----------|--------------|------------|
| POWER :  | 36W          | 48W        |
| LUMENS : | 3600         | 4800       |
| SIZE :   | 595*595*50mm | 595*595*50 |
| COLOR :  | CW/WW/NW     |            |

### CUSTOMISED DESIGN SOLUTION AS PER PROJECT REQUIREMENT




CUBE



ORBIT



DONUT



HEXON



NEXUS



DELTA




LINEA



ARCHIEVE

HANGING SERIES



#### EIGHT ADVANTAGE

- |                                                                                                                          |                                                                                                                             |                                                                                                                        |                                                                                                                             |                                                                                                                                  |                                                                                                                                    |                                                                                                                                    |                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Energy Saving<br>Low carbon Green | <br>Ultra-long life<br>Excellent quality | <br>Optical lens<br>Brilliant light | <br>Anodic oxidation<br>Will never fade | <br>Intelligent circuits<br>Safe and stable | <br>The extra money<br>Performance multiplier | <br>Ultra thick aluminum<br>Aircraft standard | <br>Heat dissipator through conduction<br>Industrial standard |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|

## LED ZOOM LIGHT

360 Deg. Highlighter Lighting for Retail space..

# LED ZOOM LIGHT



## LX SERIES

| Code     | Watt | Lumens   | Color        | Dimension   | Cut out   |
|----------|------|----------|--------------|-------------|-----------|
| GBZLX-20 | 20w  | 2000 Lm. | 3K / 4K / 6K | 155mm*110mm | 140mm dia |
| GBZLX-30 | 30w  | 3000 Lm. | 3K / 4K / 6K | 190mm*150mm | 170mm dia |
| GBZLX-40 | 40w  | 4000 Lm. | 3K / 4K / 6K | 190mm*150mm | 170mm dia |

## VINTAGE SERIES

| Code       | Watt | Lumens   | Color        | Dimension     | Cut out  |
|------------|------|----------|--------------|---------------|----------|
| GBSPEL-15S | 15w  | 1350 Lm. | 3K / 4K / 6K | 100*100*105mm | -----    |
| GBSPEL-15C | 15w  | 1350 Lm. | 3K / 4K / 6K | 100*100*105mm | 90mm dia |

Available body Colors : White / Black



# LED GRILL LIGHT



## NEPTUNE SERIES

| Code     | Watt  | Lumens   | Color        | Dimension   | Cut out  |
|----------|-------|----------|--------------|-------------|----------|
| GBGRN-12 | 12w   | 1200 Lm. | 3K / 4K / 6K | 98*98*93mm  | 90*90mm  |
| GBGRN-24 | 2*12w | 2400 Lm. | 3K / 4K / 6K | 178*98*93mm | 168*90mm |



## ORBIT SERIES

| Code     | Watt | Lumens   | Color        | Dimension    | Cut out      |
|----------|------|----------|--------------|--------------|--------------|
| GBGRO-25 | 25w  | 2500 Lm. | 3K / 4K / 6K | 98*98*100mm  | 90*90*100mm  |
| GBGRO-50 | 50w  | 5000 Lm. | 3K / 4K / 6K | 178*98*100mm | 168*90*100mm |
| GBGRO-30 | 30w  | 3000 Lm. | 3K / 4K / 6K | 98*98*100mm  | 90*90*100mm  |
| GBGRO-60 | 60w  | 3000 Lm. | 3K / 4K / 6K | 178*98*100mm | 168*90*100mm |

Also available in 5000k Color Temp.



## FLORANCE SERIES

| Code      | Watt  | Lumens   | Color        | Dimension     | Cut out  |
|-----------|-------|----------|--------------|---------------|----------|
| GBGRFL-30 | 2*15w | 3000 Lm. | 3K / 4K / 6K | 200*110*110mm | 188*98mm |

Also available in 5000k Color Temp.



## LED TRACK LIGHT

### EIGHT ADVANTAGE

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Energy Saving<br>Low-carbon Green                                                   | Ultra-long life<br>Excellent quality                                                | Optical lens<br>Brilliant light                                                     | Anodic oxidation<br>Will never fade                                                   | Intelligent circuits<br>Safe and stable                                               | The extra money<br>Performance multiplier                                             | Ultra-thick aluminum<br>Aviation standard                                             | Heat dissipation<br>Industrial standard                                               |

Lighting Flexibility for any showroom...

# LED TRACK LIGHT

## LX SERIES



**CODE : GBTLX-6/9/16/30/50**

**POWER : 9W/16W/24/30W/50W**

**COLOR : 3K / 4K / 5K / 6K**

**BEAM ANGLE : 60/90 DEG.**

**BODY COLOR : BLACK / WHITE**

## XXX SERIES



**CODE : GBTL-30 XXX**

**POWER : 30W**

**COLOR : 3K / 4K / 5K / 6K**

**BEAM ANGLE : 60/90 DEG.**

**BODY COLOR : BLACK / WHITE**

## AURA SERIES



**CODE : GBTL-30 AURA**

**POWER : 30W**

**COLOR : 3K / 4K / 5K / 6K**

**BEAM ANGLE : 60/90 DEG.**

**BODY COLOR : BLACK / WHITE**

## FOCUS SERIES



**CODE : GBTL-10/20/30 FOCUS**

**POWER : 10/20/30W**

**COLOR : 3K / 4K / 5K / 6K**

**BEAM ANGLE : 20/30 DEG.**

**BODY COLOR : BLACK / WHITE**

## COBRA SERIES



**CODE : GBTLCO-30/40 COBRA**

**POWER : 30W / 40W**

**COLOR : 3K / 4K / 5K / 6K**

**BEAM ANGLE : 60/90 DEG.**

**BODY COLOR : BLACK / WHITE**

## LASER SERIES



**CODE : GBTLR-10/12/15 LASER**

**POWER : 10W / 12W / 15W**

**COLOR : 3K / 4K / 6K**

**BEAM ANGLE : 30/50 DEG.**

**BODY COLOR : BLACK / WHITE**

## CROMA LIGHT SERIES



**CODE : GBTLR -10/20/30 CROMA**

**POWER : 20**

**COLOR : 4K / 5K / 6K**

**BEAM ANGLE : 40/60 DEG.**

**BODY COLOR : SILVER**

## FLASH LIGHT SERIES



**CODE : GBTL -50 FLUX**

**POWER : 50W**

**COLOR : 4K / 5K / 6K**

**BEAM ANGLE : 90/140 DEG.**

**BODY COLOR : SILVER**



## LED **HIGHLIGHTER LIGHT**

Compact and futuristic design...

### EIGHT ADVANTAGE

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Energy Saving<br>Low-carbon Green                                                   | Ultra-long life<br>Excellent quality                                                | Optical lens<br>Brilliant light                                                     | Acoustic oxidation<br>Will never fade                                                 | Intelligent circuits<br>Safe and stable                                               | The extra money<br>Performance multiplier                                             | Ultra-thick aluminum<br>Aviation standard                                             | Not supplier through quality<br>Industrial standard                                   |



# LED HIGHLIGHTER LIGHT



## OLIVE SERIES

| Code      | Watt | Lumens  | Color        | Dimension    | Cut out  |
|-----------|------|---------|--------------|--------------|----------|
| GBSPOL-5  | 5w   | 450 Lm. | 3K / 4K / 6K | 75*75*60mm   | 65mm dia |
| GBSPOL-10 | 10w  | 900 Lm. | 3K / 4K / 6K | 107*107*95mm | 95mm dia |

Available body Colors : White-Grey Combi



## BAMBOO SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPEL-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 40*40*55mm | 34mm dia |
| GBSPEL-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 60*60*75mm | 54mm dia |
| GBSPEL-18 | 18w  | 1620 Lm. | 3K / 4K / 6K | 75*75*90mm | 70mm dia |

Available body Colors : White / Chrome



## YOGA SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPCR-5  | 5w   | 450 Lm.  | 3K / 4K / 6K | 40*40*70mm  | 35mm dia |
| GBSPCR-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 60*60*82mm  | 55mm dia |
| GBSPCR-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 70*70*100mm | 70mm dia |

Available Reflector shades : White / Black / Gold / Silver / Bronze / Carbon Black

Available Led Modules Wattage : 7w / 12w / 15w

Advantage : watt can be change in saim fixture, not bigger cutout required.

# LED HIGHLIGHTER LIGHT



## OLIVE SERIES

| Code      | Watt  | Lumens   | Color        | Dimension     | Cut out   |
|-----------|-------|----------|--------------|---------------|-----------|
| GBSPOL-15 | 15w   | 1350 Lm. | 3K / 4K / 6K | 100*100*105mm | 90mm dia  |
| GBSPOL-25 | 25w   | 2250 Lm. | 3K / 4K / 6K | 125*125*135mm | 110mm dia |
| GBSPOL-24 | 2*12w | 1920 Lm. | 3K / 4K / 6K | 200*100*175mm | 190*90mm  |

Available body Colors : White-Black Combi



## VINTAGE SERIES

| Code       | Watt | Lumens   | Color        | Dimension     | Cut out  |
|------------|------|----------|--------------|---------------|----------|
| GBSPEL-15S | 15w  | 1350 Lm. | 3K / 4K / 6K | 100*100*105mm | -----    |
| GBSPEL-15C | 15w  | 1350 Lm. | 3K / 4K / 6K | 100*100*105mm | 90mm dia |

Available body Colors : White / Black



## INOX SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPIN-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 75*75*60mm | 65mm dia |
| GBSPIN-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 75*75*60mm | 65mm dia |

Available body Colors : White-Black Combi




# LED COB SPOT LIGHT



## LINEA SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPLN-3  | 3w   | 270 Lm.  | 3K / 4K / 6K | 45*45*49mm  | 37*37mm  |
| GBSPLN-5  | 5w   | 450 Lm.  | 3K / 4K / 6K | 75*45*49mm  | 68*37mm  |
| GBSPLN-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 147*45*49mm | 140*37mm |
| GBSPLN-20 | 20w  | 1800 Lm. | 3K / 4K / 6K | 280*45*49mm | 273*37mm |
| GBSPLN-30 | 30w  | 2700 Lm. | 3K / 4K / 6K | 410*45*49mm | 403*37mm |



## DELL SERIES




| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPDL-10 | 10w  | 900 Lm.  | 3K / 4K / 6K | 70*70*60mm  | 55*55mm  |
| GBSPDL-20 | 20w  | 1800 Lm. | 3K / 4K / 6K | 120*70*60mm | 110*55mm |
| GBSPDL-30 | 30w  | 2700 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*55mm |



## SWISS SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPSW-4  | 4w   | 360 Lm.  | 3K / 4K / 6K | 70*70*60mm  | 60*60mm  |
| GBSPSW-8  | 8w   | 720 Lm.  | 3K / 4K / 6K | 120*70*60mm | 110*60mm |
| GBSPSW-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*60mm |
| GBSPSW-16 | 16w  | 1440 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*60mm |
| GBSPSW-20 | 20w  | 1800 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*60mm |
| GBSPSW-36 | 36w  | 3240 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*60mm |
| GBSPSW-45 | 45w  | 4050 Lm. | 3K / 4K / 6K | 170*70*60mm | 160*60mm |

# LED COB SPOT LIGHT



## OPERA SERIES

| Code      | Watt | Lumens  | Color        | Dimension  | Cut out  |
|-----------|------|---------|--------------|------------|----------|
| GBSPOP-7A | 7w   | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7B | 7w   | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7C | 7w   | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |

|           |    |         |              |            |          |
|-----------|----|---------|--------------|------------|----------|
| GBSPOP-7D | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7E | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7F | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |

|           |    |         |              |            |          |
|-----------|----|---------|--------------|------------|----------|
| GBSPOP-7G | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7H | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |
| GBSPOP-7I | 7w | 560 Lm. | 3K / 4K / 6K | 90*90*70mm | 70mm dia |

## LINEAR WALL WASHER SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPLW-12 | 12w  | 960 Lm.  | 3K / 4K / 6K | 147*45*49mm | 140*38mm |
| GBSPLW-24 | 24w  | 1920 Lm. | 3K / 4K / 6K | 280*45*49mm | 273*38mm |



# LED COB SPOT LIGHT




## SENSO RIMLESS SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out   |
|-----------|------|----------|--------------|-------------|-----------|
| GBSPSN-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 60*60*71mm  | 62mm dia  |
| GBSPSN-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 82*82*100mm | 90mm dia  |
| GBSPSN-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 82*82*115mm | 90mm dia  |
| GBSPSN-18 | 18w  | 1620 Lm. | 3K / 4K / 6K | 98*98*113mm | 100mm dia |



## URBAN RIMLESS SERIES

|            |     |          |              |            |          |
|------------|-----|----------|--------------|------------|----------|
| GBSPUR-15R | 15w | 1350 Lm. | 3K / 4K / 6K | 95*95*95mm | 95mm dia |
| GBSPUR-15S | 15w | 1350 Lm. | 3K / 4K / 6K | 90*90*80mm | 90mm dia |



## COVE RIMLESS SERIES


|           |     |          |              |               |          |
|-----------|-----|----------|--------------|---------------|----------|
| GBSPCO-12 | 12w | 1080 Lm. | 3K / 4K / 6K | 130*130*100mm | 85mm dia |
| GBSPCO-15 | 15w | 1350 Lm. | 3K / 4K / 6K | 135*135*125mm | 65mm dia |



## LINEA RIMLESS SERIES

| Code      | Watt | Lumens   | Color        | Dimension    | Cut out  |
|-----------|------|----------|--------------|--------------|----------|
| GBSPLR-3  | 3w   | 270 Lm.  | 3K / 4K / 6K | 35*35*49mm   | 42*42mm  |
| GBSPLR-5  | 5w   | 450 Lm.  | 3K / 4K / 6K | 65*35*49mm   | 72*42mm  |
| GBSPLR-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 138*138*49mm | 144*42mm |
| GBSPLR-25 | 25w  | 2250 Lm. | 3K / 4K / 6K | 270*270*49mm | 277*42mm |

CE | ROHS | BIS | LM-79 Certified Quality



## LED SPOT LIGHT

### LIGHT ADVANTAGE

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Energy Saving<br>Low-carbon Green                                                   | Ultra-long life<br>Excellent quality                                                | Optical lens<br>Brilliant light                                                     | Anodic oxidation<br>Will never fade                                                   | Intelligent circuits<br>Safe and stable                                               | The extra money<br>Performance multiplier                                             | Ultra-thick aluminum<br>Avalanche standard                                            | Heat dissipation through conduction<br>Industrial standard                            |

Reflect your Luxury...

# LED COB SPOT LIGHT



## CLUB ONE SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPCO-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 70*70*50mm | 62mm dia |
| GBSPCO-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 85*85*60mm | 77mm dia |
| GBSPCO-18 | 18w  | 1620 Lm. | 3K / 4K / 6K | 97*97*70mm | 90mm dia |

Available body Colors : White / Grey / White-Grey Combi



## ELITE SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPEL-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 40*40*55mm | 34mm dia |
| GBSPEL-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 60*60*75mm | 54mm dia |
| GBSPEL-18 | 18w  | 1620 Lm. | 3K / 4K / 6K | 75*75*90mm | 70mm dia |

Available body Colors : White / Chrome



## CHROME SERIES


| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPCR-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 80*80*90mm  | 72mm dia |
| GBSPCR-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 80*80*100mm | 72mm dia |
| GBSPCR-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 80*80*100mm | 72mm dia |

Available Reflector shades : White / Black / Gold / Silver / Bronze / Carbon Black

Available Led Modules Wattage : 7w / 12w / 15w

Advantage : watt can be change in saim fixture, not bigger cutout required.

# LED COB SPOT LIGHT



## GRACE SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPGR-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 85*85*80mm | 75mm dia |
| GBSPGR-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 85*85*80mm | 75mm dia |

Available Reflector shades : White / Black / Gold / Silver matt / Silver gloss / Bronze / Carbon Black  
Available body Colors : White / Black



## ELITE SERIES

| Code      | Watt | Lumens   | Color        | Dimension  | Cut out  |
|-----------|------|----------|--------------|------------|----------|
| GBSPEL-7  | 7w   | 630 Lm.  | 3K / 4K / 6K | 40*40*55mm | 34mm dia |
| GBSPEL-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 60*60*75mm | 54mm dia |
| GBSPEL-18 | 18w  | 1620 Lm. | 3K / 4K / 6K | 75*75*90mm | 70mm dia |

Available body Colors : White / Chrome

## ULTIMA SERIES

| Code      | Watt | Lumens   | Color        | Dimension   | Cut out  |
|-----------|------|----------|--------------|-------------|----------|
| GBSPCR-5  | 5w   | 450 Lm.  | 3K / 4K / 6K | 40*40*70mm  | 35mm dia |
| GBSPCR-12 | 12w  | 1080 Lm. | 3K / 4K / 6K | 60*60*82mm  | 55mm dia |
| GBSPCR-15 | 15w  | 1350 Lm. | 3K / 4K / 6K | 70*70*100mm | 70mm dia |

Available Reflector shades : White / Black / Gold / Silver / Bronze / Carbon Black  
Available Led Modules Wattage : 7w / 12w / 15w  
Advantage : watt can be change in saim fixture, not bigger cutout required.



## LED SPOT LIGHT



### CODE : GBSP-101

POWER : 1 Watt  
LUMENS : 80 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-102

POWER : 1 Watt  
LUMENS : 80 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-103

POWER : 1 Watt  
LUMENS : 80 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia




### CODE : GBSP-201

POWER : 1 Watt  
LUMENS : 80 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-301

POWER : 3 Watt  
LUMENS : 240 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 30  
CUTOUT : 38mm dia



### CODE : GBSP-302

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 35  
CUTOUT : 44mm dia



### CODE : GBSP-303

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 30  
CUTOUT : 38mm dia



### CODE : GBSP-304

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-305

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 60  
CUTOUT : 38mm dia



### CODE : GBSP-306

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-307

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 27  
CUTOUT : 25mm dia



### CODE : GBSP-308

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 40  
CUTOUT : 38mm dia



## LED SPOT LIGHT



### CODE : GBSP-309

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 50  
CUTOUT : 38mm dia



### CODE : GBSP-310

POWER : 3 Watt  
LUMENS : 270 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 30  
CUTOUT : 30mm dia




### CODE : GBSP-311

POWER : 3 Watt  
LUMENS : 240 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 12  
CUTOUT : ---



### CODE : GBSP-312

POWER : 3 Watt  
LUMENS : 240 Lm  
COLOR : CW / WW / NW  
SIZE : 75mm dia \* 40  
CUTOUT : 40mm dia



### CODE : GBSP-501

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 50  
CUTOUT : 40mm dia



### CODE : GBSP-502

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 50  
CUTOUT : 40mm dia



### CODE : GBSP-503

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 30  
CUTOUT : 38mm dia



### CODE : GBSP-504

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 50mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-505

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 45mm dia \* 60  
CUTOUT : 38mm dia



### CODE : GBSP-506

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 30mm dia \* 25  
CUTOUT : 25mm dia



### CODE : GBSP-507

POWER : 5 Watt  
LUMENS : 400 Lm  
COLOR : CW / WW / NW  
SIZE : 75mm dia \* 40  
CUTOUT : 40mm dia



### CODE : GBSP-508

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia

## LED SPOT LIGHT



### CODE : GBSP-509

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-510

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-511

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia



### CODE : GBSP-512

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia




### CODE : GBSP-601

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-602

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-607

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia



### CODE : GBSP-604

POWER : 6 Watt  
LUMENS : 540 Lm  
COLOR : CW / WW / NW  
SIZE : 55mm dia \* 85  
CUTOUT : 45mm dia



### CODE : GBSP-605

POWER : 6 / 12Watt  
LUMENS : 540 / 1080 Lm  
COLOR : CW / WW / NW  
SIZE : 75mm\*85 / 95mm\*120  
CUTOUT : 60mm / 87mm dia



### CODE : GBSP-606

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-701

POWER : 7 Watt  
LUMENS : 630 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 90  
CUTOUT : 70mm dia



### CODE : GBSP-702

POWER : 7 Watt  
LUMENS : 630 Lm  
COLOR : CW / WW / NW  
SIZE : 100mm dia \* 80  
CUTOUT : 92mm dia

## LED DOWN SPOT LIGHT



### CODE : GBSP-1201

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-1202

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 100mm dia \* 70  
CUTOUT : 92mm dia



### CODE : GBSP-1203

POWER : 12 Watt  
LUMENS : 1080 Lm  
COLOR : CW / WW / NW  
SIZE : 90mm dia \* 90  
CUTOUT : 70mm dia



### CODE : GBSP-1204

POWER : 12 / 15 Watt  
LUMENS : 1080 / 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 70mm dia \* 98  
CUTOUT : 62mm dia



### CODE : GBSP-1201

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 80mm dia \* 45  
CUTOUT : 55mm dia



### CODE : GBSP-1202

POWER : 3 / 5 Watt  
LUMENS : 240 / 400 Lm  
COLOR : CW / WW / NW  
SIZE : 100mm dia \* 70  
CUTOUT : 92mm dia



### CODE : GBSP-1203

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia



### CODE : GBSP-1204

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia



### CODE : GBSP-1501

POWER : 12 / 15 Watt  
LUMENS : 1080 / 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 85\*75 / 100\*120mm  
CUTOUT : 75mm / 95mm dia



### CODE : GBSP-1502

POWER : 12 / 15 Watt  
LUMENS : 1080 / 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 196\*90 / 103\*110mm  
CUTOUT : 82mm / 95mm dia



### CODE : GBSP-1502

POWER : 12 / 15 Watt  
LUMENS : 1080 / 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 80\*80\*115mm  
CUTOUT : 70mm dia



### CODE : GBSP-1504

POWER : 5 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 40mm dia \* 55  
CUTOUT : 35mm dia

## LED DOWN SPOT LIGHT




### CODE : GBSP-1505

POWER : 15 Watt  
LUMENS : 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 85mm dia \* 65  
CUTOUT : 75mm dia




### CODE : GBSP-1506

POWER : 15 Watt  
LUMENS : 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 100mm dia \* 70  
CUTOUT : 90mm dia



### CODE : GBSP-1507

POWER : 15 Watt  
LUMENS : 450 Lm  
COLOR : CW / WW / NW  
SIZE : 95mm dia \* 80  
CUTOUT : 80mm dia



### CODE : GBSP-1508

POWER : 15 Watt  
LUMENS : 1350 Lm  
COLOR : CW / WW / NW  
SIZE : 85mm dia \* 85  
CUTOUT : 75mm dia



### CODE : GBSP-1801R

POWER : 18 WATT  
LUMENS : 1800 Lm  
COLOR : CW/WW/NW  
SIZE : 170\*170\*85mm  
CUTOUT : 150mm dia



### CODE : GBSP-1802R

POWER : 18 WATT  
LUMENS : 1800 Lm  
COLOR : CW/WW/NW  
SIZE : 160\*160\*102mm  
CUTOUT : 140mm dia



### CODE : GBSP-1803

POWER : 18 WATT  
LUMENS : 1800 Lm  
COLOR : CW/WW/NW  
SIZE : MM  
CUTOUT : 60MM



### CODE : GBSP-1804R

POWER : 18 WATT  
LUMENS : 1800 Lm  
COLOR : CW/WW/NW  
SIZE : 116dia \*116mm  
CUTOUT : 90mm dia



### CODE : GBSP-3001

POWER : 30 WATT  
LUMENS : 3000 LM  
COLOR : CW/WW/NW  
SIZE : 200\*200\*90mm  
CUTOUT : 180mm dia



### CODE : GBSP-3002

POWER : 30 WATT  
LUMENS : 3000 LM  
COLOR : CW/WW/NW  
SIZE : 200\*200\*115mm  
CUTOUT : 180MM dia



### CODE : GBSP-3003

POWER : 30 WATT  
LUMENS : 3000 LM  
COLOR : CW/WW  
SIZE : 225\*225\*120mm  
CUTOUT : 200mm dia



### CODE : GBSP-3004

POWER : 30 WATT  
LUMENS : 3000 LM  
COLOR : CW/WW/NW  
SIZE : 140\*140\*110mm  
CUTOUT : 125mm dia

CE | ROHS | BIS | LM-79 Certified Quality

## LED STREET LIGHT

### EIGHT ADVANTAGE

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Energy Saving<br>Lower carbon dioxide                                               | Ultra-long life<br>Excellent quality                                                | Optical lens<br>Brilliant light                                                     | Acoustic oxidation<br>Will never fade                                                 | Intelligent circuits<br>Safe and stable                                               | The extra money<br>Performance multiplier                                             | Ultra thick aluminum<br>Aerospace standard                                            | Heat dissipation<br>Industrial standard                                               |

Let's Make Brighter, Every Corner of the Nation...



# LED STREET LIGHT



## ECO SERIES

| Code      | Watt | Voltage     | Lumens   | P.F. | THD | Surge | IP    | O.V. Cut Off |
|-----------|------|-------------|----------|------|-----|-------|-------|--------------|
| GBSTE-18  | 18w  | 100-300 Vac | 1800 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |
| GBSTE-24  | 24w  | 100-300 Vac | 2400 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |
| GBSTE-36  | 36w  | 100-300 Vac | 3600 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |
| GBSTE-50  | 50w  | 100-300 Vac | 5000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |
| GBSTE-60  | 60w  | 100-300 Vac | 5000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |
| GBSTE-100 | 100w | 100-300 Vac | 9500 Lm. | 0.97 | 15% | 4 KVA | IP-65 | *****        |



## OPTIC SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|-------|-------|--------------|
| GBSTO-20  | 20w  | 100-300 Vac | 2000 Lm.  | 0.98 | 15% | 4 KVA | IP-65 | OPTIONAL     |
| GBSTO-36  | 36w  | 100-300 Vac | 3600 Lm.  | 0.98 | 15% | 4 KVA | IP-65 | OPTIONAL     |
| GBSTO-50  | 50w  | 100-300 Vac | 5000 Lm.  | 0.98 | 15% | 4 KVA | IP-65 | OPTIONAL     |
| GBSTO-100 | 100w | 100-300 Vac | 10000 Lm. | 0.98 | 15% | 6 KVA | IP-65 | OPTIONAL     |



## PREMIUM SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge   | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|---------|-------|--------------|
| GBSTE-24  | 24w  | 100-310 Vac | 2640 Lm.  | 0.98 | 1%  | 4.5 KVA | IP-67 | YES          |
| GBSTE-36  | 36w  | 100-310 Vac | 3960 Lm.  | 0.98 | 15% | 4.5 KVA | IP-67 | YES          |
| GBSTE-50  | 50w  | 100-400 Vac | 5500 Lm.  | 0.98 | 15% | 6.5 KVA | IP-67 | YES          |
| GBSTE-72  | 72w  | 100-400 Vac | 7920 Lm.  | 0.98 | 15% | 6.5 KVA | IP-67 | YES          |
| GBSTE-100 | 100w | 100-400 Vac | 11000 Lm. | 0.98 | 10% | 10 KVA  | IP-67 | YES          |
| GBSTE-130 | 130w | 100-400 Vac | 14300 Lm. | 0.98 | 10% | 10KVA   | IP-67 | YES          |
| GBSTE-150 | 150w | 100-400 Vac | 16500 Lm. | 0.98 | 10% | 10 KVA  | IP-67 | YES          |



**Radiation &  
Mercury Free**

**Highest CRI**  
True Colour Vision



**Clare Free  
SOFT LIGHTING**



CE | ROHS | BIS | LM-79 Certified Quality

## LED STREET LIGHT

### EIGHT ADVANTAGE



Let's Make Brighter , Every Corner of the Nation...

# LED FLOOD LIGHT




## ECO SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge   | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|---------|-------|--------------|
| GBFLE-10  | 10w  | 100-300 Vac | 900 Lm.   | 0.97 | 15% | 2.5 KVA | IP-65 | *****        |
| GBFLE-30  | 30w  | 100-300 Vac | 2700 Lm.  | 0.97 | 15% | 2.5 KVA | IP-65 | *****        |
| GBFLE-50  | 50w  | 100-300 Vac | 5000 Lm.  | 0.97 | 15% | 2.5 KVA | IP-65 | *****        |
| GBFLE-100 | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4 KVA   | IP-65 | *****        |
| GBFLE-150 | 150w | 100-300 Vac | 15000 Lm. | 0.97 | 15% | 4 KVA   | IP-65 | *****        |
| GBFLE-200 | 200w | 100-300 Vac | 20000 Lm. | 0.97 | 15% | 4 KVA   | IP-65 | *****        |



## ECO PLUS SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|-------|-------|--------------|
| GBFLE-50  | 50w  | 100-300 Vac | 5000 Lm.  | 0.97 | 15% | 4 KVA | IP-65 | YES          |
| GBFLE-100 | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | YES          |
| GBFLE-150 | 150w | 100-300 Vac | 15000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | YES          |
| GBFLE-200 | 200w | 100-300 Vac | 20000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | YES          |



## PREMIUM SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|-------|-------|--------------|
| GBFLE-50  | 50w  | 100-300 Vac | 5000 Lm.  | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-100 | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-150 | 150w | 100-300 Vac | 15000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-200 | 200w | 100-300 Vac | 20000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-250 | 250w | 100-300 Vac | 25000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-300 | 300w | 100-300 Vac | 30000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |
| GBFLE-400 | 400w | 100-300 Vac | 40000 Lm. | 0.97 | 15% | 4 KVA | IP-67 | YES          |



**Radiation & Mercury Free**

**Highest CRI**   
True Colour Vision



**Clare Free**  
SOFT LIGHTING





CE | ROHS | BIS | LM-79 Certified Quality


## LED HI-BAY LIGHT

### EIGHT ADVANTAGE



Anti-Glare & Maintenance free Uniform lighting for Higher Productivity...

# LED HI-BAY LIGHT



## ECO SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|-------|-------|--------------|
| GBFLE-50  | 50w  | 100-300 Vac | 5000 Lm.  | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBFLE-100 | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBFLE-150 | 150w | 100-300 Vac | 15000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |

## PREMIUM SERIES

| Code       | Watt | Voltage     | Lumens    | P.F. | THD | Surge | IP    | O.V. Cut Off |
|------------|------|-------------|-----------|------|-----|-------|-------|--------------|
| GBHBP-70   | 70w  | 100-300 Vac | 5000 Lm.  | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBHBP-130  | 100w | 100-300 Vac | 1000 Lm.  | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBHBP-150  | 150w | 100-300 Vac | 15000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBHBPU-200 | 200w | 100-300 Vac | 20000 Lm. | 0.97 | 15% | 4 KVA | IP-65 | YES          |
| GBHBPD-200 | 200w | 100-300 Vac | 20000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBHBPF-250 | 250w | 100-300 Vac | 25000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |
| GBHBPF-300 | 300w | 100-300 Vac | 30000 Lm. | 0.97 | 15% | 4 KVA | IP-45 | YES          |

## ZOOMER SERIES

| Code      | Watt | Voltage     | Lumens    | P.F. | THD | Surge   | IP    | O.V. Cut Off |
|-----------|------|-------------|-----------|------|-----|---------|-------|--------------|
| GBZM-60   | 60w  | 100-300 Vac | 6000 Lm.  | 0.97 | 15% | 4.5 KVA | IP-45 | YES          |
| GBZM-100  | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4.5 KVA | IP-45 | YES          |
| GBZMP-60  | 60w  | 100-300 Vac | 6000 Lm.  | 0.97 | 15% | 4.5 KVA | IP-45 | YES          |
| GBZMP-100 | 100w | 100-300 Vac | 10000 Lm. | 0.97 | 15% | 4.5 KVA | IP-45 | YES          |



**Radiation & Mercury Free**

**Highest CRI**  
True Colour Vision



**Glare Free**  
SOFT LIGHTING





CE | ROHS | IP-65 Certified Quality

## LED POST TOP LIGHT

### EIGHT ADVANTAGE



Let's Make Landscape more beautiful...

## LED POST TOP LIGHT



**CODE : GBPST-101**

SIZE : 560\*700MM



**CODE : GBPST-102**

SIZE : 560\*750MM



**CODE : GBPST-103**

SIZE : 460\*525MM



**CODE : GBPST-104**

SIZE : 460\*525MM



**CODE : GBPST-105**

SIZE : 370\*525MM



**CODE : GBPST-106**

SIZE : 320\*245MM



**CODE : GBPST-107**

SIZE : 360\*245MM



**CODE : GBPST-108**

SIZE : 265\*325MM



**CODE : GBPST-109**

SIZE : 385\*265MM



**CODE : GBPST-110**

SIZE : 370\*525MM



**CODE : GBPST-111**

SIZE : 470\*220MM



**CODE : GBPST-112**

SIZE : 230\*255MM

## LED POST TOP LIGHT



**CODE : GBPST-113**

SIZE : 220\*540MM



**CODE : GBPST-114**

SIZE : 590\*800MM



**CODE : GBPST-115**

SIZE : 865\*1200MM



**CODE : GBPST-116**

SIZE : 584\*555MM



**CODE : GBPST-117**

SIZE : 606\*345MM



**CODE : GBPST-118**

SIZE : 700\*450MM



**CODE : GBPST-119**

SIZE : 425\*325MM



**CODE : GBPST-120**

SIZE : 488\*703MM



**CODE : GBPST-121**

SIZE : 500\*805MM



**CODE : GBPST-122**

SIZE : 560\*875MM



**CODE : GBPST-123**

SIZE : 590\*875MM



**CODE : GBPST-124**

SIZE : 425\*400MM

**GREEN ENERGY SOLUTION**

Corporate Office :

7-Sorathiyawadi, Nr. J.K.Mall,  
Kothariya road,Rajkot 360002

Customer care No. :

+91 8141 188 188 / 9979 979 708

web : [www.gbulbindia.com](http://www.gbulbindia.com)

e-mail : [gbulbindia@yahoo.com](mailto:gbulbindia@yahoo.com)