



TT PLYWOOD

COMPANY CATALOGUE

TRUONG THINH IMPORT EXPORT
AND TRADING BUSINESS
JOINT STOCK COMPANY

SINCE 2013

www.ttplywood.com



Content

- 03** Greeting
- 04** Certifications
- 05** Export market
- 06** Warehouse - Factory
- 07** Board of management
Human resoucers
- 08** The most highlight
- 10** Why choose us
- 11** Main Product
- 14** Extra Product
- 15** Thank you



"The Power Of Trust"

Greeting

Dear Our Valued Customers!

Since 2013, I have had the chances to go to many places, meet people, I realized that all customers have the same difficulty, that is, how to find a reputable, trustworthy plywood manufacturer and supplier. Aware of that, I decided to establish TTP with the goal of spreading and promoting Vietnamese culture and products to friends around the world.

Personally, a product is not only an ordinary exchangeable commodity, but also a thought and aspiration to affirm Vietnamese cultural value.

Therefore, I look forward to having many opportunities to exchange and cooperate with friends around the world, building the TTP brand- a Vietnamese brand that is different from any others.

TTP's President

Mrs. Ha Do



Certifications

TTP is always committed to devote to bringing customers the highest quality and most suitable products. We are proud to have achieved prestigious certificates from FSC, Kofi, Vinacontrol and many other trusted organizations. This ensures that customers around the world can completely feel secure about our products.



Certificate of Registration

This is to certify that

**Truong Thinh Import Export and Trading
Business Joint Stock Company
t/a TT Plywood**

**Công ty Cổ phần Kinh doanh Thương mại và
Xuất nhập khẩu Trường Thịnh**

"the certified site" has been certified in accordance with the requirements of the Forest Stewardship Council® A.C. using the FSC® Chain of Custody standards* and that Truong Thinh Import Export and Trading Business Joint Stock Company of

**C34, Embassy Garden, Hoang Minh Thao Road, Xuan Tao
Ward, Hanoi, Bac Tu Liem District, VIETNAM**

is hereby licensed to use the FSC Logo on and sell as FSC certified all products listed on the attached FSC product schedule as FSC 100%.

Certificate Registration
Code:

SA-COC-013946

Licence Code:

Issue Number: 1.0

FSC-C188295

Issued By:

Soil Association Certification Limited
Spear House, 51 Victoria Street,
Bristol, BS1 6AD
United Kingdom

Issue Date:

03 May 2023

Valid until the Renewal
Date:

02 May 2028

Subject to successful annual surveillance

Signed on behalf of Soil
Association Certification

Meriel Robson, Director of Forestry




CA-COC-006-18 June 2022 © Prepared by Soil Association Certification Limited
*This certificate is only valid for sale of FSC products when accompanied by a current product schedule. Validity of this certificate shall also be verified by checking the FSC database: info.fsc.org or by contacting Soil Association Certification: forestry@soilassociation.org
This Certificate is the property of Soil Association Certification Ltd and all copies or reproductions of the certificate shall be destroyed or returned to the Soil Association Certification Ltd immediately, on request.
A description of the products, sites or services that are included in the scope of the certificate may be obtained from Soil Association Certification on request.
This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC certified (or FSC Controlled Wood). Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.

Export market

Over the 10-year journey of establishment and development, our products have built a reputation and become the first choice in many countries and regions around the world. We are proud that TTP's products have been favored and trusted in markets such as Korea, Japan, Southeast Asia, India, United Arab Emirates, Egypt, Russia, EU, USA and many other countries.

TTP exports thousands of containers every year with annual revenue of millions in US dollars , and these numbers are constantly increasing more and more. This is considered as an invaluable certificate for the trust and high appreciation from international customers for the quality of our products.





Warehouse - Factory

TTP's warehouse is equipped and installed with CNC cutting machine and LVL multi-ripsaw machine, helping us to supply wood products in all sizes that customers require.

TTP owns a self-operated factory and build a long-term domestic partner system with modern and high-tech equipment imported directly from developed countries such as Japan, China, and EU. This ensures that we can confidently meet both quality and extremely large volume of orders every month and ensure on-time delivery.





Board of management – Human Resources

All members from the Board of Directors, the Managers, to the staff and workers are enthusiastic, professional and dedicated, always willing to support the customers and determined contributing to build TTP more prosperous.

Each member of our team is carefully selected and highly qualified in their own field. We invest not only in providing them with knowledge and skills, but also in creating good working environment for the development of individual abilities and passions. This helps us build a professional team, capable of meeting all requirements and bringing satisfaction to our customers.

Office Staff



Warehouse worker



Factory worker



One of TTP's highlights and notable difference is
1 by 1 pcs inspection process and selected suppliers

1

Checking length,
width and
diagonal line



2

Checking
thickness and
moisture
content



Besides having own factory, TTP also cooperate with local suppliers and all factories are selected very carefully. Moreover, before being delivered to our customers, 100% plywood sheet will be thoroughly inspected one by one by our highly experienced and skilled QC team. We especially focus on minimizing the risk of receiving defective goods for buyers.

3**Checking face
and back****4****Checking
edge and
delamination**

Why ? choose us ●



01

Company Position

With many years of experience in the field of manufacturing and exporting plywood on the global market.

Responsibility

TTP always commits to taking ultimate responsibility to the customers if there is any issue about product quality after receiving our cargo.

02



03

Quality Products

Manage and control according to strict TTP's quality standards from input materials to each piece of the finished product with modern machinery and equipment and a team of highly skilled workers.

Delivery Schedule Commitment

Owning a factory and a system of long-term cooperative suppliers in the country to meet large demand of customers and fast shipping schedule.

04



05

Cost-Saving

Optimizing delivery costs thanks to close relationships with shipping lines and logistics companies, helping to get the most competitive final prices for customers.

Enthusiastic Consultation

The staff are dynamic, professional, always willing to support and take care of every customers 24/7.


06



Main product

Size	1220x2440mm, 910x1820mm,....
Common thickness	11.5/12mm - 7 layers 15mm - 9 layers 18mm - 11 layers 21mm - 13 layers
Tolerance	+/-0.3mm
Core grade	100% A grade core veneer
Glue	WBP 7-20% melamine WBP phenolic
Formaldehyde emission	EO/E1/E2
Face and Back	Dynea phenolic film - 45 gsm Local film 125 gsm
Color	Black Brown
Reused times	3-20 times
Wood species	Eucalyptus, Acacia
Technical info	1 time cold press 2 times hot press 2 times sanding 6-8 pitton hot press machines
Density	600-650kgs/m ³
Moisture content	Below 12%
Application	Formwork, construction, building materials, shuttering

Film Faced Plywood



Commercial Plywood



Size	1220x2440mm, 910x1820mm,....
Common Thickness	8.5/9mm - 5 layers 11.5/12mm - 7 layers 14.5/15mm - 9 layers 17.5/18mm - 11 layers
Tolerance	+/-0.3mm/no minus
Core grade	A/B/C grade core veneer depending on using purpose
Glue	Melamine urea formaldehyde
Formaldehyde emission	EO/E1/E2
Face and Back	Bintangor/Okume/Pine
Color	Red/Yellow
Wood species	Eucalyptus, Acacia, Styra
Technical info	1 time cold press 2 times hot press Core sanding 6-8 pitton hot press machines
Density	550-650kgs/m ³
Moisture content	Below 12%
Application	High quality packaging, pallet, robbin/cable reels, furniture, construction

Main product

Size	1220x2440mm, 910x1820mm,....
Common Thickness	7 mm - 4 layers 8 mm - 5 layers 11 mm - 7 layers 14 mm - 9 layers 17 mm - 11 layers
Tolerance	+/-0.3 / No minus
Core grade	A/B/C grade core veneer depending on using purpose
Glue	Urea formaldehyde
Formaldehyde emission	E0/E1/E2
Face	Bintangor 0.13-0.15mm Okume 0.17-0.2mm
Back	Styrax 0.35-0.4mm
Color	Red/white face and white back
Wood species	Acacia, Styrax
Technical info	1 time hot press No sanding
Density	550-580kgs/m ³
Moisture content	Below 15%
Application	Making box, crate, pallet, ...

Packing Plywood



LVL



Size	As customers require
Common Thickness	11-90mm
Tolerance	+/-0.5mm-2mm/No minus
Core grade	A/B/C grade core veneer depending on using purpose
Glue	Melamine urea formaldehyde Phenolic
Formaldehyde emission	E0/E1/E2
Face and Back	No/Styrax/Pine
Color	Wood
Wood species	Eucalyptus, Acacia, Styrax
Technical info	1 time cold press 1 times hot press No sanding/ Sanding 2 sides 6-8 pitton hot press machines
Density	550-650kgs/m ³
Moisture content	Below 12%
Application	Making pallets, boxes, beams, frames...

Main product

Cutting Size Plywood by CNC Machine

Grade	Packing, commercial, film faced, birch...plywood
Size	As customers require
Thickness	Below 100mm



Birch Plywood




Size	1220x2440mm, 910x1820mm,....
Common Thickness	9mm - 5 layers 12mm - 7 layers 15mm - 9 layers 18mm - 11 layers
Tolerance	+/-0.3mm
Core grade	A/B grade core veneer depending on using purpose
Glue	Melamine urea formaldehyde
Formaldehyde emission	E0
Face and Back	C/D+/D/E
Color	White
Wood species	Eucalyptus, Acacia
Technical info	1 time cold press 2 times hot press Core sanding 6-8 pitton hot press machines
Density	550-650kgs/m ³
Moisture content	Below 12%
Application	Furniture such as kitchen cabinet, wardrobe, table,...

Extra Product

Chip Block



Finger Joint Board



Wood Pellet



Thank you!

TTP would like to express our deepest gratitude to our customers. Your support and trust is an important and indispensable factor in our development.

With your companion, we have been growing strongly, expanding the market and affirming our position in the wood industry.

TTP hopes to continue to build good and sustainable relationships with customers from all over the world. We are always happy to listen to your ideas and feedback to develop and succeed together.



TRUONG THINH PLYWOOD





TTP



TRUONG THINH PLYWOOD

**TRUONG THINH IMPORT EXPORT AND
TRADING BUSINESS JOINT STOCK COMPANY**

Hotline: +84 326 94 22 88

Email: info@ttplywood.com | **Website:** www.ttplywood.com

Office: No LK C34, Hoang Minh Thao Street, Xuan Tao Ward, Bac Tu Liem District, Ha Noi City, Vietnam

Southern Branch: 19th Street, Linh Chieu Ward, Thu Duc District, Ho Chi Minh City.

Warehouse: Highway 3, Duc Tu , Dong Anh, Hanoi

Factory: Area 16, Dich Qua Commune, Thanh Son District, Phu Tho Province