



JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn ,mail: sutex@126.com

Company Profile

Jiangyin Deshun Hydraulic Machinery Co., LTD, was founded in 1999, developed to this day. We mainly produce **cylinder, cold drawn tubes, honing tube, piston rod**, and machinery manufacturing, the **annual output** reaches over **20000 tons**. Our company has advanced equipment and strong technical force. Complete with various kinds of advanced production equipment and technology.

We based on advanced equipments. And under the protection of years rich experience, with unique craft protection of years rich experience, and constantly develop new technology under the new product. With unique craft products fully embodies the domestic market pulse and cylinder, satisfy customer needs, our products are popular with the customers at home and abroad.

"Always do the first-class products" is our promise. Warmly welcome friends at home and abroad to negotiate business.





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn, mail: sutex@126.com





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: [+86-510-86512178](tel:+86-510-86512178) Mobile: [+86-13921195637](tel:+86-13921195637) www.deshunyy.cn ,mail: sutex@126.com



Our Advantages:

1. **High quality raw material** is the basis and precondition of high quality cylinder tube.
All materials we use are produced by **state owned** iron & steel enterprise, like Baoshan, Anshan, Tianjin.
2. **Time-honored**: Founded **in 1999**, our factory has rich experience for more than **20 years**, with strict management and control on cost and quality.
3. Ready stock goods with **fast delivery**.
4. **Customizable**: Non-standard sizes are also available.
5. **Small quantity** is acceptable.



JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel:+86-510-86512178 Mobile:+86-13921195637 www.deshuny.cn ,mail: sutex@126.com

Approved Certificates:

SGS **Made-in-China.com**
Connecting Buyers with Chinese Suppliers

Report Number: QIP-ASI184927 Audit Date: 10 Oct 2018

This report is issued by Focus Technology Co., Ltd. (Made-in-China.com) and the supervising inspectorate (SGS-CSTC Standards Technical Services Co., Ltd.) to confirm that:

Company Name : Jiangyin Deshun Hydraulic Machinery Co., Ltd.
红动市德顺液压机械有限公司
Showroom : <http://deshunhydraulic.en.made-in-china.com>
Address : No. 8, Qingqiao Road, Qingyang Town, Jiangyin, Wuxi, Jiangsu, China
Product : Honed Tube, Piston Rod

has been on site audited for the Following Scope of Activity

1. General Information
2. Foreign Trade Capacity
3. Product Research & Development Capacity
4. Management System and Product Certification
5. Production Capacity & Quality Control
6. Working Environment
7. Energy Saving and Emission Reduction
8. Photos

General Comments:

Jiangyin Deshun Hydraulic Machinery Co., Ltd. is a manufacturer with 86 employees; it was established in 2004, located in No. 8, Qingqiao Road, Qingyang Town, Jiangyin, Wuxi, Jiangsu, China. The workshops occupy an area of more than 4,000 square meters. They have passed ISO9001 2015 certification in 2016.

Sign for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd.

Page No. 1 of 15

SGS-MIC 628994

www.sgs.com.cn



管理体系认证证书

认证编号: 1716 QU 0122-03 R2M

获证组织 **江阴市德顺液压机械有限公司**

统一社会信用代码 **91320281757953794T**

注册地址 **江苏省无锡市江阴市青阳镇普照村**

审核地址 **江苏省无锡市江阴市青阳镇普照村青阳路8号**

认证标准满足: **GB/T19001-2016/ISO9001:2015 质量管理体系要求**

认证范围 **液压和气动缸筒使用精密内径无缝钢管(冷拔管、珩磨管、接管)、精密细长轴(活塞杆)的生产**

标准:



初次发证: 2017年09月08日

获证发证: 2019年02月14日

有效期至: 2021年02月13日

监督日期: 2019年07月15日

上海英格尔认证有限公司

营业执照注册号: CHCA-412008-117

电话: 400-132-9800 / 456-21-5114700

网址: www.icas.org.cn

地址: 上海市徐汇区中山西路2350号

邮编: 200235



关注英格尔认证公众号



第一次发证

第二次发证

第三次发证

本证书经国家质量监督检验检疫总局核准, 注册编号为2017010101, 可在国家认监委网站(www.cnca.gov.cn)上查询。也可通过英格尔官方网站或致电英格尔认证有限公司进行查询。本证书按照国家和地方的规定, 必须保持有效, 否则将影响证书的有效性。获证组织必须定期接受认证机构的监督审核, 以保持证书的有效性。对获证组织未按规定接受监督审核的, 认证机构将暂停其证书的有效性, 直至其符合认证要求为止。



JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn ,mail: sutex@126.com

Real Shot of the Factory Facility





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn ,mail: sutex@126.com





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: [+86-510-86512178](tel:+86-510-86512178) Mobile: [+86-13921195637](tel:+86-13921195637) www.deshunyy.cn ,mail: sutex@126.com





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: [+86-510-86512178](tel:+86-510-86512178) Mobile: [+86-13921195637](tel:+86-13921195637) www.deshunyy.cn ,mail: sutex@126.com





JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn, mail: sutex@126.com

Specification of Standard Steel Tubes (Inside diameter * Wall thickness, mm)					
30*5	50*3.5	57*5	65*3.5	76.2*4.75	88.9*4.75
32*3.5	50*4.5	57*5.5	65*5	76.2*4.8	88.9*5
32*4	50*5	57.2*8.9	65*5.25	76.2*5	88.9*5.55
32*6.5	50*5.25	60*5	65*5.5	76.2*6.35	88.9*6.35
32*8	50*6.5	60*5.25	65*6.5	76.2*9.4	88.9*7.05
35*5	50*7.5	60*6.5	65*7.5	76.2*10.9	88.9*8.05
35*5.25	50*8	60*7.5	65*7.75	76.2*12.9	88.9*9.55
38*5	50*9	60*8	65*8.5	77*6.5	88.9*11.55
38.1*4.8	50*10	60*10	65*9	77*.8.5	88.9*12.7
38.1*4.95	50*11	63*3.5	65*10	77*9	89*6.5
38.1*5.95	50*11.5	63*4.5	65*12.5	80*3	89.5*8.25
38.1*6.35	50*12.5	63*5	65*15	80*5	90*4
40*4	50.8*4.6	63*6.5	70*5	80*5.25	90*5
40*5	50.8*4.75	63*7.5	70*5.25	80*6	90*6
40*5.25	50.8*4.8	63*8.5	70*6	80*6.5	90*7
40*7.5	50.8*5	63*10	70*6.5	80*7.5	90*7.5
40*9	50.8*6.35	63*11	70*7	80*10	90*8
40*10	50.8*12.7	63.3*4.95	70*7.5	80*11	90*8.5
44.45*6.435	50.8*13.1	63.5*4.75	70*8	80*14	90*9
44*5.5	55*4	63.5*4.8	70*9	82.55*6.225	90*10
45*4	55*5	63.5*5	70*10	83.5*9.25	90*11
45*5	55*5.25	63.5*6.35	70*12.5	85*6.5	90*12
45*5.25	55*5.5	63.5*6.5	73*5.25	85*7.5	90*14
45*6	55*6.5	63.5*4.75	73*6	85*8.5	90*17.5
45*7.5	55*7.5	63.5*4.8	75*4.75	85*9	90*18.5
45*10	55*9	63.5*5	75*5	85*10	95*4
48*3.5	55*12.5	63.5*5.5	75*8.5	85*10.5	95*7.5
49.8*5.1	56*4.5	63.5*6.25	75*10	85*11.5	95*8.5
	56*5	63.5*6.35	75*11.5	85*12.5	95*9.5
	56*6	63.5*8.25	75*12.5	87*9.5	95*10
	56*7		75*13.5		95*11.5
			75*14		95*12.5
					95*13
					95*15
					95*16
					95.25*10.375
98.5*11.25	110*5	122*11.5	140*5	155*12.5	180*7.5
99.1*7.45	110*7.5	123.7*8.15	140*6	155*14.5	180*11.5



JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8,Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu,China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn, mail: sutex@126.com

99.1*10.45	110*8.5	125*3.5	140*7.5	157*13	180*14
100*3.5	110*9	125*4	140*9.5	157*13.5	180*15
100*5	110*10	125*5	140*10	158*18	180*16.5
100*6	110*10.5	125*7.5	140*12	159*18	180*18
100*7	110*11.5	125*10	140*12.5	159.4*12.3	180*19.5
100*7.5	110*12.5	125*10.5	140*14	160*4	183*11
100*8	110*15	125*12.5	140*15	160*5	185*14
100*9	110*27	125*13.5	140*16	160*6	185*17
100*10	114.3*5.25	125*15.5	140*17.5	160*7.5	185*19
100*10.5	114.3*5.35	125*17	140*20	160*10	190*13
100*12.5	114.3*6.35	127*6.35	144.4*7.3	160*12	190*14.5
100*13.5	114.3*7.85	127*6.5	145*11.5	160*12.5	190*16.5
100*15	114.3*9.35	127*9.5	145*12.5	160*14	190*20
100*20	114.3*9.55	127*11.5	145*13.5	160*15	190*22.5
100*30	114.3*10.85	127*12.7	145*15	160*17	195*4
101.6*4.7	114.3*12.7	130*8	145*17.5	160*21.5	196.85*26.575
101.6*5.2	115*4.75	130*9	146*13	160*23	200*6.5
101.6*6.2	115*5	130*10	147*12.5	164.92*11.54	200*8
101.6*6.35	115*7.5	130*11	147*14	165*4.8	200*9.5
101.6*6.7	115*8	130*13	147*14.5	165*14.5	200*11.5
101.6*8.2	115*9	130*14.5	150*4.5	165*19	200*15
101.6*9.7	115*10	130*19	150*9	170*10	200*16
101.6*12.7	115*10.5	133.35*9.525	150*10	170*12	200*17.5
105*7.5	115*11	135*12	150*11	170*16.5	200*20
105*8	115*12.5	135*14.5	150*12.5	170*18	200*21
105*10	115*15	135*16.5	150*14	170*20	200*22.5
105*11	120*5	138*15	150*15	175*9.5	203.2*13.4
105*12.5	120*6	139.4*6.5	150*17	175*14	209.55*20.225
105*14	120*8	139.7*6.15	150*20	175*17.5	210*12.5
105*15	120*8.5	139.7*6.35	150*22		210*17.5
107.95*9.525	120*10	139.7*9.65	152.1*6.5	177*14	220*10
108*8.5	120*13	139.7*11.65	152.4*7.8	177*14.5	220*12.5
	120*15	139.7*12.7	152.4*9.8	177.8*12.7	225*15
	120*16		152.4*12.7	178*20.5	220*17.5
	120*19.5		152.4*12.8	179.4*13.3	220*22.5
					220*23
					220*26.5
250*8	250*11.5	250*24.5			

Notes:

1. Steel material: 20# Steel (similar as ASTM1020/CK22, ASTM A106B, ASTM A53B) for cold



JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

NO.8, Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu, China (214433)

Tel: +86-510-86512178 Mobile: +86-13921195637 www.deshunyy.cn, mail: sutex@126.com

drawn seamless steel tubes, 20# steel and 45# steel (Similar as ASTM1045/CK45) for honed tubes. If the buyer has special request, please let us know the details.

2. The above tubes are our standard products, if the buyer needs other sizes, please let us know the details.

Specification of standard piston rod (diameter, mm)

28.58	38.1	50.8	69.85	88.9
31.75	44.45	57.15	76.2	101.6

Notes:

1. Steel material: 45# Steel (Similar as ASTM1045/CK45). If the buyer has special request, please let us know the details.

2. The above rods are our standard products, if the buyer needs other sizes, please let us know the details.

CONTACT:

JIANGYIN DESHUN HYDRAULIC MACHINERY CO., LTD

Add: NO.8, Qingqiao Road, Qingyang Town, Jiangyin City, Jiangsu, China

P. C. 214433

Website: www.deshunyy.cn

TEL: Tel: +86-510-86512178

Mobile phone/WhatsApp: +86-139-2119-5637

Email: sutex@126.com

Sales Manager: Mr. Jim Bao