

ORSEN
MADE BY eloop



TECHNOLOGY CREATES LIFE
PRODUCT IDEAS

CONTENTS

01-14 | POWER BANK

15-20 | DATA CABLE

21-25 | OTHERS



POWER BANK

E53

Quick Charge Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products

20W

TOTAL OUTPUT

PRODUCT PARAMETER

Size: 141.5x68x15.5mm

Cell Capacity: 10000mAh

Cell: Li-polymer battery

Charging time: about 3hrs

Weight: about 228g

Total Output: 20W

Input(Type-C): 5V/3A;9V/2.22A;12V/1.67A

Output(Type-C): 5V/2.4A;9V/2.22A;12V/1.67A

Output(USB A 1/2): 5V/3A;9V/2A;12V/1.5A



Grey



EW52 / Magnetic Wireless Power Bank

Magnetic charging is compatible with iPhone12&13 series

Type-C charging is compatible with phones, iPad and other digital products



Magnetic Charger



Magnetism



15W MAX

PRODUCT PARAMETER

Size: 100.5x69.5x16mm

Cell Capacity: 10000mAh

Cell: Li-polymer battery

Charging time: about 3hrs

Weight: about 189g

Total Output: 20W

Input(Type-C): 5V/2.4A;9V/2.22A

Output(Type-C): 5V/3A;9V/2.22A;12V/1.67A

Wireless Charging: 5W/7.5W/10W/15W



Black



White

EW50

Magnetic Wireless Power Bank

For iPhone 12&13 series



PRODUCT PARAMETER

Size: 82.5x60x10.5mm

Cell Capacity: 4200mAh

Cell: Li-polymer battery

Charging time: about 2hrs

Weight: about 86g

Total Output: 15W(MAX)

Input(Type-C): 5V/2.4A;9V/1.5A

Output(Type-C): 5V/2.4A;9V/1.3A;12V/1A

Wireless Charging: 5W/7.5W/10W/15W



Light gray



Red



Blue

E43 /

Quick Charge Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



PRODUCT PARAMETER

Size: 171x87.5x19mm

Cell Capacity: 3.7V 25000mAh(92.5Wh)

Cell: Li-polymer battery

Charging time: about 8hrs

Weight: about 460g

Total Output: 30W

Input(Micro): 5V/2A;9V/2A

Input(Type-C): 5V/2.5A;9V/2A

Output(Type-C): 5V/3A;9V/2A

Output USB(1,2): 5V/2.1A

Output USB(3): 5V/3A;9V/2A;12V/1.5A



E41 / Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



PRODUCT PARAMETER

Size: 142x71x16mm

Cell Capacity: 3.7V 10000mAh(37Wh)

Cell: Li-polymer battery

Charging time: about 5.5hrs

Weight: about 242g

Total Output: 2.1A

Input(Micro): 5V/2A

Input(Type-C): 5V/2A

Output USB1: 5V/2.1A

Output USB2: 5V/2.1A

Input Interface: Micro-USB

Operating environment: -10°C~50°C



White

E39 /

Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



PRODUCT PARAMETER

Size: 141x71x27mm

Cell Capacity: 3.7V 20000mAh(74Wh)

Cell: Li-polymer battery

Charging time: about 9~10hrs

Weight: about 420g

Total Output: 2.1A

Input(Micro): 5V/2A

Input(Type-C): DC5V/2A

Output USB1: 5V/2.1A

Output USB2: 5V/2.1A

Input Interface: Micro-USB

Operating environment: -10°C~50°C



White

EW35

Wireless Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



10W WIRELESS
CHARGING



18W USB
INPUT/OUTPUT

PRODUCT PARAMETER

Size: 101x66x23mm

Cell Capacity: 3.7V 10000mAh(37Wh)

Cell: Li-polymer battery

Charging time: about 3hrs

Weight: about 220g

Total Output: 18W

Wireless Charging: 5W/7.5W/10W(MAX)

Input(Micro): 5V/2A;9V/2A

Input(Type-C): DC5V/2.5A;9V/2A

Output(Type-C): 5V/3A;9V/2A;12V/1.5A

Output USB: 5V/3A;9V/2A;12V/1.5A

Output USB(3): 5V/3A;9V/2A;12V/1.5A

Input Interface: Micro-USB

Power Indicator: Digital tube

Operating environment: -10°C~50°C



Gray



Blue

E30

Polymer Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



PRODUCT PARAMETER

Size: 118.5x68.5x9.3mm

Cell Capacity: 5000mAh

Cell type: Li-polymer battery

Charging time: about 2.5hrs

Weight: about 116g

Input: DC5V-2A

Output: DC5V-2.1A

Input Interface: Micro-USB

Power Indicator: LED

Operating environment: -10°C~50°C



Black



White

E29 / Li-polymer Battery Quick Charge Power Bank

For iPhone/mobile phone/iPad/iPod/camera...digital products



PRODUCT PARAMETER

Size: 168x86x19mm

Cell Capacity: 30000mAh

Cell type: Li-polymer battery

Charging time: about 8hrs

Weight: about 450g

Input(Micro): DC5V/2A;9V/2A

Input(Type-C): DC5V/3A;9V/2A

Output (USB): DC5~6V/3A;6~9V/2A;9~12V/1.5A

Output (USB): DC5V/2.4A

Output(Type-C): DC5~6V/3A;6~9V/2A;9~12V/1.5A

Input Interface: Micro-USB

Power Indicator: LED

Operating environment: -10°C~50°C



Black




Gray

W4



W4 / 5 in 1 Wireless Charging Station

Support 5 devices charging at the same time
Wireless charging*2+Apple watch+USB-A+USB-C



PRODUCT PARAMETER

Model: W4
Size: 163x104.5x14mm
Weight: about 187.5g
Output USB2 & Type-C: 5V/3A;9V/2A;12V/1.5A (18W MAX)
Wireless Charging (1&2): 5W/7.5W/10W (MAX)×2

Total Output: 50W
Input: 20V/3A
Output USB1: 5V/2.4A

50w 50W Max

Headphone
Phone



PD PD Quick
Charge

5 Charging of
5 devices

Black

W3 / iWatch Wireless Charger

Applicable to iWatch 2-5 | Magnetic anti-falling Design | 2.5W Output



PRODUCT PARAMETER

Name: iWatch Wireless Charger

Model: W3

Size: 33x27x51mm

Weight: about 16.5g

Input: 5V/1A

Output Power: 2.5W



Wireless
Charging



Magnetic
Adsorption



2.5W High
Power Output



Black

W1 / Wireless Charger

10W Wireless charging



Wireless
Charging



ULTRA
SLIM



10W High
Power Output

PRODUCT PARAMETER

Name: Wireless Charger

Model: W1

Size: 105x105x6mm

Weight: about 103g

Input: 9V/2A; 5V/2A

Output: 5W/7.5W/10W(Max)



Black



DATA CABLE

S10 / Portable Cable

Environmental protection material the use of security



S10C: Type-C

S10L: Lightning

PRODUCT PARAMETER

Model: S10C(Type-C to Type-C)
Output: 3A
Material: TPE
Length: 85mm
Standard: YD/T 1591-2009

Model: S10L(Type-C to Lightning)
Output: 2.4A
Material: TPE
Length: 80mm
Standard: YD/T 1591-2009



Black

S9 / Fash Typec Data Cable

Environmental protection material the use of security



S9L: LIGHTNING



S9C: TYPE-C



S9M: MICRO



PRODUCT PARAMETER

Output: 2.1A
Material: TPE+Fabric
Length: 1.0M
Standard: YD/T 1591-2009

S8 / 5A 2-in-1 USB&Type-C Super Fast Charging Cable

Environmental protection material the use of security



5A

Type-C TO Type-C

PRODUCT PARAMETER

Interface Type: USB-A&Type-C+Type-C

Output: 5A

Material: TPE+Fabric

Length: 1.5M

Standard: YD/T 1591-2009



2-in-1 USB-A
&Type-C



PD 100W
Max



E-MARK
Chip



Length
1.5M

S5 / Fast Charging Data Cable

Aluminum alloy plug shell forging



Support PD



Support
QC4.0



S51: LIGHTNING



S53: TYPE-C

PRODUCT PARAMETER

Output: 3A

Material: TPE+Fabric

Length: 1M

Standard: YD/T 1591-2009



Gray

S3 / Data/Charging Cable

Dermatoglyph surface, 1.2m length



S31: LIGHTNING



S32: MICRO



S33: TYPE-C

PRODUCT PARAMETER

Output: 2.1A

Material: TPE

Length: 1.2M

Standard: YD/T 1591-2009



Black White Grey Red Brown



OTHERS

T4 / Bluetooth Earphones

Small: Smaller than airpods, but as comfortable as airpods pro



PRODUCT PARAMETER

Earphone Size: 28.5*18.5*17mm X 2

Earphone Case Size: 62x42x29mm

Earphone Battery Capacity: 45mAh*2

Case Battery Capacity: 500mAh

Battery Type: Li-polymer battery

Maximum Playing Time: About 4-6hrs

Standby Time of Earphones: About 120hrs

Wireless Connection: Bluetooth 5.1

Earphones Input: 5V = 40mA

Charging Case Input: 5V = 500mA

Charging Case Output: 5V = 100mA



Black



White

T3 / Bluetooth Earphones

Small: Smaller than airpods, but as comfortable as airpods pro



PRODUCT PARAMETER

Earphone Size: 28.5*18.5*17mm X 2

Earphone Case Size: 65.5x34x30.5mm

Earphone Battery Capacity: 45mAh*2

Case Battery Capacity: 500mAh

Battery Type: Li-polymer battery

Maximum Playing Time: About 4-6hrs

Standby Time of Earphones: About 120hrs

Standby Time of Charging Case: Around 2 months
(with earphones inside)

Charging Time of Case: About 3hrs

Charging Time of Earphones: About 1.5hrs

Communication Distance: 10M

(Barrier-free and open environment)

Wireless Connection: Bluetooth 5.1

Earphones Input: 5V = 40mA

Charging Case Input: 5V = 500mA

Charging Case Output: 5V = 100mA



Black



White

C8

45W Mini Car Charger

USB A 45W MAX Quick Charge | Type-C 45W MAX Quick Charge
CNC Technology | Super Mini Size



Dual Output
USB+Type-C



45W
Max



MINI

PRODUCT PARAMETER

Model: C8

Input: 12V~24V

Type-C Output: 4.5V/5A; 5V/4.5A; 9V/3A; 12V/3A; 15V/3A; 20V/2.25A (45W Max)

USB-A Output: 4.5V/5A; 5V/4.5A; 9V/3A; 12V/3A; 20V/2.25A (45W Max)

USB-A+Type-C Output: 5V/4.8A Max



Black

D1 / Rechargeable Sensor Night Light

Infrared + Photosensitive | Downward soft light | Rechargeable Battery | Magnetic Installation



Infrared induction



1800 mAh



Magnetic installation



PRODUCT PARAMETER

Model: D1 Dimension: 90x63x22mm Net Weight: about 77g

Color Temperature: 2700-3000k

Brightness: Low Brightness 10LM - High Brightness 35LM

Sensor: Infrared + Photosensitive Battery life at High

brightness: 18 hours continuous; around 5 months

(10 times each day/25s each time)

Battery life at Low brightness: 72 hours continuous;

around 8 months(10 times each day/25s each time)

Power supply: Lithium battery 1800mAh/3.7V

Rated power: 2W Input Voltage: 5V/800mA



White

Certificate of Authorization

Authorized time :May 1, 2022 to April 30, 2027

Authorized Code:20220010

Authorize hereby:

SLAND OY Business ID 1076407-1

is the distributor of Shenzhen ELOOP Technology Co.,Ltd.
with "ELOOP" and "ORSEN" brand series product. And
provide pre-sale and after-sale service perfectly
Hereby Authorized!



General manager: _____
SHENZHEN ELOOP TECHNOLOGY CO.,LTD

SLAND Oy
Kivikyläntie 22
54410 Ylämaa, Finland
sland@olmio.com
+358 44 032 5922