



# Tile-Stone Adhesive

Sustainable Solutions for  
TOMORROW'S World



# Ecogrip Adhesive —

This Product is a polymer modified thin set adhesive designed for fixing ceramic tiles semi vitreous tiles and natural stones of regular size in dry application on interior floor and interior wallas upto 3 meter.

Also suitable for vitrified tiles on floors and tile on tile application. It is suitable. It can be used upto 12mm bed thickness.



## Typical Properties —

PARAMETER	VALUE
Color	Grey
Powder Density	1.34-1.52Kg/ Liter
Open Time	15+5 Minutes
Adjustment Time	15+5 Minutes
Pot Life	90 – 120 Minutes
Water-Powder Ratio	24% - 27%
Foot Traffic/ Ready	24 Hours

# Standard Adhesive —

This Product is designed especially for interior floors and exterior floors, for the installation of all types of ceramic, semi- vitreous and vitrified tiles and natural stones.

It can be used in dry. Wet and submerged areas such as swimming pools, saunas, kitchens, bathrooms etc. It is applicable on various substrates such as cement plaster, concrete, brick masonry, existing tiles and stones, precast terrazzo etc. It can be used upto a maximum of 12mm bed thickness.



# Typical Properties —

PARAMETER	VALUE
Color	Grey
Powder Density	1.28-1.48Kg/ Liter
Open Time	15+5 Minutes
Adjustment Time	15+5 Minutes
Pot Life	90 – 120 Minutes
Water-Powder Ratio	24% - 27%
Foot Traffic/ Ready	24 Hours



# Premium Adhesive —

Designed for all types of ceramics, semi – vitreous, vitrified tiles and naturals stones on cement and variety of substrates especially can be used for granites and stones in interior and exterior applications and for heavy traffic area.

Property of underwater shear bond makes it useful for wet and submerged application such as swimming pools saunas washrooms etc. It can be used up to a maximum of 12mm bed thickness.



# Typical Properties —

PARAMETER	VALUE
Color	Grey
Powder Density	1.28-1.48Kg/ Liter
Open Time	15+5 Minutes
Adjustment Time	20+5 Minute
Pot Life	90 – 120 Minutes
Water-Powder Ratio	25% - 28%
Foot Traffic/ Ready	24 Hours

# Benefits Of Tile-Stone Adhesive —

- Better workability and durability
- Sustains heat ageing
- High strength
- No water curing required
- Time saver
- Convenient to use



## Features —



Interior application,  
polymer based



Easy mixing



Quick application



Standard open time



Superior adhesion



Smooth application



Single component, just  
add water

## ADMIN OFFICE

📍 236, Laxmi Enclave, Near Gajera School, Katargam, Surat-395004 Gujarat, India.

☎ 0261-2484777    📞 +91-90992 92926

🌐 [www.laxmiblocks.com](http://www.laxmiblocks.com)

## SALES INQUIRY

☎ +91 9316731984    ✉ [sales.laxmiblocks@gmail.com](mailto:sales.laxmiblocks@gmail.com)