

让再生创造美好生活!
Let regeneration create a better life!

COMPANY PROFILE


公司简介 ▶

再美作为再生塑料行业高品质的领先企业,专注于小中空RHDPE颗粒料生产,通过自主研发的除菌、除杂、除色生产工艺,对分选、清洗、破碎、改性、造粒、包装等处理加工流程实施实时监控、智能监测技术和5S的生产流程,确保高品质的同时,使产品质量参数的高稳定性。从回收废旧塑料瓶再生产为RHDPE新瓶,以及达到符合食品级塑料认证标准,完全实现了从“瓶”到“瓶”的同级循环利用。

REMEI is as a high-quality leading enterprise in the recycled plastics industry. We focus on the production of small and medium-sized hollow RHDPE pellets. To achieve the production process of sterilization, impurity and color removal, real-time and intelligent monitoring technologies are implemented to sort, clean, crush, modify, granulate, package and implement 5S production-procedure to ensure high quality and high stability of product quality parameters. We recycle waste plastic bottles into new RHDPE bottles that meet food-grade plastic certification standards. Also, we have fully achieved a closed-loop recycling process from "bottle to bottle"



Beijing-tianjin-hebei one-hour metropolitan area 京津冀一小时都市圈




It is 180 kilometers from Beijing
It is 200 kilometers from Tianjin
It is 70 kilometers away from Xiongan New Area
It is 70 kilometers from Shijiazhuang



PATENT CERTIFICATION

资质&荣誉&专利▶



- 省级绿色工厂
- 河北省创新型中小企业
- 定州市智慧工厂
- 河北省科技型中小企业
- 营商环境检测点
- 市级企业技术中心

- Provincial Green Factory
- Innovative small and medium-sized enterprises
- Dingzhou smart factory
- Small and medium-sized technology-based enterprise
- Business environment inspection point
- Municipal enterprise technology center



- GRS全球回收标准认证
- Global Recycling Standard Certification
- FDA美国食品级检测
- FDA US food grade testing



- 环境管理体系证书
- Environmental Management System Certificate
- 职业健康体系证书
- Occupational health system certificate
- 质量管理体系证书
- Quality management system certificate



- 重质量守信用AAA单位
- 重合同守信用AAA信用单位
- 诚信供应商AAA级企业
- 中国诚信企业家
- 企业信用等级AAA证书
- 企业资信AAA等级证书
- 诚信经营示范AAA单位
- 质量服务诚信AAA单位

- Emphasis on quality and credit AAA unit
- Honor the contract and keep credit AAA credit unit
- Credit supplier AAA level enterprise
- Chinese honest entrepreneurs
- Enterprise credit rating AAA certificate
- Enterprise credit AAA grade certificate
- Integrity management model AAA units
- Quality service integrity AAA unit



PRODUCT DISPLAY

产品展示 ▶



RHDPE系列:

应用行业 Application Industry

- ※吹膜:连卷袋、背心袋、防水膜、土工膜、工业膜等
- ※吹塑:交通设施(防撞桶、水马、路障)、桶类、瓶类、壶类、海漂等
- ※拔管:钢带管、给水管、硅芯管、排污管、梅花管、波纹管等
- ※拉丝:篷布、网兜等
- ※Blown film: continuous roll bag, vest bag, garbage bag, medical bag, water proofmembrane, soil and water film, industrial film etc.
- ※Blow molding: transportation facilities, barrels, bottles, pots, sea floats etc.
- ※Extubation: steel belt pipe, water supply pipe, silicon core pipe, sewage pipeplum blossom pipe, corrugated pipe.
- ※Drawing process: tarpaulin, net bag etc .



扫码查看更多产品详情



特级透明—HDPE低压高密度聚乙烯

Super transparent - HDPE low pressure high-density polyethylene

产品性能 Product Performance

溶指 (10min): 1.0-1.3

拉伸强度: 26-29

断裂伸长率: 800-1000


灰份 (%): <0.1

Soluble finger (10min) : 1.0-1.3

Tensile strength : 26-29

Elongation at break: 800-1000

Ash (%): <0.1



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

Performance Feature:

- To achieve the world's top equipment to sort, clean, crush, granulate.
- Wide range of applications, and recommendation for blown film, blow molding, pipe/fiber drawing process etc.
- Quality parameters and High stability of production output.

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、垃圾袋、医疗袋、防水卷材、土工膜、工业膜等
- ※ 吹塑: 交通设施、桶类、瓶类、壶类、海漂等
- ※ 拔管: 钢管带、给水管、硅芯管、排污管、梅花管、波纹管等
- ※ 拉丝: 篷布、网兜等

Remel Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: continuous roll bag, vest bag, garbage bag, medical bag, waterproof membrane, soil and water film, industrial film etc
- ※ Extrusion: steel belt pipe, water supply pipe, silicon core pipe, sewage pipe, plum blossom pipe, corrugated pipe
- ※ Drawing process: tarpaulin, net bag etc

透明—HDPE低压高密度聚乙烯

Transparent - HDPE low pressure high-density polyethylene



产品性能 Product Performance

溶指 (10min): 0.9-1.2

拉伸强度: 22-26

断裂伸长率: 750-950


灰份 (%): <0.2

Soluble finger (10min) : 0.9-1.2

Tensile strength : 22-26

Elongation at break: 750-950

Ash (%): <0.2



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、防水膜、土工膜
- ※ 吹塑: 交通设施 (防撞桶、水马、路障)、桶、瓶、壶、海上浮球
- ※ 拔管: 钢带管、管道内壁、排污管、梅花管
- ※ 拉丝: 篷布

Remei Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: even roll bag, vest bag, waterproof film, geomembrane
- ※ Blow molding: transportation facilities (anti-collision bucket, water horse, barricade), bucket, bottle, pot, sea float
- ※ Tube drawing: steel belt pipe, pipe wall, blowdown pipe, plum pipe
- ※ Drawing: Tarpaulin



白色—HDPE低压高密度聚乙烯

White - HDPE low pressure high-density polyethylene

产品性能 Product Performance

溶指 (10min): 0.8-1.1

拉伸强度: 20-23

断裂伸长率: 700-900


灰份 (%): <2

Soluble finger (10min): 0.8-1.1

Tensile strength: 20-23

Elongation at break: 700-900

Ash (%): <2



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、防水膜、土工膜
- ※ 吹塑: 交通设施 (防撞桶、水马、路障)、桶、瓶、壶、海上浮球
- ※ 拔管: 钢带管、管道内壁、排污管、梅花管
- ※ 拉丝: 篷布

Remei Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: even roll bag, vest bag, waterproof film, geomembrane
- ※ Blow molding: transportation facilities (anti-collision bucket, water horse, barricade), bucket, bottle, pot, sea float
- ※ Tube drawing: steel belt pipe, pipe wall, blowdown pipe, plum pipe
- ※ Drawing: Tarpaulin

红色—HDPE低压高密度聚乙烯

Red - HDPE low pressure high-density polyethylene



产品性能 Product Performance

溶指 (10min): 0.9-1.2

拉伸强度: 20-23

断裂伸长率: 600-800


灰份 (%): <1.5

Soluble finger (10min) : 0.9-1.2

Tensile strength : 20-23

Elongation at break : 600-800

Ash (%) : <1.5



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、防水膜、土工膜
- ※ 吹塑: 交通设施 (防撞桶、水马、路障)、桶、瓶、壶、海上浮球
- ※ 拔管: 钢带管、管道内壁、排污管、梅花管
- ※ 拉丝: 篷布

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

Remei Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: even roll bag, vest bag, waterproof film, geomembrane
- ※ Blow molding: transportation facilities (anti-collision bucket, water horse, barricade), bucket, bottle, pot, sea float
- ※ Tube drawing: steel belt pipe, pipe wall, blowdown pipe, plum pipe
- ※ Drawing: Tarpaulin



蓝色—HDPE低压高密度聚乙烯

Blue - HDPE low pressure high-density polyethylene

产品性能 Product Performance

溶指 (10min): 0.9-1.2

拉伸强度: 20-23

断裂伸长率: 600-800


灰份 (%): <1.5

Soluble finger (10min): 0.9-1.2

Tensile strength: 20-23

Elongation at break: 600-800

Ash (%): <1.5



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、防水膜、土工膜
- ※ 吹塑: 交通设施 (防撞桶、水马、路障)、桶、瓶、壶、海上浮球
- ※ 拔管: 钢带管、管道内壁、排污管、梅花管
- ※ 拉丝: 篷布

Remei Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: even roll bag, vest bag, waterproof film, geomembrane
- ※ Blow molding: transportation facilities (anti-collision bucket, water horse, barricade), bucket, bottle, pot, sea float
- ※ Tube drawing: steel belt pipe, pipe wall, blowdown pipe, plum pipe
- ※ Drawing: Tarpaulin

绿色—HDPE低压高密度聚乙烯

Green - HDPE low pressure high-density polyethylene



产品性能 Product Performance

溶指 (10min): 0.9-1.2

拉伸强度: 18-22

断裂伸长率: 600-800


灰份 (%): <2

Soluble finger (10min) : 0.9-1.2

Tensile strength: 18-22

Elongation at break: 600-800

Ash (%) : <2



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

应用行业: 可用于

- ※ 吹膜: 连卷袋、背心袋、防水膜、土工膜
- ※ 吹塑: 交通设施 (防撞桶、水马、路障)、桶、瓶、壶、海上浮球
- ※ 拔管: 钢带管、管道内壁、排污管、梅花管
- ※ 拉丝: 篷布

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

Remei Super Grade Transparent HDPE is recommended for applications filed as below

- ※ Blowing film: even roll bag, vest bag, waterproof film, geomembrane
- ※ Blow molding: transportation facilities (anti-collision bucket, water horse, barricade), bucket, bottle, pot, sea float
- ※ Tube drawing: steel belt pipe, pipe wall, blowdown pipe, plum pipe
- ※ Drawing: Tarpaulin



黑色—HDPE低压高密度聚乙烯

lack - HDPE low pressure high-density polyethylene

产品性能 Product Performance

熔指 (10min): 1.0-1.4

拉伸强度: 18-23

断裂伸长率: 600-800

灰分: <2

Soluble finger (10min): 1.0-1.4

Tensile strength: 18-23

Elongation at break: 600-800

Ash: <2



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于注塑、生活用品、工业配件
- 参数指标稳定、产量稳定

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Applicable to a wide range of industries, including injection molding, daily necessities, and industrial components.
- Stable parameter indexes and output

应用行业: 可用于

注塑: 涂料桶、桌椅、脸盆、垃圾桶、收纳箱

Remei Super Grade Transparent HDPE is recommended for applications filed as below

Injection molding: paint buckets, tables and chairs, basins, trash cans, storage boxes

乳白—PP聚丙烯

Milky white - PP polypropylene



产品性能 Product Performance

溶指 (10min): 3-5

拉伸强度: 23-25

冲击强度: 13-18


灰份 (%): <1.5

Soluble finger : 3-5

Tensile strength : 23-25

Impact strength : 13-18

Ash (%) : <1.5



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于吹膜、吹塑、管道、拉丝工艺
- 参数指标稳定、产量稳定

应用行业: 可用于

※ 注塑: 涂料桶、桌椅、脸盆、垃圾桶、收纳箱

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Wide application range, suitable for film blowing, blow molding, pipeline, wire drawing process
- Stable parameter indexes and output

Remei Super Grade Transparent HDPE is recommended for applications filed as below

※ Injection molding: paint buckets, tables and chairs, basins, trash cans, storage boxes



透明—PP聚丙烯

Milky white - PP polypropylene

产品性能 Product Performance

熔指 (10min): 4-6

拉伸强度: 22-25

冲击强度: 5-8


灰分: <0.5

Soluble finger (10min): 4-6

Tensile strength: 22-25

Impact strength: 5-8

Ash: <0.5



特性优势:

- 通过全球顶级设备分选、破碎、清洗、造粒
- 适用范围广, 适用于注塑、生活用品、工业配件
- 参数指标稳定、产量稳定

Performance Feature:

- Sorting, crushing, cleaning and granulating through the world's top equipment
- Applicable to a wide range of industries, including injection molding, daily necessities, and industrial components.
- Stable parameter indexes and output

应用行业: 可用于

注塑: 涂料桶、桌椅、脸盆、垃圾桶、收纳箱

Remel Super Grade Transparent HDPE is recommended for applications filed as below

※ Injection molding: paint buckets, tables and chairs, basins, trash cans, storage boxes

通过研发团队自主研发的微型加热、热源驱动节能、高密度自动分拣、水下切粒、智能监控系统等工艺，在生产过程中，制造出能循环利用更少、减少污染物排放的绿色高品质塑料颗粒。

Through processes such as stepwise heating, heat source cycle energy saving, high density automatic slag removal, underwater granulation, and intelligent monitoring systems independently developed by the Zooni R&D team, green high quality plastic particles that use less energy and reduce pollutant emissions are produced during the production process.

06.成品颗粒 (Finished particles)

05.改性 (Modify)

通过公司研发的改性工艺，对原材料进行成分及物性的定制，以满足客户生产的塑料制品及其硬度、韧性、韧性、光泽度、透明度、颜色等进行定制生产。

Through the modification process developed by the company, the composition and physical properties of raw materials are customized to meet the customized production of plastic products produced by customers and their hardness, plasticity, toughness, glossiness, transparency, color, etc.

01.收集 (collect)

构建完善的废塑料回收体系，在全国，针对于垃圾分类公司、再生资源回收公司，收集中空类塑料废料。

Establish a comprehensive waste plastic recycling system nationwide, targeting waste sorting companies and recycling companies to collect hollow plastic waste materials.

再美高质化智能生产工艺

Remei high-quality intelligent production process

04.分选 (Sort)

引进先进分选设备，借助国际领先的光电识别和传感技术，同时提升材料、颜色、硬度和分选效率，高效剔除杂质、金属等杂质，对材料进行最后一道品质把关，满足食品级再生标准。

Introducing advanced sorting equipment, using international leading optical identification and sensing technology, while improving the accuracy and sorting efficiency of materials and colors, effectively eliminating various non-PE impurities such as miscellaneous materials and metals, and performing the final quality check on materials to meet food grade recycling standards.

03.清洗 (Clean)

生产线采用不间断连续性生产，废水回用、热水回用，节能环保。

The production line adopts continuous production, wastewater reuse, hot water reuse, energy conservation and environmental protection.

02.破碎 (Crush)

高效率将塑料由高压密态分解为零散态，进行破碎，通过包裹填充颗粒的方式，以降低破碎耗气，所采用的破碎工艺可以实现不停机下料、破碎和输送，所得到的塑料碎片破碎程度且碎片面积问题，适用性佳，工艺科学。

Efficiently decompose materials from a highly compressed state into a scattered state and crush them. The crushing noise is reduced by covering and filling with sound insulation cotton. The crushing process used can achieve continuous feeding, crushing, and conveying without stopping the machine. The resulting plastic scraps are thoroughly crushed, and the area of the scattered pieces can be adjusted, making the process scientifically sound and highly applicable.

01 | PRODUCT CONCEPT


产品理念

河北再美高分子材料有限公司针对垃圾分类公司、再生资源回收公司回收牛奶瓶、酱油壶瓶、洗发水瓶、沐浴露瓶、洗衣液瓶等中空类HDPE废塑料,通过15条高端智能化生产线(包括分选、清洗、破碎、改性等处理加工流程)和先进的生产加工设备,将一个废旧塑料瓶再生产为RHDPE新瓶,达到食品级塑料认证标准,实现从“瓶”到“瓶”的同级循环利用,极大地提升了RHDPE颗粒料循环利用使用比例,更加符合循环经济“减量化、再利用、循环”的3R原则。

We specialize in recycling medium-sized hollow HDPE waste plastics such as milk bottles, soy sauce bottles, shampoo bottles, shower gel bottles, and laundry detergent bottles collected by waste classification companies and recycling resource recovery companies. Through 15 high-end intelligent production lines (including sorting, cleaning, crushing, and modification processes) and advanced production and processing equipment, we recycle waste plastic bottles into new RHDPE bottles that meet food-grade plastic certification standards. Our closed-loop recycling process from "bottle to bottle" greatly increases the utilization rate of RHDPE pellets, which is in line with the 3R principle of reducing, reusing, and recycling in the circular economy.

(如若产品质量检测不达标,则由本公司承担往返运输费用。)

(If the product quality test does not meet the standards, the company shall bear the round-trip transportation costs.)



02 | R&D LABORATORY 研发实验室

再美以自主研发为主, 组建了一级高分子技术研发团队, 设有独立的高分子材料研究中心, 专注于小中空RHDPE再生颗粒料的生产研发, 实验室配备了电脑系统万能材料实验机、注塑机、吹塑机、熔体流动速率仪、悬臂梁冲击试验机、万分级的电子秤、烘箱、标准光源对色灯箱、马弗炉等专业设备。通过人员的研发配比和先进的生产设备, 确保质量安全高效完成塑料的循环再利用。

Focusing on independent research and development, Remei has set up a first-class polymer technology research and development team and an independent polymer materials research center, focusing on the production and development of small hollow RHDPE recycled particles. The laboratory is equipped with computer system universal material experimental machine, injection molding machine, blow molding machine, melt flow rate instrument, cantilever beam impact testing machine, ten thousand grade electronic scale, oven, standard light source color light box, Muffle furnace and other professional equipment. Through personnel research and development ratio and advanced production equipment, to ensure the quality, safety and efficient completion of plastic recycling.



03 | ENVIRONMENTAL PROTECTION CONCEPT 环保理念

再美公司以自主研发为主，组建了一级高分子技术研发团队，设有独立的高分子材料研究中心，并与国内多所知名高校建立横向交流与合作。目前，再美日使用废塑料300吨，年产RHDPE塑料颗粒10万吨，年产值5.75亿元，可回收覆盖1.2亿人口产生的中空类包装物。

凭借先进的生产技术水平与研发创新能力、优质的产品质量与生产规模，再美已成长为国内再生塑料回收行业的领先企业。未来，再美将积极响应国家政策，全力推进再生塑料产业数字化和高质化的发展，为再生塑料行业绿色、循环、可持续发展做出企业贡献！



Based on independent research and development, the company has set up a first-class polymer technology research and development team, an independent polymer materials research center, and has established horizontal exchanges and cooperation with many well-known universities in China. At present, the United States and Japan use 300 tons of waste plastic, annual output of RHDPE plastic particles 100,000 tons, 575 million yuan, can be recycled to cover 120 million people produced hollow packaging. With advanced production technology, R&D and innovation ability, high-quality product quality and production scale, Remei has grown into a leading enterprise in the domestic recycling industry of recycled plastics. In the future, Remei will actively respond to the national policy, to promote the digital and high-quality development of the recycled plastics industry, to make corporate contributions to the green, circular and sustainable development of the recycled plastics industry!

$$\begin{aligned}
 6 \text{ 吨} & \times \text{油桶} = \text{油桶} \\
 2.2 \text{ 吨} & \times \text{CO}_2 = \text{CO}_2 \\
 16 \text{ 棵} & \times \text{树} = \text{树}
 \end{aligned}$$

回收利用1吨废塑料=节省**6吨**石油

回收利用1吨废塑料=减少**2.2吨**碳排放

回收利用1吨废塑料=保护**16棵**树

- Recycle 1 ton of waste plastics=save 6 tons of oil
- Recycle 1 ton of waste plastics=reduce 2.2 tons of carbon emissions
- Recycle 1 ton of waste plastic=protect 16 trees

04 | MEDIA REPORT 媒体报道

2023年6月5日，第52个世界环境日，中央电视台财经频道《经济半小时》栏目推出了《吃废吐“金”，打开循环经济之门》专题报道，对我国垃圾回收再利用和循环经济发展所取得的业绩及优秀企业进行了详细介绍。

河北再美高分子材料有限公司以国内再生塑料领域优秀企业的身份接受了央视采访报道。

On June 5, 2023, the 52nd World Environment Day, China Central Television's Finance Channel aired a special report titled "Turning Waste into Gold: Opening the Door to Circular Economy" on the program "Economic Half-hour". The report provided a detailed introduction to the achievements and outstanding companies in waste recycling and circular economy development in China.

Hebei Remei Polymer Material Co., Ltd., as an outstanding company in the domestic recycled plastics industry, was interviewed and featured in the report by CCTV.



DISTRIBUTION OF OFFICES

办事处分布

05



海外分布

International sales

European Office Address

- RCT Renewable Resources GmbH, Grötelstr. 3060325
Frankfurt, Deutschland
- gerzmoffice@remeiplas.cn



德国



河北

河北再美高分子材料有限公司

山东

广东

黑龙江



国内分布

Domestic sales

河北再美科技发展有限公司

- 河北省石家庄市长安区中山东路11号乐汇城1-3-801
- zmoffice@remeiolas.cn

河北再美高分子材料有限公司

- 定州市北方(定州)再生资源产业基地经十三路001号
- dzzmoffice@remeiplas.cn

河北泰塑新材料科技有限公司

- 河北省定州市北方循环经济示范区高标产业园四号园001-3号
- hbzmoffice@remeiplas.cn

中凯威(山东)塑胶科技有限公司

- 山东省滨州市博兴县湖滨镇寨卢村北
- sdzmoffice@remeiplas.cn

黑龙江顶格再生资源回收有限公司

- 黑龙江省哈尔滨市道里区新发镇二场村老砖厂院内
- hljzmoffice@remeiplas.cn

佛山再美塑胶贸易有限公司

- 广东省佛山市顺德区乐从镇德富塑料城建设路D2座5号
- fszmoffice@remeiplas.cn

Hebei Remei Technology Development Co., Ltd.

- Room 801, Unit 1-3 ENJOY City, No. 11, Zhongshan East Road, Chang An District, Shijiazhuang City, Hebei Province
- zmoffice@remeiolas.cn

Hebei Remei Polymer Material Co., Ltd.

- No. 001, Jingshisan Road Renewable Resources Industry Base, Dingzhou city North (Dingzhou)
- dzzmoffice@remeiplas.cn

Hebei Taisu New Material Technology Co., Ltd.

- No. 001-3, No. 4 Garden, Gaobiao Industrial Park, North Circular Economy Demonstration Park, Dingzhou City, Hebei Province.
- hbzmoffice@remeiplas.cn

Zhongkaiwei (Shandong) Plastic Technology Co., Ltd.

- Zhailu Village North, Hubin Town, Boxing County, Binzhou City, Shandong Province
- sdzmoffice@remeiplas.cn

Heilongjiang Dingge Renewable Resources Recycling Co., Ltd.

- Erchang Village the old brick factory courtyard, Xinfu Town, Daoli District, Harbin City, Heilongjiang Province
- hljzmoffice@remeiplas.cn

Foshan Remei Plastic Trading Co., Ltd.

- No. 5, Block D2, Jianshe Road, Defu Plastic City, Lecong Town, Shunde District, Foshan City, Guangdong Province
- fszmoffice@remeiplas.cn



再美公众号

Remei Weixin Official Accounts Platform



再美线上产品

Remei online product

再美以公开公正为原则，坚持透明化、阳光化操作管理，高度重视反腐倡廉建设工作，如发现徇私舞弊、以权谋私等不良现象，请反映至 tousu@remeiplas.cn 举报邮箱，我们将及时受理！

Remei adheres to the principle of openness and justice, adheres to transparent and sunny operation and management, and attaches great importance to the construction of anti-corruption and integrity. If you find favoritism and malpractice, influence for personal gain and other bad phenomena, please report to tousu@remeiplas.cn report mailbox, we will accept it in time!

联系电话: +86 13128672250

官方网址: www.remeiplas.com

※ 样品请联系代理商或者销售人员

Please contact the agent or salesperson for samples



Hebei ReMei Polymer Materials Co., LTD



Email

FS@remeiplas.cn
info@remeiplas.com



Address

1 Jing13 Road, North Circular Economy
Demonstration Zone, Dingzhou City,
Hebei Province, China



URL

www.remeiplas.com

GZ Office: Room 3012-3015 Tower A,
MingFeng Plaza, Haizhu District, Guangzhou
City, Guangdong Province, China



Website



WhatsApp



Wechat