FLOORING

Company Profile



A Who we are?

Furman is a leading flooring manufacturer providing comprehensive, one-stop solutions. With over 15 years of industry expertise, we specialize in producing high-quality flooring products, including SPC flooring, laminate flooring, waterproof laminate flooring, and extend to Wall Panels. Our diverse range is designed to meet our customers' varying needs, ensuring both reliability and style.

15+

30,000+

5,000,000+

Industry Production Experience

Factory Area (m²)

m²) Annual Production Capacity (m²)











2011

Our first laminate flooring factory was established, covering an area of 10,000m².

2024

Furman brand was launched to elevate our factory's global presence and provide superior service to international clients.

2015

The factory was officially renamed Yuyang New Materials Co.,Ltd and expanded to a 30,000m² facility

2021

Two Logistics Center were set in Changzhou and Hefei

2018

Anhui Dahuan New Materials Co., Ltd. was founded as a dedicated manufacturer of SPC flooring

2020

Chuzhou Hongtai New Material Co., Ltd. was founded and dedicated to producing IXPE under layers.






Our vision is to become the leader in the SPC flooring industry, creating better living spaces. We pursue exceptional quality and innovation, advocate for sustainable development, and aim to have a positive impact on our employees, partners, and society.

We strive to be the trusted first choice for customers. Through ongoing research and technological innovation, we will create environmentally friendly, durable, and comfortable SPC flooring products to meet the diverse needs of modern living!











Our products are favored by Domestic and Foreign customers and exported to more than 40 countries, including the United Kingdom, the United States, Canada, South Africa, Australia, Japan, Germany, Spain, and South America, etc.



A Our Categories
















SPC Flooring

SPC flooring is a type of flooring with a moisture-proof solid core constructed of limestone, PVC and stabilizers. Its surface layer provides protection from dirt and moisture, has antibacterial protection, is resistant to UV rays and stains, and has antistatic and sound-reducing qualities, among other advantages.





Safe and environmental-friendly



Waterproof and moisture-proof



Anti-slip



Wear-resistant



Easy Cleaning and Maintainence



Seamless Click-locking technique



Fire Resistance and High Temperature Resistance



Anti-mould, Insect-proof,Anti-bacteria



Simple Installation



High Stability



Warm and Soft Foot Feeling



Easy Repairing

SPC Flooring

FURMAN™

TECHNICAL DATA

SPC Flooring Specification			
Color More Than 5000+ colors selection			
Thickness	3.5mm/4.0mm/4.5mm/5.0mm/5.5mm/6.0mm/6.5mm/7.0mm/8.0mm/etc.		
Size:	48" x 6"(1220*153mm) 48" x 7"(1220*183mm) 48" x 9"(1220*230mm) 60" x 9"(1525*230mm)		
Top wearlayer	0.2mm(8mil), 0.3mm(12mil), 0.5mm(20mil)		
Backing Foam	EVA 1mm, EVA 1.5mm, EVA 2mm, IXPE 1mm, IXPE 1.5mm, IXPE 2mm,		
Click system	Unilin Click, Valinge Click, 2G, 5G, 5G-i		
Surface Texture	Embossed, EIR, Stone, Carpet		
Nominal Gloss Level(g.u.)	4-7, 5-8		
Usage	Bedroom, Kitchen, Basements, Home, School, Hospital, Mall, Commercial to use.		
Features	Fire Retardant, Formaldehyde Free, Water Proof, Easy Installation, Scratch Resistant, Easy to Clean, Slip Resistant, Prevent Pet Damage, Noise Reduction		



Hot Sale Colors for SPC Flooring














WPC ABA Flooring



WPC ABA flooring is an advanced multi-laver composite flooring that merges the benefits of wood plastic composite(WPC) with a unique three-layer ABA structure, consisting of LVT-WPC-LVT layers. Compared to traditional WPcflooring, it offers greater stability and enhanced comfort. The dense core structure provides excellent sound insulation, which is ideal for quieter environments. Additionally, its user-friendly click-lock system simplifies installation, reducing both time and cost, with its ability to mimic the look of natural wood or stone, WPC ABA floor offers a wide range of design options to suit various interior styles.





100% Waterproof



Locking System



Environmentally Friendly



B1 Flame Retardant



ABA Stable Structure



Applicable to Floor Heating




Easy to Clean





Laminate Flooring

Laminate flooring is a multi-layer flooring material made from wood fiber that was designed to give the closest replication of natural wood material. Laminate flooring is scratch-resistant and easy to maintain and clean, making it a preferred choice that stands the test of time.





ase of Installation



Design Option



asy to Maintain



Good for Kids



Moisture Resistant



Stain and Fade Resistant



Eco Friendly



Laminate Flooring




TECHNICAL DATA

Name	Furmanflooring manufacturer	
Color	More Than 5000+ colors selection	
Thickness	8mm, 12mm	
Product Length	1220/1520/1830/2260mm	
Product Width	150/168/198/300mm	
Click system	Unilin Click, Valinge Click, 2G, 5G, 5G-i	
Surface Texture	Embossed, Fossil, Crystal, Hairlike, EIR, Cracking, Distressed wave, High glossy, Wood art Crafted Surface, Handscrafted, Refined Registered	
Abrasion Class	AC1, AC2, AC3, AC4, AC5	
Edge design	Square edge, V Groove,U Groove	
Formaldehyde Emission	CarB II /Fxxxx/Fxxxxx/ENF/E0	
Usage	Bedroom, Living room, Study room, Dressing room, Office, Hotel, Hall, Celling	
Features	Ease of Installation, Design Options, Moisture Resistant, Stain and Fade Resistant, Easy to Maintain, Good for Kid Eco Friendly, Pet Friendly, Alternative to More Expensive Flooring	

Laminate flooring is a practical, stylish and affordable flooring option compared to other flooring options, combining the look of natural materials with the durability and easy maintenance that modern lifestyles demand.

Waterproof Laminate Flooring

Waterproof laminate flooring is a highly durable and moisture-resistant option that offers the aesthetic appeal of wood or stone. Its core layer is designed to be dense, waterproof, and resistant to swelling, allowing it to withstand water exposure without sustaining damage.





Ease of Installation



Design Options



Easy to Maintain



Good for Kids



Moisture Resistant



Stain and Fade Resistant



Eco Friendly



Pet Friendly



Waterproof Laminate Flooring



TECHNICAL DATA

5% Waterproof Laminate Flooring Specification		
Name	Furmanflooring manufacturer	
Color	More Than 5000+ colors selection	
Thickness	8mm, 12mm	
Product Length	1220/1520/1830/2260mm	
Product Width	150/168/198/300mm	
Click system	Unilin Click, Valinge Click, 2G, 5G, 5G-i	
Surface Texture	Embossed, Fossil, Crystal, Hairlike, EIR, Cracking, Distressed wave, High glossy, Wood art Crafted Surface, Handscrafted, Refined Registered	
Core	Compact Density Fiberboard (CDF)	
Abrasion Class	AC3, AC4, AC5	
Edge design	Square edge, V Groove,U Groove	
Formaldehyde Emission	CarB II /Fxxx/Fxxxx/ENF/E0	
Usage	Bedroom, Kitchen, Basements, Home, School, Hospital, Mall, Commercial to use.	
Features	Water Resistant, Ease of Installation, Design Options, Moisture Resistant, Stain and Fade Resistant, Easy to Maintain Good for Kids, Eco Friendly, Pet Friendly, Alternative to More Expensive Flooring	

10% Waterproof Laminate Flooring Specification		
Name	Furmanflooring manufacturer	
Color	More Than 5000+ colors selection	
Thickness	8mm, 12mm	
Product Length	1220/1520/1830/2260mm	
Product Width	150/168/198/300mm	
Click system	Unilin Click, Valinge Click, 2G, 5G, 5G-i	
Surface Texture	Embossed, Fossil, Crystal, Hairlike, EIR, Cracking, Distressed wave, High glossy, Wood art Crafted Surface, Handscrafted, Refined Registered	
Core	Black HDF (HDF)	
Abrasion Class	AC3, AC4, AC5	
Edge design	Square edge, V Groove,U Groove	
Formaldehyde Emission	CarB II /Fxxx/Fxxxx/ENF/E0	
Usage	Bedroom, Kitchen, Basements, Home, School, Hospital, Mall, Commercial to use.	
Features	Water Resistant, Ease of Installation, Design Options, Moisture Resistant, Stain and Fade Resistant, Easy to Maintain Good for Kids, Eco Friendly, Pet Friendly, Alternative to More Expensive Flooring	

Waterproof Laminate Flooring



5% Whaterproof Laminate Flooring Specification



10% Whaterproof Laminate Flooring Specification



Flooring Install SPC/Laminate

A click-and-go installation system is available, maximizing convenience and enabling users to complete the installation quickly and easily. Since no adhesives or specialized tools are required, the process is streamlined and user-friendly, reducing the time and effort typically required with traditional installation methods. This simplifies the installation process and minimizes environmental impact by eliminating the need for chemical adhesives or other materials. Additionally, the ease of the system makes it ideal for DIY enthusiasts, allowing even those with minimal experience to achieve professional-quality results in their home improvement projects.



















SPC Wall Panel

Furman SPC (Stone Plastic Composite) wall panel is a type of rigid wall panel made from a composite material consisting of natural limestone powder, polyvinyl chloride (PVC), and stabilizers. These panels are engineered to provide high durability, water resistance, and a long-lasting, aesthetically pleasing surface for interior walls. Easy maintenance and installation. Due to their robust properties, they are commonly used in residential, commercial, and industrial spaces, particularly in areas prone to moisture, such as bathrooms, kitchens, basements, etc.







SPC Wall Panel



TECHNICAL DATA

SPC Wall Pa	anel Specification	
Material	SPC(Stone Polymer Composite)	
Size(THK)	4mm/5mm/6mm(or customized)	
Size(Width)	400mm/600mm/1200mm(or customized)	
Size (Length)	2440mm/2800mm(or customized)	
Pattern/Color	Stone, Marble, Wood(or customized)	
Advantage	Waterproof, Fireproof, High hardness	
Top Wearlayer	0.2mm, 0.3mm, 0.5mm	
Surface Treatment	Matte, Glossy	
Usage	School, Hospital, Hotel, Mall, Office Building, Gymnasium, Home Decoration	
Installation	Click System Plus Structural Glue	



SPC Wall Panel



SPC Wall Panel



Marble Wall Panel

Durability	Highly durable, moisture, scratch and stain resistant	Easily scratches and stains
Aesthetics	Wide selection of designs and finishes	Unique textures and colors for a more luxurious feel
Install	Easier	Difficult
Maintain	Low maintenance, fade and stain resistant	Requires regular cleaning to avoid damage
Environmental friendly	Composite material composed of polyvinyl chloride and stone powder, more environmentally friendly	Natural stone, very environmentally friendly
Cost	70% Less cost than marble wall panel (Material, shipping and installation costs)	Higher cost

Acoustic Wall Panel

Furman Acoustic wall panels enhance sound control by absorbing sound waves, reducing echoes, and improving overall sound quality. They are ideal for spaces where sound clarity is crucial, like recording studios, theaters, offices, and home theaters. Made from materials such as medium-density fiberboard, high-density polyester, and other sound-absorbing components, Acoustic wall panels are available in various designs and sizes to seamlessly blend with interior decor.





Noise Reduction



Self-adhesive



Environmental Friendly



High Density



Waterproof



Easy to Install



Surface Layer


Technical or natural wood veneer, PVC film, and melamine_Applied on the top or three sides

Eco-Friendly MDF

Medium Density MoistureResistant Panel

Acoustic Panels

High-Density Acoustical Polyester Fiber








Various surface layers are available to achieve a range of effects



Various shapes are available to enhance the beauty of your home



Overlap joint that helps guide plank into place and prevents the underlying wall from showing through















Free Sample

Furman SPC floor pricing is transparent and reasonable. We encourage customers to place sample orders for free to check the quality.



One-Stop Solution

Furman offers a one-stop solution and is willing to support customers at any step during the supply chain.



OEM/ODM Service

Furman provides customization of various specifications, colors, craftsmanship and specifications of products.



Quick Response Service

No need to wait more than 24 hours, you will enjoy one-to-one flooring pre-sales, on-sales and after-sales service



Short Lead Time

Furman's expert production team and state-of-the-art equipment ensure rapid product manufacturing and shiped



Market Support

Furman provides market support, regularly shares market research and data analysis, and helps clients better Establish customer connections



Contact Us

Furman New Material Co.,Ltd.

Web: www.furmanflooring.com email: info@furmanflooring.com

phone: +86 18012956833

Add: No.2 Jiexi Road, Quanjiao County, Chuzhou, Anhui 239500, CN